



G.P.T. CO

POLYCARBONETE
&
STAINLESS STEELL

4" SUBMERSIBLE PUMPS




CE

60 Hz



G.P.T. CO

4 " SUBMERSIBLE POLYCARBONATE PUMP




- Long life
- High efficiency
- High durability and solid construction
- Easy service operation
- Suitable connection in NEMA standarts
- Water lubricated rubber bearing
- Built-in checkvalve to prevent back flow




G.P.T. CO

Polycarbonate Bearing



Stainless Steel Cast Outlet



Stainless Steel Check Valve



Stainless Steel Stage
Polycarbonate Diffuser



G.P.T. CO



Norly impeller

Stainless Steel Shaft + Stainless Steel Coupling



Stainless Steel Cast Suction



Stainless Steel Casing




Stainless Steel Strainer





G.P.T. CO


AP4 -2 SERIES																
PUMP TYPE	STAGES	MOTOR		l/min	0	20	25	30	35	40	50	60	70	PUMP		
		KW	HP	m3/h	0	1.2	1.5	1.8	2.1	2.4	3	3.6	4.2	N.W	L	
				gph	0	317	396	476	555	634	793	951	1110	lb	in	
XK 2 0.5/05	5	0.37	0.5	ft	157	144	138	131	125	118	95	62	30		6	9
XK 2 0.5/07	7	0.37	0.5		220	197	190	180	170	161	128	89	43		6	11
XK 2 0.7/10	10	0.55	0.75		315	292	279	266	252	233	190	131	62		7	13
XK 2 01/12	12	0.75	1		377	348	334	321	302	279	223	154	75		8	14
XK 2 1.5/17	17	1.1	1.5		551	521	498	482	452	420	334	230	115		10	17
XK 2 02/20	20	1.5	2		639	593	580	551	518	479	387	269	131		11	19





G.P.T. CO


AP4 -3 SERIES																		
PUMP TYPE	STAGES	MOTOR		l/min m3/h gph	0	35	40	50	60	70	80	90	100	110	PUMP			
		KW	HP		ft												N.W lb	L in
					148	134	131	125	115	102	89	69	49	30	6	10		
XK 3 0.5/05	5	0.37	0.5		148	134	131	125	115	102	89	69	49	30		6	10	
XK 3 0.7/06	6	0.55	0.75		184	174	170	161	148	134	121	98	75	52		6	11	
XK 3 01/08	8	0.75	1		246	230	223	213	200	180	161	134	105	72		7	13	
XK 3 1.5/11	11	1.1	1.5		341	315	308	295	275	252	223	190	151	108		8	15	
XK 3 02/14	14	1.5	2		436	403	393	377	354	325	289	246	200	148		9	18	
XK 3 03/19	19	2.2	3		584	538	525	502	469	430	384	328	266	200		11	22	
XK 3 04/25	25	3	4		780	711	698	669	630	577	518	446	361	266		15	30	
XK 3 05/30	30	3.7	5		928	852	833	793	748	689	620	538	443	334		18	34	





G.P.T. CO


AP4 -4 SERIES																
PUMP TYPE	STAGES	MOTOR		ft	l/min	0	50	60	70	80	90	100	120	PUMP		
		KW	HP		m3/h	0	3	3.6	4.2	4.8	5.4	6	7.2		N.W	L
					gph	0	793	951	1110	1268	1427	1585	1902			
XK 4 0.5/04	4	0.37	0.5		118	108	102	95	89	75	66	39		5	10	
XK 4 0.7/05	5	0.55	0.75		151	138	131	125	115	105	92	62		6	11	
XK 4 01/07	7	0.75	1		207	190	180	170	157	141	121	82		7	12	
XK 4 1,5/09	9	1.1	1.5		269	249	239	226	210	190	170	115		8	14	
XK 4 02/11	11	1.5	2		328	302	289	275	256	233	210	148		9	16	
XK 4 03/15	15	2.2	3		446	410	397	377	351	328	295	226		10	20	
XK 4 04/20	20	3	4		600	564	544	518	485	449	400	302		13	26	
XK 4 05/26	26	3.7	5		767	702	675	643	600	554	498	367		18	34	





G.P.T. CO


AP4 -6 SERIES																		
PUMP TYPE	STAGES	MOTOR		ft	l/min	0	60	70	80	90	100	120	140	160	180	PUMP		
		KW	HP		m3/h	0	3.6	4.2	4.8	5.4	6	7.2	8.4	9.6	10.8	N.W lb	L in	
					gph	0	951	1110	1268	1427	1585	1902	2219	2536	2853			
XK 6 01/06	6	0.75	1		170	144	141	138	131	125	108	89	59	30			8	0
XK 6 1,5/08	8	1.1	1.5		230	197	190	180	170	164	141	115	79	39			9	14
XK 6 02/10	10	1.5	2		298	252	246	236	226	213	190	157	105	56			10	16
XK 6 03/14	14	2.2	3		420	357	348	334	325	308	272	230	167	95			13	19
XK 6 04/18	18	3	4		525	456	436	423	403	384	341	292	220	131			15	24
XK 6 05/22	22	3.7	5		656	557	541	521	498	482	433	364	275	164			18	29
XK 6 5,5/24	34	4	5.5		721	620	597	580	557	531	485	410	311	180			21	35
XK 6 7,5/34	24	5.5	7.5		1010	862	836	807	774	738	656	548	400	226			28	39





G.P.T. CO

AP4 -8 SERIES																	
PUMP TYPE	STAGES	MOTOR		PUMP													
		KW	HP	l/min	70	80	90	100	120	140	160	180	200	250	N.W		
				m3/h	0	4.2	4.8	5.4	6	7.2	8.4	9.6	10.8	12	15	lb	in
gph	0	1110	1268	1427	1585	1902	2219	2536	2853	3170	3963						
XK 8 1.5/05	5	1.1	1.5	ft	151	138	134	131	128	121	115	108	95	82	46	7	13
XK 8 02/06	6	1.5	2		180	161	157	154	154	148	138	125	115	98	56	8	14
XK 8 03/08	8	2.2	3		243	226	223	220	216	207	197	184	164	141	79	9	16
XK 8 04/11	11	3	4		328	298	289	285	282	272	256	239	216	190	98	11	20
XK 8 05/14	14	3.7	5		423	387	380	377	370	354	338	318	295	266	157	13	24
XK 8 5.5/15	15	4	5.5		456	420	413	410	403	387	370	344	318	289	180	13	25
XK 8 7.5/21	21	5.5	7.5		636	584	574	567	554	531	505	475	439	393	223	17	34




RP/NPT
2"





G.P.T. CO


AP4 -12 SERIES																				
PUMP TYPE	STAGES	MOTOR		l/min m3/h gph	0	100	120	140	160	180	200	220	240	260	280	300	340	PUMP		
		KW	HP																N.W	L
																				lb
XK 12 1.5/04	4	1.1	1.5	ft	118	105	102	98	92	85	79	72	62	56	46	39	20	9	15	
XK 12 02/05	5	1.5	2		151	134	128	121	118	111	105	95	85	75	56	56	30	10	17	
XK 12 03/07	7	2.2	3		210	187	180	174	167	157	148	138	125	111	82	82	49	12	21	
XK 12 04/09	9	3	4		269	226	220	210	197	184	170	154	138	105	105	59	14	25		
XK 12 05/11	11	3.7	5		328	295	285	272	262	246	233	220	197	177	134	134	79	16	29	
XK 12 5.5/12	12	4	5.5		361	321	311	302	289	275	256	239	220	197	144	144	85	17	31	
XK 12 7.5/17	17	5.5	7.5	515	459	446	430	413	390	367	341	311	279	200	200	115	22	43		





G.P.T. CO

AP4 - 15 SERIES																						
PUMP TYPE	STAGES	MOTOR		l/min m3/h gph	0	160	180	200	220	240	260	280	300	340	380	420	460	PUMP				
		KW	HP		ft																N.W	L
																					lb	in
XK 15 03/05	5	2.2	3		144	118	111	108	105	98	95	92	85	75	62	46	33		10	18		
XK 15 04/07	7	3	4		200	164	161	154	148	141	134	131	125	108	92	75	59		12	24		
XK 15 05/09	9	3.7	5		262	213	207	200	190	184	177	167	161	141	118	98	75		15	29		
XK 15 5.5/10	10	4	5.5		289	239	230	223	213	207	197	187	177	157	134	111	89		17	32		
XK 15 7.5/14	14	5.5	7.5		413	341	331	318	305	292	279	262	249	220	203	157	125		22	42		



RP/NPT
2"






G.P.T. CO


4 " SUBMERSIBLE STAINLESS STEEL PUMP

A4X CR 8K 01 / 04





G.P.T. CO




No.	Description	Material
1	Outlet	AISI 304
2	Bush	Nitrile Rubber
3	Shaft	AISI 304
4	Neckring	Nitrile Rubber
5	Clamping	AISI 304
6	Impeller	AISI 304
7	Stage	AISI 304
8	Suction Case	AISI 304



G.P.T. CO

A4 X CR



RP/NPT
1 1/4"




4" X CR 3K SERIES														
PUMP TYPE	STAGES	MOTOR		l/min m3/h gph	0	35	40	50	60	70	80	PUMP		
		KW	HP		ft								lb	in
					0	2.1	2.4	3	3.6	4.2	4.8			
X CR 3K 0.5/05	5	0.37	0.5		151	125	121	115	102	82	59	5	11	
X CR 3K 0.7/07	7	0.55	0.75		216	184	180	167	154	128	102	6	12	
X CR 3K 01/09	9	0.75	1		275	236	230	216	197	164	125	7	14	
X CR 3K 1.5/13	13	1.1	1.5		400	344	334	315	285	239	187	8	17	
X CR 3K 02/17	17	1.5	2		518	436	426	400	367	315	239	10	20	
X CR 3K 03/23	23	2.2	3		698	590	574	538	492	420	321	13	25	
X CR 3K 04/31	31	4	4		938	797	774	721	659	570	430	20	33	
X CR 3K 05/36	36	3	5.5		1105	921	898	839	770	666	508	23	37	



G.P.T. CO

A4 X CR




RP/NPT
1 1/2"



4" X CR 5K SERIES													
PUMP TYPE	STAGES	MOTOR		l/min m3/h gph	0	60	70	80	90	100	120	PUMP	
		KW	HP		0	3.6	4.2	4.8	5.54	6	7.2	lb	in
X CR 5K 0.5/04	4	0.37	0.5	ft	121	98	92	85	79	75	49	4	10
X CR 5K 0.5/05	5	0.37	0.5		154	125	118	111	102	92	66	5	11
X CR 5K 01/07	7	0.75	1		213	174	167	157	144	131	95	6	12
X CR 5K 1.5/09	9	1.1	1.5		275	226	216	207	190	174	131	7	10
X CR 5K 02/11	11	1.5	2		334	275	262	249	233	213	167	8	16
X CR 5K 03/15	15	2.2	3		459	380	364	344	325	298	236	9	19
X CR 5K 04/21	21	3	4		636	521	498	475	446	410	325	12	24
X CR 5K 05/26	26	3.7	5		777	633	607	577	544	502	400	14	28
X CR 5K 7.5/39	39	5.5	7.5		1180	967	931	889	836	777	620	25	39



G.P.T. CO



RP/NPT
2"




4" X CR 8K SERIES														
PUMP TYPE	STAGES	MOTOR		l/min m3/h gph	0	80	90	100	120	140	160	180	200	PUMP lb in
		KW	HP		0	4.8	5.4	6	7.2	8.4	9.6	10.8	12	
					0	1268	1427	1585	1902	2219	2536	2853	3170	
X CR 8K 01/04	4	0.75	1	ft	108	95	92	89	85	82	75	66	52	8 14
X CR 8K 1.5/05	5	1.1	1.5		138	121	118	115	111	105	95	82	69	9 16
X CR 8K 02/07	7	1.5	2		193	167	164	161	154	148	138	121	102	12 19
X CR 8K 03/09	9	2.2	3		249	216	213	210	200	193	180	161	134	14 23
X CR 8K 04/12	12	3	4		331	289	282	279	269	256	239	213	177	17 28
X CR 8K 5.5/15	15	4	5.5		410	357	351	344	331	318	298	266	223	21 32
X CR 8K 7.5/21	21	5.5	7.5		574	505	495	485	466	446	416	374	311	27 42
X CR 8K 7.5/25	25	5.5	7.5		679	600	587	574	554	528	495	446	370	32 49
X CR 8K 10/30	30	7.5	10		823	721	705	692	669	639	597	538	456	37 57



G.P.T. CO


A4 X CR



RP/NPT
2"



4" X CR 14K SERIES														
PUMP TYPE	STAGES	MOTOR		l/min	0	140	160	180	200	250	300	350	PUMP	
		KW	HP										lb	in
				m3/h	0	8.4	9.6	10.8	12	15	18	21		
				gph	0	2219	2536	2853	3170	3963	4755	5548		
X CR 14K 02/03	4	0.75	1	ft	95	92	89	85	82	72	62	46	8	15
X CR 14K 03/05	5	1.1	1.5		157	148	144	138	134	121	105	79	11	20
X CR 14K 5.5/08	7	1.5	2		249	236	230	226	220	200	174	134	15	27
X CR 14K 7.5/12	9	2.2	3		374	351	341	334	325	295	256	200	21	37
X CR 14K 10/16	12	3	4		502	475	466	452	443	403	348	269	27	48





G.P.T.CO



GOL PUMPS TECHNOLOGY INC

3750 NW 114TH AVE SUITE #6 MIAMI, FL 33178

TEL : +1(786)615-8984 & +1(786)452-9775

FAX : +1(786)615-7043

GOLPUMPS.COM