



GOL PUMPS TECHNOLOGY INC

SUBMERSIBLE DC PUMPS

MARINE & BILGE PUMPS



www.golpumps.com
E-mail: info@golpumps.com

GOL PUMPS



GOL PUMPS CO.

www.golpumps.com

E-mail: info@golpumps.com



GOL PUMPS TECHNOLOGY INC

**EXPORT & IMPORT
SUPPLIER & DISTRIBUTER
WATER PUMPS**





GOL PUMPS CO.

CE | RoHS | ISO9001:2000



DC PUMPS

Product Description

1. Heavy duty motors with stainless steel shafts and tough thermoplastic bodies.
2. Totally submersible and ignition protected.
3. To all existing safety standards.
4. Water cooled motors for long life.
5. Snap-lock strainer base for easy installation and removal.
6. Silent vibration-free running.
7. A mechanical flutter (option).
8. Water detection sensor (option).
9. Ability to install external flutter.
10. Automatically turns on after the water starts and shuts off when the water is removed. Activated by built-in float switch.
11. Low amp draw conserves batteries.
12. Long life motor with stainless shafts.
13. One year warranty with regard to the correct use.
14. Includes comprehensive user manual with installation instructions and wiring diagram.


Application

1. Typically used in boat hulls/bilges.
2. On the fountain.
3. Drain the small water tanks.
4. Drain small pool.
5. Flower gardening.
6. Use in aquarium.
7. Use in fountain show.

WWB - 07360



MOTOR	12V / 24V	MODEL
CAPACITY	360 GPH (1360LPH)	WWB-07360-12V
AMP DRAW	2.0A (12V)/1.0A(24V)	WWB-07360-24V
FUSE SIZE	4.0A (12V)/2.0A(24V)	WWB-07360AUTO-12V
OUTLETDIA	19mm - 3/4"	*WWB-07360AUTO-24V
DELIVERY HEAD	3.5m -11ft	
G. W.	0.75	



*** AUTO : WITH SENSOR FOR WATER**




GOL PUMPS CO.

CE | RoHS | ISO9001:2000




WWB - 07101

MOTOR	12V / 24V	MODEL
CAPACITY	550 GPH (2079LPH)	WWB-07101-12V
AMP DRAW	2.5A (12V)/1.5A(24A)	WWB-07101-24V
FUSE SIZE	5.0A (12V)/3.0A(24V)	WWB-07101AUTO-12V
OUTLEDIA	19mm - 3/4"	*WWB-07101AUTO-24V
DELIVERY HEAD	3.8m - 12.5ft	
G. W.	0.75 Lb	




WWB - 09750

MOTOR	12V / 24V	MODEL
CAPACITY	750 GPH (2835LPH)	WWB-09750-12V
AMP DRAW	2.5A (12V)/1.5A(24A)	WWB-09750-24V
FUSE SIZE	5.0A (12V)/3.0A(24V)	WWB-09750AUTO-12V
OUTLEDIA	29mm - 1"	*WWB-09750AUTO-24V
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	0.9 Lb	



WWB - 07102

MOTOR	12V / 24V	MODEL
CAPACITY	1100 GPH (4158LPH)	WWB-07102-12V
AMP DRAW	2.5A (12V)/1.5A(24A)	WWB-07102-24V
FUSE SIZE	5.0A (12V)/3.0A(24V)	WWB-07102AUTO-12V
OUTLEDIA	29mm - 1"	*WWB-07102AUTO-24V
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	0.9 Lb	



*** AUTO : WITH SENSOR FOR WATER**



GOL PUMPS CO.


CE | RoHS | ISO9001:2000



WWB - 06207




MOTOR	12V / 24V	MODEL
CAPACITY	1500GPH (5670LPH)	WWB-06207-12V
AMP DRAW	8.0A(12V)/10A(24V)	WWB-06207-24V
FUSE SIZE	16A (12V)/10A(24V)	
OUTLEDIA	29mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	2.5 Lb	



WWB - 06208




MOTOR	12V / 24V	MODEL
CAPACITY	2000GPH (7560LPH)	WWB-06208-12V
AMP DRAW	8.0A(12V)/6A(24V)	WWB-06208-24V
FUSE SIZE	16A (12V)/12A(24V)	
OUTLEDIA	29mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	2.5 Lb	



WWB - 06307



MOTOR	12V / 24V	MODEL
CAPACITY	3100GPH (11718LPH)	WWB-06307-12V
AMP DRAW	9.0A(12V)/7.0A(24V)	WWB-06307-24V
FUSE SIZE	18A (12V)/14A(24V)	
OUTLEDIA	40mm - 1 1/2"	
DELIVERY HEAD	8.0m - 26.5 FT	
G. W.	5.5 Lb	






GOL PUMPS CO.

CE | RoHS | ISO9001:2000

WWB - 06308




MOTOR	12V / 24V	MODEL
CAPACITY	3500GPH (13230LPH)	WWB-06308-12V
AMP DRAW	10A (12V)/8.0A(24V)	WWB-06308-24V
FUSE SIZE	20A (12V)/16A(24V)	
OUTLEDIA	40mm-1 1/2"	
DELIVERY HEAD	8.0m - 26.5 FT	
G. W.	5.5 Lb	



WWB - 06309




MOTOR	12V / 24V	MODEL
CAPACITY	3700GPH (13986LPH)	WWB-06309-12V
AMP DRAW	11A (12V)/9.0A(24V)	WWB-06309-24V
FUSE SIZE	22A (12V)/18A(24V)	
OUTLEDIA	40mm-1 1/2"	
DELIVERY HEAD	8.0m - 26.5 FT	
G. W.	5.5 Lb	



WWB - 06918



MOTOR	12V / 24V	MODEL
CAPACITY	4700GPH (13230LPH)	WWB-06918-12V
AMP DRAW	16A (12V)/11.0A(24V)	WWB-06918-24V
FUSE SIZE	32A (12V)/22A(24V)	
OUTLEDIA	50mm-2"	
DELIVERY HEAD	8.0m - 26.5 FT	
G. W.	5.5 Lb	





GOL PUMPS CO.


CE | RoHS | ISO9001:2000



WWB - 1107AUTO




MOTOR	12V / 24V	MODEL
CAPACITY	1100GPH (4158LPH)	WWB-1107AUTO-12V
AMP DRAW	3.0A (12V)/2.0A(24V)	*WWB-1107AUTO-24V
FUSE SIZE	6.0A (12V)/4.0A(24V)	
OUTLEDIA	29mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	1.5 Lb	



WWB - 1105AUTO




MOTOR	12V / 24V	MODEL
CAPACITY	500GPH (1890LPH)	WWB-1105AUTO-12V
AMP DRAW	2.5A (12V)/1.5A(24V)	*WWB-1105AUTO-24V
FUSE SIZE	5.0A (12V)/3.0A(24V)	
OUTLEDIA	19mm - 0.75"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	1.5 Lb	



WWB - 1106AUTO



MOTOR	12V / 24V	MODEL
CAPACITY	700GPH (2650LPH)	WWB-1106AUTO-12V
AMP DRAW	2.5A (12V)/1.5A(24V)	*WWB-1106AUTO-24V
FUSE SIZE	5.0A (12V)/3.0A(24V)	
OUTLEDIA	19mm - 0.75"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	1.5 Lb	



*** AUTO : WITH MECHANICAL FLOATER**




GOL PUMPS CO.

CE | RoHS | ISO9001:2000

WWB - 1500AUTO




MOTOR	12V / 24V	MODEL
CAPACITY	1500GPH (5670LPH)	WWB-1500AUTO-12V
AMP DRAW	8.0A (12V)/5.0A(24V)	*WWB-1500AUTO-24V
FUSE SIZE	16A (12V)/10A(24V)	
OUTLEDIA	29mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	4.2 Lb	



WWB - 2000AUTO



MOTOR	12V / 24V	MODEL
CAPACITY	2000GPH (7560LPH)	WWB-2000AUTO-12V
AMP DRAW	11A (12V)/6.0A(24V)	*WWB-2000AUTO-24V
FUSE SIZE	22A (12V)/12A(24V)	
OUTLEDIA	29mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	4.2 Lb	



*** AUTO : WITH MECHANICAL FLOATER**



GOL PUMPS CO.


CE | RoHS | ISO9001:2000



WWB - 07501




MOTOR	12V / 24V	MODEL
CAPACITY	500GPH (1890LPH)	WWB-07501-12V
AMP DRAW	4A (12V)/2.5A(24V)	WWB-07501-24V
FUSE SIZE	8A (12V)/5A(24V)	
OUTLEDIA	19mm - 3/4"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	1.6Lb	



WWB - 06208




MOTOR	12V / 24V	MODEL
CAPACITY	1000GPH (3780LPH)	WWB-06208-12V
AMP DRAW	5.5A (12V)/3.5A(24V)	WWB-06208-24V
FUSE SIZE	11A (12V)/7A(24V)	
OUTLEDIA	28.5mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	1.6Lb	



WWB - 05807



MOTOR	12V / 24V	MODEL
CAPACITY	1500GPH (5870LPH)	WWB-05807-12V
AMP DRAW	8.0A (12V)/5.0A(24V)	WWB-05807-24V
FUSE SIZE	16A (12V)/10A(24V)	
OUTLEDIA	28.5mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	3.3Lb	






GOL PUMPS CO.

CE | RoHS | ISO9001:2000

WWB - 05808




MOTOR	12V / 24V	MODEL
CAPACITY	2000GPH (7560LPH)	WWB-05808-12V
AMP DRAW	11A (12V)/6.0A(24V)	WWB-05808-24V
FUSE SIZE	22A (12V)/12A(24V)	
OUTLEDIA	28.5mm - 1"	
DELIVERY HEAD	4.0m - 13.5 FT	
G. W.	3.3Lb	



WWB - 07302




MOTOR	12V / 24V	MODEL
CAPACITY	2500GPH (9450LPH)	WWB-07302-12V
AMP DRAW	12A (12V)/7.0A(24V)	WWB-07302-24V
FUSE SIZE	18A (12V)/10A(24V)	
OUTLEDIA	32mm - 1 1/4"	
DELIVERY HEAD	5.0m - 16.5 FT	
G. W.	5.5Lb	



WWB - 06928



MOTOR	12V / 24V	MODEL
CAPACITY	3000GPH (11340LPH)	WWB-06928-12V
AMP DRAW	13A (12V)/8.0A(24V)	WWB-06928-24V
FUSE SIZE	20A (12V)/12A(24V)	
OUTLEDIA	32mm - 1 1/4"	
DELIVERY HEAD	5.0m - 16.5 FT	
G. W.	5.5Lb	





GOL PUMPS CO.


CE | RoHS | ISO9001:2000



WWB - 20111




MOTOR	12V / 24V	MODEL
CAPACITY	450GPH (1701LPH)	WWB-20111-12V
AMP DRAW	2.5A (12V)/1.0A(24V)	WWB-20111-24V
FUSE SIZE	5.0A (12V)/2.0A(24V)	
OUTLEDIA	18.5mm - 3/4"	
DELIVERY HEAD	2.0m - 6.5 FT	
G. W.	0.8 Lb	



WWB - 20113




MOTOR	12V / 24V	MODEL
CAPACITY	800GPH (3024LPH)	WWB-20113-12V
AMP DRAW	5.0A (12V)/2.5A(24V)	WWB-20113-24V
FUSE SIZE	10A (12V)/5A(24V)	
OUTLEDIA	26.5mm - 1"	
DELIVERY HEAD	3.5m - 11.5 FT	
G. W.	1.4 Lb	



WWB - 20117AUTO



MOTOR	12V / 24V	MODEL
CAPACITY	600GPH (2268LPH)	WWB-20117AUTO-12V
AMP DRAW	4.0A(12V)/2.5A(24V)	WWB-20117AUTO-24V
FUSE SIZE	8.0A (12V)/5.0A(24V)	
OUTLEDIA	18.5/28.5mm-3/4"-1"	
DELIVERY HEAD	3.0m - 10 FT	
G. W.	1.5 Lb	






GOL PUMPS CO.

CE | RoHS | ISO9001:2000

BL - 02512 BL - 02524




MOTOR	12V / 24V	MODEL
CAPACITY	1100GPH (4158LPH)	WWB-02512-12V
AMP DRAW	5.4A (12V)/3.8A(24V)	WWB-02512-24V
FUSE SIZE	9.0A (12V)/8.0A(24V)	
OUTLEDIA	25mm - 1"	
DELIVERY HEAD	4.0m - 13.5 ft	
G. W.	3 Lb	



WWB - 01301




MOTOR	12V / 24V	MODEL
CAPACITY	2000GPH (7560LPH)	WWB-01301-12V
AMP DRAW	12A (12V)/6.5A(24V)	WWB-01301-24V
FUSE SIZE	20A (12V)/12A(24V)	
OUTLEDIA	25mm - 1"	
DELIVERY HEAD	8.5m - 28 ft	
G. W.	6.2 Lb	



WWB - 01501



MOTOR	12V / 24V	MODEL
CAPACITY	4000GPH (15140LPH)	WWB-01501-12V
AMP DRAW	17A (12V)/8.5A(24V)	WWB-01501-24V
FUSE SIZE	22A (12V)/17A(24V)	
OUTLEDIA	32mm/25mm -1"-1-1/2"	
DELIVERY HEAD	8m - 26.5 ft	
G. W.	11 Lb	





GOL PUMPS CO.


CE | RoHS | ISO9001:2000



WWB - 01308




MOTOR	12V / 24V	MODEL
CAPACITY	2000GPH (7560LPH)	WWB-01308-12V
AMP DRAW	11A (12V)/6.0A(24V)	WWB-01308-24V
FUSE SIZE	22A (12V)/12A(24V)	
OUTLETDIA	28.5mm - 1"	
DELIVERY HEAD	4.0m - 13.5 ft	
G. W.	6.4 Lb	



WWB - 02302



MOTOR	12V / 24V	MODEL
CAPACITY	1350GPH (5100LPH)	WWB-02302-12V
AMP DRAW	8A (12V)/6.0A(24V)	WWB-02302-24V
FUSE SIZE	16A (12V)/12A(24V)	
OUTLETDIA	28.5mm - 1"	
DELIVERY HEAD	6.0m - 20 ft	
G. W.	10 Lb	




FLOAT SWITCH

External

WWB - 06620



FLOAT SWITCH	
MERCURY FREE	
20AMP	12/24/32VDC
G.W.	0.4 Lb







GOL PUMPS CO.

CE | RoHS | ISO9001:2000

DC MINI PIPE IN LINE PUMP

Mini Pipe Circular Pump

1. CE certificate
2. Pressure: 12V 24V
3. Good quality
4. Favorable price



WWB - 06618



VOLTAGE	12V / 24V	MODEL
CURRENT	11A/6A	WWB-06618-12V
HEAD MAX.	10m - 33 ft	WWB-06618-24V
CAPACITY	42 L/S - 11GLM	
G.W.	4.5 Lb	

DIAPHRORAGM PUMP DESCRIPTION

A positive displacement diaphragm and can run dry without damage.

All pumps feature an on/off demand pressure switch with standard BSP thread connections or hose barsbs.

- On/off demand pressure switch.
- Intermittent duty rating.

Application:

- Spayer fixtures (vehicle-mounted sprayers, electric sprayer).
- Clean machine, humidifier, water purification, medical apparatus.
- Food beverage filling & liquid transfer.
- Any other pressurization system.

Features:

- Maximum torque and operating.

Efficiency:

- Higher operating pressure and lower amperage than competitive pumps long life.
- No leaks and low noise.
- Acid, alkali, and corrosion resistance.



GOL PUMPS CO.

CE | RoHS | ISO9001:2000




WWB - 09121AUTO WWB - 09125AUTO

VOLTS(V)	12V / 24V	12V / 24V
AMPDRAW (AMP)	2.0 / 1.0	2.3 / 1.2
PRESSURE OFF (PSI/BAR)	65 / 0.45	65 / 0.45
FLOW (GPM/LPM)	0.63 / 2.4	0.76 / 2.9
G.W.	5.5 Lb	

WWB - 09123AUTO WWB - 09127AUTO


VOLTS(V)	12V / 24V	12V / 24V
AMPDRAW (AMP)	2.1 / 1.1	3.5 / 1.8
PRESSURE OFF (PSI/BAR)	65 / 0.45	65 / 0.45
FLOW (GPM/LPM)	0.68 / 2.6	0.95 / 3.6
G.W.	5.5 Lb	



WWB - 20101AUTO



VOLTS(V)	12V / 24V	12V / 24V
AMPDRAW (AMP)	6.3 / 3.0	WWB-20101AUTO-12V
40PSISHUT-OFF	AMPS: 10@6PSI (0.07BAR)	WWB-20101AUTO-24V
FLOW (GPM/LPM)	3.5 / 13.2	
G.W.	5.7 Lb	







GOL PUMPS CO.

CE | RoHS | ISO9001:2000

WWB - 20102



MOTOR	12V / 24V	MODEL
AMPDRAW (AMP)	7.0/3.5	WWB-20102-12V
40PSISHUT-OFF	AMPS:10@6PSI(0.07 Bar)	WWB-20102-24V
FLOW (GPM/LPM)	4.3/16.3	
G.W.	6 Lb	




MACERATOR PUMPS

Macerator pumps are specifically designed for sanitation waste and fish box evacuations. These high powered pumps incorporate a high quality motor which features a one-piece shell and splash proof design with specially designed impellers that can work on dry-run position.

WWB - 08301



HEAD (FT)	0	5	10	15	20	MODEL
HEAD (m)	0	1.5	3	4.5	6	WWB-08301-12V
GPM	12.5	11.5	10.5	9.0	7.5	WWB-08301-24V
LITERS	47	44	40	34	28	
AMPS(12V/24V)	7.6/14.0	14.5/7.8	15.0/8.1	16.0/8.6	16.5/8.6	
FUSE(12V/24V)	20*/10*	20*/10*	20*/10*	20*/15*	25*/15*	
G.W.						5.7 Lb






GOL PUMPS CO.

CE | RoHS | ISO9001:2000




BLOWER PUMP
BOAT BLOWER-IN-LINE
MARINE BILGE AIR BLOWER FAN



WWB - 01211

MOTOR	12V / 24V	MODEL
AITR FLOW	6.7m ³ /min 235cfm	WWB-01211-12V
AMP DRAW	4.0A(12V)/2.5A(24V)	WWB-01211-24V
FUSE SIZE	7.0A(12V)/5.0A(24V)	
G.W.	6 Lb	



WWB - 01210

MOTOR	12V / 24V	MODEL
AITR FLOW	6.7m ³ /min 235cfm	WWB-01210-12V
AMP DRAW	4.0A(12V)/2.5A(24V)	WWB-01210-24V
FUSE SIZE	7.0A(12V)/5.0A(24V)	
G.W.	1.1 Lb	



GOL PUMPS CO.



CE | RoHS | ISO9001:2000

DC fuel transfer pumps

Displacement, self-priming, rotary electric vane pumps for the transfer of diesel fuel equipped with by-pass valve.

Powerful, dependable, and economical, they are available with 12V and 24V direct-current motors.

- SELF PRIMING
- ABSENCE OF DYNAMIC SEALS
- EPDM MEMBRANE
- FLOW RATE 35 ÷ 30 L/MIN
- MAX PRESSURE 1.5 BAR
- 2800 RPM
- HOSE TAIL CONNECTION 4/3"
- ON/OFF SWITCH



WWB - 11918



POWER(W)	160	MODEL
INLET / OUTLET(mm)	22/22 - 1	WWB-11918-12V
MAX. FLOW(m ³ /h)(GPH)	3 - 790	WWB-11918-24V
MAX. HEAD(m)(FT)	10 - 30	
MAX. SUCT(m)(FT)	5 - 15	
VOLTAGE	12/24	
SPEED	3600	
G.W.	6.5Lb	

* Unit conversion: 1GPM=3.785LPM.1Mpa=145psi

MARINE & BILGE PUMPS

GOL PUMPS TECHNOLOGY INC

SUBMERSIBLE DC PUMPS



GOL PUMPS CO.





GPT



PRODUCT FEATURE

- 1. Easily fitted and removed.
- 2. Excellent self-suction capability
- 3. Pump controlled automatically by built-in pressure switch.
- 4. Permissible liquid temperature up to 140° F.
- 5. Low noise, excellent corrosion resistance, and high pressure.

GOL PUMPS TECHNOLOGY INC

EXPORT & IMPORT
SUPPLIER & DISTRIBUTER
WATER PUMPS

Tel: +1(786) 615-8984 & (786) 452-9775
Fax: +1(786) 615-7043
3750 NW 114 Ave No: 6
Zip: 33178 Miami FL, USA
E-mail: info@golpumps.com
www.golpumps.com