




Description & Features

EIFEL EG series are vertical in-line pumps. The biggest feature is vertical structure which sharply reduces installation space. Motor shaft is plugged into pump shaft to ensure alignment of pump and motor. This series pump adopts IEC standard motor and pump head can be assembled separately.

Model Instruction:



Material Code

C: Cast Iron 45: ASTM 1045S
 Q: Ductile Iron 304: ASTM 304S
 B: Brass 316: ASTM 316
 S: ASTM 420 M: Mechanical Seal

Design & Structure

Design	Performance referring to BS EN733/DIN24255 standard
Structure	Vertical, Single-Stage, Single-Suction, Volute, Casing, In-line, Close-coupled
DN (mm)	40-200
Flange	DIN2501 PN16 GB / T17241.6 PN1.6
Motor	IEC standard motor

Applications

- Cold and Hot Water Circulation Pump
- Municipal water supply
- HVAC and Cooling Tower
- Booster Pump
- Pool and fountain water transfer

Material

Part	Standard Material	Options on request
Casing	Cast Iron	Ductile Iron
Impeller	Brass	Cast Iron / ASTM304 / ASTM316
Shaft	ASTM420	ASTM304 / ASTM316 / ASTM1045
Shaft Seal	Mechanical Seal	-

Operating Data

Flow Rate(Q)	4-500m ³ /h
Head(H)	8-150m
Speed	1450 or 2900 rpm (50Hz) / 1750 or 3500 rpm (60Hz)
Max Temperature	85°C(standard)
Working Pressure	1.0 MPa standard; 1.6 MPa on request
Conveying Medium	Clean water or liquids similar to clean water in physical property



No.	EG Series		Motor(V1)		Installation Dimensions(mm)										Flange Dimensions(mm)					Weight(kg)		
	Model	Model	kw	h1	L1	F	G	L	AD	B1	B2	n2xm2	n1xm1	s1	DN	D	K	n-d	b	Pump	Motor	Total
1	EG40-3213-00554	Y2-801-4	0.55	113	152	150	310	407	145	104	95	170x200	200x230	12	40	150	110	4-φ18	18	32	16	48
2	EG40-3213-01102	Y2-802-2	1.1	113	152	150	310	407	145	104	95	170x200	200x230	12	40	150	110	4-φ18	18	32	17	49
3	EG40-3213-01502	Y2-90S-2	1.5	113	152	150	310	422	155	104	95	170x200	200x230	12	40	150	110	4-φ18	18	32	21	53
4	EG40-3213-02202	Y2-90L-2	2.2	113	152	150	310	447	155	104	95	170x200	200x230	12	40	150	110	4-φ18	18	32	26	57
5	EG65-4013-00554	Y2-801-4	0.55	128	152	175	360	407	145	113	99	170x200	200x230	12	65	185	145	4-φ18	20	37	16	53
6	EG65-4013-01502	Y2-90S-2	1.5	128	152	175	360	422	155	113	99	170x200	200x230	12	65	185	145	4-φ18	20	38	21	59
7	EG65-4013-02202	Y2-90L-2	2.2	128	152	175	360	447	155	113	99	170x200	200x230	12	65	185	145	4-φ18	20	38	26	63
8	EG65-4013-03002	Y2-100L-2	3	128	164	175	360	489	180	113	99	170x200	200x230	12	65	185	145	4-φ18	20	40	44	84
9	EG65-4013-04002	Y2-112M-2	4	128	164	175	360	504	190	113	99	170x200	200x230	12	65	185	145	4-φ18	20	40	43	83
10	EG65-5013-00554	Y2-801-4	0.55	155	152	200	410	407	145	130	105	170x200	200x230	12	65	185	145	4-φ18	20	40	16	56
11	EG65-5013-00754	Y2-802-4	0.75	155	152	200	410	407	145	130	105	170x200	200x230	12	65	185	145	4-φ18	20	40	17	57
12	EG65-5013-01104	Y2-90S-4	1.1	155	152	200	410	422	155	130	105	170x200	200x230	12	65	185	145	4-φ18	20	41	22	63
13	EG65-5013-04002	Y2-112M-2	4	155	164	200	410	504	190	130	105	170x200	200x230	12	65	185	145	4-φ18	20	46	43	89
14	EG65-5013-05502	Y2-132S1-2	5.5	155	187	200	410	577	210	130	105	170x200	200x230	12	65	185	145	4-φ18	20	49	65	115
15	EG65-5013-07502	Y2-132S2-2	7.5	155	187	200	410	577	210	130	105	170x200	200x230	12	65	185	145	4-φ18	20	49	69	119
16	EG80-6513-00754	Y2-802-4	0.75	160	152	220	460	407	145	140	116	170x200	200x230	12	80	200	160	8-φ18	25	44	17	61
17	EG80-6513-01104	Y2-90S-4	1.1	160	152	220	460	422	155	140	116	170x200	200x230	12	80	200	160	8-φ18	25	45	22	68
18	EG80-6513-07502	Y2-132S2-2	7.5	160	187	220	460	577	210	140	116	170x200	200x230	12	80	200	160	8-φ18	25	54	69	123
19	EG80-6513-11002	Y2-160M1-2	11	160	220	220	460	725	255	140	116	170x200	200x230	12	80	200	160	8-φ18	25	62	108	170
20	EG50-3216-00554	Y2-801-4	0.55	118	152	160	320	407	145	115	115	170x200	200x230	12	50	165	125	4-φ18	20	36	16	52
21	EG50-3216-00754	Y2-802-4	0.75	118	152	160	320	407	145	115	115	170x200	200x230	12	50	165	125	4-φ18	20	36	17	53
22	EG50-3216-02202	Y2-90L-2	2.2	118	152	160	320	447	155	115	115	170x200	200x230	12	50	165	125	4-φ18	20	36	26	62
23	EG50-3216-03002	Y2-100L-2	3	118	164	160	320	489	180	115	115	170x200	200x230	12	50	165	125	4-φ18	20	38	44	82
24	EG50-3216-04002	Y2-112M-2	4	118	164	160	320	504	190	115	115	170x200	200x230	12	50	165	125	4-φ18	20	38	43	81
25	EG50-3216-05502	Y2-132S1-2	5.5	118	187	160	320	577	210	115	115	170x200	200x230	12	50	165	125	4-φ18	20	42	65	107
26	EG65-4016-00554	Y2-801-4	0.55	138	152	175	370	407	145	128	115	170x200	200x230	12	65	185	145	4-φ18	20	42	16	58
27	EG65-4016-00754	Y2-802-4	0.75	138	152	175	370	407	145	128	115	170x200	200x230	12	65	185	145	4-φ18	20	42	17	59
28	EG65-4016-01104	Y2-90S-4	1.1	138	152	175	370	422	155	128	115	170x200	200x230	12	65	185	145	4-φ18	20	43	22	65
29	EG65-4016-03002	Y2-100L-2	3	138	164	175	370	489	180	128	115	170x200	200x230	12	65	185	145	4-φ18	20	44	44	88
30	EG65-4016-04002	Y2-112M-2	4	138	164	175	370	504	190	128	115	170x200	200x230	12	65	185	145	4-φ18	20	44	43	87
31	EG65-4016-05502	Y2-132S1-2	5.5	138	187	175	370	577	210	128	115	170x200	200x230	12	65	185	145	4-φ18	20	49	65	114
32	EG65-4016-07502	Y2-132S2-2	7.5	138	187	175	370	577	210	128	115	170x200	200x230	12	65	185	145	4-φ18	20	49	69	118
33	EG65-5016-00554	Y2-801-4	0.55	138	152	220	440	407	145	140	120	170x200	200x230	12	65	185	145	4-φ18	20	44	16	60
34	EG65-5016-00754	Y2-802-4	0.75	138	152	220	440	407	145	140	120	170x200	200x230	12	65	185	145	4-φ18	20	44	17	61
35	EG65-5016-01104	Y2-90S-4	1.1	138	152	220	440	422	155	140	120	170x200	200x230	12	65	185	145	4-φ18	20	45	22	67
36	EG65-5016-01504	Y2-90L-4	1.5	138	152	220	440	447	155	140	120	170x200	200x230	12	65	185	145	4-φ18	20	45	27	71
37	EG65-5016-05502	Y2-132S1-2	5.5	138	187	220	440	577	210	140	120	170x200	200x230	12	65	185	145	4-φ18	20	51	65	116
38	EG65-5016-07502	Y2-132S2-2	7.5	138	187	220	440	577	210	140	120	170x200	200x230	12	65	185	145	4-φ18	20	51	69	120
39	EG65-5016-11002	Y2-160M1-2	11	138	220	220	440	725	255	140	120	170x200	200x230	12	65	185	145	4-φ18	20	54	108	162
40	EG65-5016-15002	Y2-160M2-2	15	138	220	220	440	725	255	140	120	170x200	200x230	12	65	185	145	4-φ18	20	54	109	163
41	EG80-6516-00754	Y2-802-4	0.75	158	152	220	480	407	145	162	132	170x200	200x230	12	80	200	160	8-φ18	25	50	17	67
42	EG80-6516-01104	Y2-90S-4	1.1	158	152	220	480	422	155	162	132	170x200	200x230	12	80	200	160	8-φ18	25	52	22	74
43	EG80-6516-01504	Y2-90L-4	1.5	158	152	220	480	447	155	162	132	170x200	200x230	12	80	200	160	8-φ18	25	52	27	79
44	EG80-6516-02204	Y2-100L1-4	2.2	158	164	220	480	489	180	162	132	170x200	200x230	12	80	200	160	8-φ18	25	55	34	88
45	EG80-6516-07502	Y2-132S1-2	7.5	158	187	220	480	577	210	162	132	170x200	200x230	12	80	200	160	8-φ18	25	60	69	129
46	EG80-6516-11002	Y2-160M1-2	11	158	220	220	480	725	255	162	132	170x200	200x230	12	80	200	160	8-φ18	25	62	108	170
47	EG80-6516-15002	Y2-160M2-2	15	158	220	220	480	725	255	162	132	170x200	200x230	12	80	200	160	8-φ18	25	62	109	171
48	EG100-8016-01504	Y2-90L-4	1.5	188	152	260	540	447	155	168	136	170x200	200x230	12	100	220	180	8-φ18	24	56	27	83
49	EG100-8016-02204	Y2-100L1-4	2.2	188	164	260	540	489	180	168	136	170x200	200x230	12	100	220	180	8-φ18	24	58	34	92
50	EG100-8016-03004	Y2-100L2-4	3	188	164	260	540	489	180	168	136	170x200	200x230	12	100	220	180	8-φ18	24	58	37	95
51	EG100-8016-11002	Y2-160M1-2	11	188	220	260	540	725	255	168	136	170x200	200x230	12	100	220	180	8-φ18	24	65	108	173
52	EG100-8016-15002	Y2-160M2-2	15	188	220	260	540	725	255	168	136	170x200	200x230	12	100	220	180	8-φ18	24	65	109	174
53	EG100-8016-18502	Y2-180M-2	18.5	188	220	260	540	780	255	168	136	170x200	200x230	12	100	220	180	8-φ18	24	65	133	198
54	EG100-8016-22002	Y2-180M-2	22	188	220	260	540	810	280	168	136	170x200	200x230	12	100	220	180	8-φ18	24	66	155	221
55	EG100-8016-30002	Y2-200L1-2	30	188	220	260	540	882	305	168	136	170x200	200x230	12	100	220	180	8-φ18	24	73	224	298
56	EG125-10016-03004	Y2-100L2-4	3	220	179	330	690	504	180	202	162	260x260	300x300	18	125	250	210	8-φ18	26	100	37	137
57	EG125-10016-04004	Y2-112M-4	4	220	179	330	690	519	190	202	162	260x260	300x300	18	125	250	210	8-φ18	26	102	47	149
58	EG125-10016-18502	Y2-180L-2	18.5	220	234	330	690	794	255	202	162											



No.	EG Series		Motor(V1)			Installation Dimensions(mm)										Flange Dimensions(mm)					Weight(kg)		
	Model	Model	kw	h1	L1	F	G	L	AD	B1	B2	n2xm2	n1xm1	s1	DN	D	K	n-d	b	Pump	Motor	Total	
66	EG50-3220-07502	Y2-132S2-2	7.5	118	186	210	420	576	210	137	134	170x200	200x230	14	50	165	125	4-φ18	20	51	69	120	
67	EG50-3220-11002	Y2-160M1-2	11	118	218	210	420	723	255	137	134	170x200	200x230	14	50	165	125	4-φ18	20	55	108	163	
68	EG65-4020-00754	Y2-802-4	0.75	138	151	240	480	406	145	144	134	170x200	200x230	14	65	185	145	4-φ18	20	50	17	67	
69	EG65-4020-01104	Y2-90S-4	1.1	138	151	240	480	421	155	144	134	170x200	200x230	14	65	185	145	4-φ18	20	51	22	73	
70	EG65-4020-01504	Y2-90L-4	1.5	138	151	240	480	446	155	144	134	170x200	200x230	14	65	185	145	4-φ18	20	51	27	77	
71	EG65-4020-05502	Y2-132S1-2	5.5	138	186	240	480	576	210	144	134	170x200	200x230	14	65	185	145	4-φ18	20	56	65	121	
72	EG65-4020-07502	Y2-132S2-2	7.5	138	186	240	480	576	210	144	134	170x200	200x230	14	65	185	145	4-φ18	20	56	69	125	
73	EG65-4020-11002	Y2-160M1-2	11	138	218	240	480	723	255	144	134	170x200	200x230	14	65	185	145	4-φ18	20	60	108	168	
74	EG65-5020-01504	Y2-90L-4	1.5	138	154	240	480	449	155	158	142	170x200	200x230	14	65	185	145	4-φ18	20	52	27	78	
75	EG65-5020-02204	Y2-100L1-4	2.2	138	166	240	480	491	180	158	142	170x200	200x230	14	65	185	145	4-φ18	20	54	34	87	
76	EG65-5020-03004	Y2-100L2-4	3	138	166	240	480	491	180	158	142	170x200	200x230	14	65	185	145	4-φ18	20	54	37	90	
77	EG65-5020-11002	Y2-160M1-2	11	138	221	240	480	726	255	158	142	170x200	200x230	14	65	185	145	4-φ18	20	61	108	169	
78	EG65-5020-15002	Y2-160M2-2	15	138	221	240	480	726	255	158	142	170x200	200x230	14	65	185	145	4-φ18	20	61	109	170	
79	EG65-5020-18502	Y2-160L-2	18.5	138	221	240	480	781	255	158	142	170x200	200x230	14	65	185	145	4-φ18	20	61	133	194	
80	EG80-6520-02204	Y2-100L1-4	2.2	150	163	260	540	488	180	170	148	170x200	200x230	14	80	200	160	8-φ18	25	62	34	96	
81	EG80-6520-03004	Y2-100L2-4	3	150	163	260	540	488	180	170	148	170x200	200x230	14	80	200	160	8-φ18	25	62	37	99	
82	EG80-6520-04004	Y2-112M-4	4	150	163	260	540	503	190	170	148	170x200	200x230	14	80	200	160	8-φ18	25	62	47	109	
83	EG80-6520-15002	Y2-160M2-2	15	150	218	260	540	723	255	170	148	170x200	200x230	14	80	200	160	8-φ18	25	69	109	178	
84	EG80-6520-18502	Y2-160L-2	18.5	150	218	260	540	778	255	170	148	170x200	200x230	14	80	200	160	8-φ18	25	69	133	202	
85	EG80-6520-22002	Y2-180M-2	22	150	218	260	540	808	280	170	148	170x200	200x230	14	80	200	160	8-φ18	25	70	155	225	
86	EG80-6520-30002	Y2-200L1-2	30	150	221	260	540	881	305	170	148	170x200	200x230	14	80	200	160	8-φ18	25	76	224	300	
87	EG100-8020-03004	Y2-100L2-4	3	188	179	290	600	504	180	192	166	170x200	200x230	14	100	220	180	8-φ18	24	76	37	113	
88	EG100-8020-04004	Y2-112M-4	4	188	179	290	600	519	190	192	166	170x200	200x230	14	100	220	180	8-φ18	24	76	47	123	
89	EG100-8020-05504	Y2-132S-4	5.5	188	202	290	600	592	210	192	166	170x200	200x230	14	100	220	180	8-φ18	24	80	65	145	
90	EG100-8020-07504	Y2-132M-4	7.5	188	202	290	600	632	210	192	166	170x200	200x230	14	100	220	180	8-φ18	24	80	79	158	
91	EG100-8020-22002	Y2-180M-2	22	188	234	290	600	824	280	192	166	170x200	200x230	14	100	220	180	8-φ18	24	88	155	243	
92	EG100-8020-30002	Y2-200L1-2	30	188	237	290	600	897	305	192	166	170x200	200x230	14	100	220	180	8-φ18	24	90	224	314	
93	EG100-8020-37002	Y2-200L2-2	37	188	237	290	600	897	305	192	166	170x200	200x230	14	100	220	180	8-φ18	24	90	235	325	
94	EG100-8020-45002	Y2-225M-2	45	188	237	290	600	942	335	192	166	170x200	200x230	14	100	220	180	8-φ18	24	95	286	380	
95	EG125-10020-04004	Y2-112M-4	4	220	179	330	680	519	190	208	170	200x250	250x300	18	125	250	210	8-φ18	26	97	47	144	
96	EG125-10020-05504	Y2-132S-4	5.5	220	202	330	680	592	210	208	170	200x250	250x300	18	125	250	210	8-φ18	26	99	65	164	
97	EG125-10020-07504	Y2-132M-4	7.5	220	202	330	680	632	210	208	170	200x250	250x300	18	125	250	210	8-φ18	26	99	79	178	
98	EG125-10020-11004	Y2-160M-4	11	220	234	330	680	739	254	208	170	200x250	250x300	18	125	250	210	8-φ18	26	103	108	211	
99	EG125-10020-30002	Y2-200L1-2	30	220	237	330	680	897	305	208	170	200x250	250x300	18	125	250	210	8-φ18	26	109	224	333	
100	EG125-10020-37002	Y2-200L2-2	37	220	237	330	680	897	305	208	170	200x250	250x300	18	125	250	210	8-φ18	26	109	235	344	
101	EG125-10020-45002	Y2-225M-2	45	220	237	330	680	942	335	208	170	200x250	250x300	18	125	250	210	8-φ18	26	114	286	399	
102	EG125-10020-55002	Y2-250M-2	55	220	271	330	680	1041	370	208	170	200x250	250x300	18	125	250	210	8-φ18	26	126	373	499	
103	EG125-10020-75002	Y2-280S-2	75	220	271	330	680	1116	410	208	170	200x250	250x300	18	125	250	210	8-φ18	26	126	485	610	
104	EG150-12520-07504	Y2-132M-4	7.5	260	202	360	740	632	210	242	186	200x250	250x300	18	150	285	240	8-φ22	26	126	79	204	
105	EG150-12520-11004	Y2-160M-4	11	260	234	360	740	739	255	242	186	200x250	250x300	18	150	285	240	8-φ22	26	129	108	238	
106	EG150-12520-55002	Y2-250M-2	55	260	271	360	740	1041	370	242	186	200x250	250x300	18	150	285	240	8-φ22	26	152	373	525	
107	EG150-12520-75002	Y2-280S-2	75	260	271	360	740	1116	410	242	186	200x250	250x300	18	150	285	240	8-φ22	26	153	485	637	
108	EG150-12520-90002	Y2-280M-2	90	260	271	360	740	1166	410	242	186	200x250	250x300	18	150	285	240	8-φ22	26	153	541	694	
109	EG200-15020-11004	Y2-160M-4	11	280	261	400	840	766	255	256	198	340x340	420x420	18	200	340	295	12-φ22	28	165	108	273	
110	EG200-15020-15004	Y2-160L-4	15	280	261	400	840	821	255	256	198	340x340	420x420	18	200	340	295	12-φ22	28	165	129	294	
111	EG200-15020-18504	Y2-180M-4	18.5	280	261	400	840	851	280	256	198	340x340	420x420	18	200	340	295	12-φ22	28	167	157	324	
112	EG50-3226-02204	Y2-100L1-4	2.2	118	173	230	470	498	180	168	168	170x200	200x230	14	50	165	125	4-φ18	20	62	34	96	
113	EG50-3226-03004	Y2-100L2-4	3	118	173	230	470	498	180	168	168	170x200	200x230	14	50	165	125	4-φ18	20	62	37	99	
114	EG50-3226-11002	Y2-160M1-2	11	118	228	230	470	733	255	168	168	170x200	200x230	14	50	165	125	4-φ18	20	70	108	178	
115	EG50-3226-15002	Y2-160M2-2	15	118	228	230	470	733	255	168	168	170x200	200x230	14	50	165	125	4-φ18	20	70	109	179	
116	EG50-3226-18502	Y2-160L-2	18.5	118	228	230	470	788	255	168	168	170x200	200x230	14	50	165	125	4-φ18	20	70	133	202	
117	EG65-4026-02204	Y2-100L1-4	2.2	138	173	260	520	498	180	168	168	170x200	200x230	14	65	185	145	4-φ18	20	66	34	100	
118	EG65-4026-03004	Y2-100L2-4	3	138	173	260	520	498	180	168	168	170x200	200x230	14	65	185	145	4-φ18	20	66	37	103	
119	EG65-4026-11002	Y2-160M1-2	11	138	228	260	520	733	255	168	168	170x200	200x230	14	65	185	145	4-φ18	20	74	108	182	
120	EG65-4026-15002	Y2-160M2-2	15	138	228	260	520	733	255	168	168	170x200	200x230	14	65	185	145	4-φ18	20	74	109	183	
121	EG65-4026-18502	Y2-160L-2	18.5	138	228	260	520	788	255	168	168	170x200	200x230	14	65	185	145	4-φ18	20	74	133	207	
122	EG65-4026-22002	Y2-180M-2	22	138	228	260	520	818	280	168	168	170x200	200x230	14	65	185	145						



No.	EG Series		Motor(V1)		Installation Dimensions(mm)								Flange Dimensions(mm)						Weight(kg)			
	Model	Model	kw	h1	L1	F	G	L	AD	B1	B2	n2xm2	n1xm1	s1	DN	D	K	n-d	b	Pump	Motor	Total
131	EG80-6526-04004	Y2-112M-4	4	168	179	290	590	519	190	195	170	170x200	200x230	14	80	200	160	8-φ18	22	81	47	128
132	EG80-6526-05504	Y2-132S-4	5.5	168	202	290	590	592	210	195	170	170x200	200x230	14	80	200	160	8-φ18	22	83	65	148
133	EG80-6526-07504	Y2-132M-4	7.5	168	202	290	590	632	210	195	170	170x200	200x230	14	80	200	160	8-φ18	22	83	79	162
134	EG80-6526-30002	Y2-200L1-2	30	168	237	290	590	897	305	195	170	170x200	200x230	14	80	200	160	8-φ18	22	95	224	319
135	EG80-6526-37002	Y2-200L2-2	37	168	237	290	590	897	305	195	170	170x200	200x230	14	80	200	160	8-φ18	22	95	235	330
136	EG80-6526-45002	Y2-225M-2	45	168	237	290	590	942	335	195	170	170x200	200x230	14	80	200	160	8-φ18	22	99	286	385
137	EG80-6526-55002	Y2-250M-2	55	168	271	290	590	1041	370	195	170	170x200	200x230	14	80	200	160	8-φ18	22	113	373	486
138	EG100-8026-05504	Y2-132S-4	5.5	188	202	310	630	592	210	208	184	170x200	200x230	14	100	220	180	8-φ18	24	93	65	158
139	EG100-8026-07504	Y2-132M-4	7.5	188	202	310	630	632	210	208	184	170x200	200x230	14	100	220	180	8-φ18	24	93	79	172
140	EG100-8026-11004	Y2-160M-4	11	188	234	310	630	739	255	208	184	170x200	200x230	14	100	220	180	8-φ18	24	99	108	207
141	EG100-8026-37002	Y2-200L2-2	37	188	237	310	630	897	305	208	184	170x200	200x230	14	100	220	180	8-φ18	24	118	235	353
142	EG100-8026-45002	Y2-225M-2	45	188	237	310	630	942	335	208	184	170x200	200x230	14	100	220	180	8-φ18	24	120	286	406
143	EG100-8026-55002	Y2-250M-2	55	188	271	310	630	1041	370	208	184	170x200	200x230	14	100	220	180	8-φ18	24	123	373	496
144	EG100-8026-75002	Y2-280S-2	75	188	271	310	630	1116	410	208	184	170x200	200x230	14	100	220	180	8-φ18	24	123	485	607
145	EG125-10026-11004	Y2-160M-4	11	220	238	340	700	743	255	222	192	200x250	250x300	18	125	250	210	8-φ18	26	125	108	233
146	EG125-10026-15004	Y2-180L-4	15	220	238	340	700	798	255	222	192	200x250	250x300	18	125	250	210	8-φ18	26	125	129	254
147	EG125-10026-18504	Y2-180M-4	18.5	220	238	340	700	828	280	222	192	200x250	250x300	18	125	250	210	8-φ18	26	125	157	282
148	EG125-10026-75002	Y2-280S-2	75	220	275	340	700	1120	410	222	192	200x250	250x300	18	125	250	210	8-φ18	26	148	485	633
149	EG125-10026-90002	Y2-280M-2	90	220	275	340	700	1170	410	222	192	200x250	250x300	18	125	250	210	8-φ18	26	148	541	689
150	EG150-12526-15004	Y2-160L-4	15	260	238	360	760	798	255	245	210	200x250	250x300	18	150	285	240	8-φ22	26	155	129	284
151	EG150-12526-18504	Y2-180M-4	18.5	260	238	360	760	828	280	245	210	200x250	250x300	18	150	285	240	8-φ22	26	155	157	313
152	EG150-12526-22004	Y2-180L-4	22	260	238	360	760	869	280	245	210	200x250	250x300	18	150	285	240	8-φ22	26	155	179	334
153	EG150-12526-30004	Y2-200L-4	30	260	241	360	760	892	305	245	210	200x250	250x300	18	150	285	240	8-φ22	26	161	240	401
154	EG200-15026-18504	Y2-180M-4	18.5	280	248	380	830	838	280	258	210	250x300	300x350	18	200	340	295	12-φ22	30	194	157	351
155	EG200-15026-22004	Y2-180L-4	22	280	248	380	830	878	280	258	210	250x300	300x350	18	200	340	295	12-φ22	30	194	179	373
156	EG200-15026-30004	Y2-200L-4	30	280	248	380	830	908	305	258	210	250x300	300x350	18	200	340	295	12-φ22	30	210	240	450
157	EG65-4032-03004	Y2-100L2-4	3	138	179	290	580	504	180	200	200	170x200	200x230	14	65	185	145	4-φ18	20	91	37	128
158	EG65-4032-04004	Y2-112M-4	4	138	179	290	580	519	190	200	200	170x200	200x230	14	65	185	145	4-φ18	20	91	47	138
159	EG65-4032-05504	Y2-132S-4	5.5	138	201	290	580	591	210	200	200	170x200	200x230	14	65	185	145	4-φ18	20	95	65	160
160	EG65-4032-07504	Y2-132M-4	7.5	138	201	290	580	631	210	200	200	170x200	200x230	14	65	185	145	4-φ18	20	95	79	173
161	EG65-4032-22002	Y2-180M-2	22	138	231	290	580	828	280	200	200	170x200	200x230	14	65	185	145	4-φ18	20	100	155	255
162	EG65-4032-30002	Y2-200L1-2	30	138	237	290	580	897	305	200	200	170x200	200x230	14	65	185	145	4-φ18	20	104	224	329
163	EG65-4032-37002	Y2-200L2-2	37	138	237	290	580	897	305	200	200	170x200	200x230	14	65	185	145	4-φ18	20	104	235	339
164	EG65-4032-45002	Y2-225M-2	45	138	237	290	580	942	335	200	200	170x200	200x230	14	65	185	145	4-φ18	20	112	286	397
165	EG65-5032-05504	Y2-132S-4	5.5	155	201	290	590	591	210	214	198	170x200	200x230	14	65	185	145	4-φ18	20	98	65	164
166	EG65-5032-07504	Y2-132M-4	7.5	155	201	290	590	631	210	214	198	170x200	200x230	14	65	185	145	4-φ18	20	98	79	177
167	EG65-5032-11004	Y2-160M-4	11	155	231	290	590	743	255	214	198	170x200	200x230	14	65	185	145	4-φ18	20	103	108	211
168	EG65-5032-37002	Y2-200L2-2	37	155	237	290	590	897	305	214	198	170x200	200x230	14	65	185	145	4-φ18	20	108	235	342
169	EG65-5032-45002	Y2-225M-2	45	155	237	290	590	942	335	214	198	170x200	200x230	14	65	185	145	4-φ18	20	115	286	401
170	EG65-5032-55002	Y2-250M-2	55	155	273	290	590	1043	370	214	198	170x200	200x230	14	65	185	145	4-φ18	20	133	373	507
171	EG65-5032-75002	Y2-280S-2	75	155	273	290	590	1118	410	214	198	170x200	200x230	14	65	185	145	4-φ18	20	134	485	618
172	EG80-6532-07504	Y2-132M-4	7.5	175	201	310	640	631	210	224	210	200x250	250x300	18	80	200	160	8-φ18	22	115	79	194
173	EG80-6532-11004	Y2-160M-4	11	175	235	310	640	740	255	224	210	200x250	250x300	18	80	200	160	8-φ18	22	118	108	226
174	EG80-6532-15004	Y2-160L-4	15	175	235	310	640	795	255	224	210	200x250	250x300	18	80	200	160	8-φ18	22	118	129	246
175	EG80-6532-45002	Y2-225M-2	45	175	252	310	640	957	335	224	210	200x250	250x300	18	80	200	160	8-φ18	22	139	286	424
176	EG80-6532-55002	Y2-250M-2	55	175	272	310	640	1042	370	224	210	200x250	250x300	18	80	200	160	8-φ18	22	145	373	518
177	EG80-6532-75002	Y2-280S-2	75	175	272	310	640	1117	410	224	210	200x250	250x300	18	80	200	160	8-φ18	22	145	485	630
178	EG80-6532-90002	Y2-280M-2	90	175	272	310	640	1167	410	224	210	200x250	250x300	18	80	200	160	8-φ18	22	145	541	686
185	EG100-8032-11004	Y2-160M-4	11	186	235	340	700	740	255	237	210	200x250	250x300	18	100	220	180	8-φ18	24	127	108	236
186	EG100-8032-15004	Y2-160L-4	15	186	235	340	700	795	255	237	210	200x250	250x300	18	100	220	180	8-φ18	24	127	129	256
187	EG100-8032-18504	Y2-180M-4	18.5	186	235	340	700	825	280	237	210	200x250	250x300	18	100	220	180	8-φ18	24	128	157	285
188	EG100-8032-75002	Y2-280S-2	75	186	272	340	700	1117	410	237	210	200x250	250x300	18	100	220	180	8-φ18	24	155	485	639
189	EG100-8032-90002	Y2-280M-2	90	186	272	340	700	1167	410	237	210	200x250	250x300	18	100	220	180	8-φ18	24	155	541	695
190	EG125-10032-15004	Y2-160L-4	15	240	235	360	740	795	255	246	220	200x250	250x300	18	125	250	210	8-φ18	26	148	129	276
191	EG125-10032-18504	Y2-180M-4	18.5	240	235	360	740	825	280	246	220	200x250	250x300	18	125	250	210	8-φ18	26	148	157	305
192	EG125-10032-22004	Y2-180L-4	22	240	235	360	740	865	280	246	220	200x250	250x300	18	125	250	210	8-φ18	26	148	179	326
193	EG125-10032-30004	Y2-200L-4	30	240	237	360	740	897	30													




No.	EG Series	Motor(V1)		Installation Dimensions(mm)										Flange Dimensions(mm)					Weight(kg)			
	Model	Model	kw	h1	L1	F	G	L	AD	B1	B2	n2xm2	n1xm1	s1	DN	D	K	n-d	b	Pump	Motor	Total
196	EG150-12532-22004	Y2-180L-4	22	260	249	400	895	879	280	266	226	340x340	420x420	18	150	285	240	8-φ22	26	196	179	375
197	EG150-12532-30004	Y2-200L-4	30	260	249	400	895	909	305	266	226	340x340	420x420	18	150	285	240	8-φ22	26	196	240	438
198	EG150-12532-37004	Y2-225S-4	37	260	284	400	895	964	335	266	226	340x340	420x420	18	150	285	240	8-φ22	26	206	301	507
199	EG200-15032-30004	Y2-200L-4	30	300	250	430	920	910	305	290	242	340x340	420x420	18	200	340	295	12-φ22	30	241	240	481
200	EG200-15032-37004	Y2-225S-4	37	300	285	430	920	965	335	290	242	340x340	420x420	18	200	340	295	12-φ22	30	249	301	550
201	EG200-15032-45004	Y2-225M-4	45	300	285	430	920	990	335	290	242	340x340	420x420	18	200	340	295	12-φ22	30	249	312	562
202	EG200-15032-55004	Y2-250M-4	55	300	285	430	920	1055	370	290	242	340x340	420x420	18	200	340	295	12-φ22	30	264	383	647
203	EG100-8040-15004	Y2-160L-4	15	220	249	400	800	809	255	265	248	310x310	370x370	18	100	220	180	8-φ18	24	188	129	317
204	EG100-8040-18504	Y2-180M-4	18.5	220	249	400	800	839	280	265	248	310x310	370x370	18	100	220	180	8-φ18	24	191	157	348
205	EG100-8040-22004	Y2-180L-4	22	220	249	400	800	879	280	265	248	310x310	370x370	18	100	220	180	8-φ18	24	191	179	370
206	EG100-8040-30004	Y2-200L-4	30	220	249	400	800	909	305	265	248	310x310	370x370	18	100	220	180	8-φ18	24	197	240	436
207	EG125-10040-22004	Y2-180L-4	22	240	249	380	810	879	280	285	262	200x250	250x300	18	125	250	210	8-φ18	26	204	179	383
208	EG125-10040-30004	Y2-200L-4	30	240	249	380	810	909	305	285	262	200x250	250x300	18	125	250	210	8-φ18	26	206	240	445
209	EG125-10040-37004	Y2-225S-4	37	240	284	380	810	964	335	285	262	200x250	250x300	18	125	250	210	8-φ18	26	212	301	513
210	EG125-10040-45004	Y2-225M-4	45	240	284	380	810	989	335	285	262	200x250	250x300	18	125	250	210	8-φ18	26	212	312	524
211	EG150-12540-30004	Y2-200L-4	30	250	249	400	850	909	305	296	264	250x300	300x350	18	150	285	240	8-φ22	26	225	240	465
212	EG150-12540-37004	Y2-225S-4	37	250	284	400	850	964	335	296	264	250x300	300x350	18	150	285	240	8-φ22	26	231	301	531
213	EG150-12540-45004	Y2-225M-4	45	250	284	400	850	989	335	296	264	250x300	300x350	18	150	285	240	8-φ22	26	231	312	543
214	EG150-12540-55004	Y2-250M-4	55	250	284	400	850	1054	370	296	264	250x300	300x350	18	150	285	240	8-φ22	26	235	383	617
215	EG150-12540-75004	Y2-280S-4	75	250	284	400	850	1129	410	296	264	250x300	300x350	18	150	285	240	8-φ22	26	236	544	780




EG Series-50Hz Performance

n=2900 rpm




n=1450 rpm






EG Series-60Hz Performance

n=3500 rpm



n=1750 rpm





EG (50HZ)

EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG40-3213-02202	9.0	2.50	26.0	2900	1.23	1.5	52	139	1.4
	15.0	4.17	24.0		1.61	2.2	61		1.7
	18.0	5.00	22.5		1.78	2.2	62		2.5
EG40-3213-02202	8.4	2.34	22.0	2900	0.98	1.5	51.5	130	1.4
	14.0	3.90	19.7		1.25	1.5	60		1.7
	16.8	4.68	18.0		1.36	2.2	60.5		2.5
EG40-3213-01502	7.8	2.16	18.0	2900	0.75	1.1	51	120	1.4
	13.0	3.60	16.2		0.98	1.1	58.5		1.7
	15.6	4.32	14.5		1.06	1.5	58		2.5
EG40-3213-01102	7.1	1.98	14.8	2900	0.57	1.1	50	110	1.4
	11.9	3.30	13.0		0.74	1.1	57		1.7
	14.3	3.96	11.4		0.80	1.1	55.5		2.5
EG40-3213-01102	6.5	1.80	11.7	2900	0.43	0.75	48	100	1.4
	10.8	3.00	10.1		0.57	0.75	52		1.7
	13.0	3.60	8.7		0.59	1.1	52		2.5
EG50-3216-05502	10.8	3.00	42.0	2900	2.66	3	46.5	174	1.9
	18.0	5.00	39.0		3.41	4	56		2.2
	21.6	6.00	36.5		3.79	5.5	56.7		3.7
EG50-3216-04002	10.2	2.84	37.0	2900	2.27	3	45.5	165	1.9
	17.1	4.74	34.6		2.90	3	55.5		2.2
	20.5	5.69	32.1		3.18	4	56.3		3.7
EG50-3216-04002	9.6	2.67	32.3	2900	1.92	3	44	155	1.9
	16.0	4.45	30.5		2.44	3	54.5		2.2
	19.2	5.34	28.7		2.68	4	56		3.7
EG50-3216-03002	9.0	2.50	28.3	2900	1.61	2.2	43	145	1.9
	15.0	4.17	26.5		2.04	3	53		2.2
	18.0	5.00	25.0		2.25	3	54.5		3.7
EG50-3216-02202	8.4	2.33	24.6	2900	1.40	2.2	40	135	1.9
	14.0	3.88	22.7		1.69	2.2	51		2.2
	16.8	4.66	21.4		1.86	2.2	52.5		3.7
EG50-3216-02202	7.8	2.16	20.5	2900	1.11	1.1	39	125	1.9
	12.9	3.59	19.2		1.39	2.2	48.5		2.2
	15.5	4.31	18.0		1.49	2.2	51		3.7
EG50-3220-11002	10.8	3.00	64.2	2900	4.84	5.5	39	214	1.7
	18.0	5.00	58.5		5.92	7.5	48.4		2
	21.6	6.00	54.1		6.59	11	48.3		2.3
EG50-3220-07502	10.3	2.87	58.3	2900	4.25	5.5	38.6	205	1.6
	17.2	4.79	53.0		5.16	7.5	48.2		1.95
	20.7	5.75	48.3		5.66	7.5	48.1		2.2
EG50-3220-07502	9.8	2.73	52.2	2900	3.62	5.5	38.6	195	1.6
	16.4	4.56	47.7		4.48	7.5	47.5		1.95
	19.7	5.47	43.2		4.92	7.5	47		2.2
EG50-3220-05502	9.3	2.59	47.2	2900	3.24	4	37	185	1.6
	15.6	4.32	42.5		3.87	5.5	46.5		1.95
	18.7	5.19	38.2		4.22	5.5	46		2.2
EG50-3220-05502	8.8	2.45	42.2	2900	2.82	4	36	175	1.6
	14.7	4.09	38.0		3.39	5.5	45		1.95
	17.7	4.91	34.2		3.72	5.5	44.2		2.2



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			Shaft	Motor			
EG50-3220-04002	8.3	2.31	37.5	2900	2.40	2.2	35.5	165	1.6
	13.9	3.86	33.8		2.97	4	43		1.95
	16.7	4.63	30.4		3.17	4	43.4		2.2
EG50-3226-18502	16.2	4.50	89.3	2900	11.76	15	33.5	264	2.1
	27.0	7.50	82.0		14.52	18.5	41.5		2.6
	32.4	9.00	75.3		16.28	18.5	40.8		3.1
EG50-3226-18502	15.6	4.35	83.6	2900	10.79	15	33	255	2.1
	26.1	7.24	76.0		13.39	15	40.3		2.6
	31.3	8.69	70.5		14.83	18.5	40.5		3.1
EG50-3226-15002	15.0	4.18	77.5	2900	10.23	15	31	245	2.1
	25.1	6.96	70.2		12.12	15	39.5		2.6
	30.1	8.35	65.0		13.23	15	40.2		3.1
EG50-3226-15002	14.4	4.01	72.0	2900	9.12	15	31	235	2.1
	24.0	6.68	65.0		10.90	15	39		2.6
	28.8	8.01	59.8		11.74	15	40		3.1
EG50-3226-15002	13.8	3.84	66.0	2900	8.13	11	30.5	225	2.1
	23.0	6.39	59.6		9.95	15	37.5		2.6
	27.6	7.67	54.8		10.84	15	38		3.1
EG50-3226-11002	13.2	3.66	60.8	2900	7.28	11	30	215	2.1
	22.0	6.11	55.0		9.09	11	36.2		2.6
	26.4	7.33	51.0		9.90	11	37		3.1
EG50-3226-11002	12.6	3.49	58.0	2900	6.97	11	28.5	205	2.1
	21.0	5.82	50.8		8.40	11	34.5		2.6
	25.2	6.99	46.2		9.04	11	35		3.1
EG65-4013-04002	18.0	5.00	25.3	2900	2.03	2.2	61	139	1.8
	30.0	8.33	23.5		2.63	3	73		2
	36.0	10.00	21.8		2.91	4	73.5		3
EG65-4013-03002	16.8	4.67	22.0	2900	1.63	2.2	62	130	1.8
	28.0	7.79	20.2		2.11	3	73.2		2
	33.7	9.35	18.5		2.32	3	73.2		3
EG65-4013-02202	15.5	4.31	18.5	2900	1.28	1.5	61	120	1.8
	25.9	7.19	17.0		1.64	2.2	73		2
	31.1	8.63	15.3		1.77	2.2	73		3
EG65-4013-02202	14.2	3.96	15.5	2900	1.00	1.5	60	110	1.8
	23.7	6.59	13.7		1.23	1.5	72		2
	28.5	7.91	12.2		1.31	2.2	72		3
EG65-4013-01502	12.9	3.60	12.5	2900	0.76	1.1	58	100	1.8
	21.6	5.99	11.0		0.92	1.5	70		2
	25.9	7.19	9.5		0.97	1.5	69		3
EG65-4016-07502	18.0	5.00	39.5	2900	3.39	5.5	57	174	1.5
	30.0	8.33	35.0		4.46	5.5	64		2.2
	36.0	10.00	31.5		5.02	7.5	61.5		3.3
EG65-4016-05502	17.1	4.74	34.8	2900	2.89	4	56	165	1.5
	28.4	7.90	30.5		3.74	5.5	63.2		2.2
	34.1	9.48	27.6		4.20	5.5	61		3.3
EG65-4016-04002	16.0	4.45	30.5	2900	2.42	4	55	155	1.5
	26.7	7.42	26.5		3.15	4	61.2		2.2
	32.1	8.90	23.4		3.46	4	59		3.3



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH) _r
	m ³ /h	L/s			m	r/min			
EG65-4016-04002	15.0	4.17	26.7	2900	2.06	3	53	145	1.5
	25.0	6.94	22.5		2.62	4	58.5		2.2
	30.0	8.33	19.5		2.84	4	56		3.3
EG65-4016-03002	14.0	3.88	23.1	2900	1.76	3	50	135	1.5
	23.3	6.46	19.5		2.17	3	57		2.2
	27.9	7.76	16.5		2.28	3	55		3.3
EG65-4016-03002	12.9	3.59	19.5	2900	1.43	3	48	125	1.5
	21.5	5.98	16.0		1.71	3	55		2.2
	25.9	7.18	13.5		1.86	3	51		3.3
EG65-4020-11002	18.0	5.00	61.5	2900	6.28	7.5	48	214	1.8
	30.0	8.33	56.5		7.95	11	58		2
	36.0	10.00	53.0		8.88	11	58.5		2.7
EG65-4020-11002	17.2	4.79	55.4	2900	5.42	7.5	48	205	1.8
	28.7	7.98	51.0		6.94	11	57.5		2
	34.5	9.58	47.3		7.65	11	58		2.7
EG65-4020-11002	16.4	4.55	49.5	2900	4.70	5.5	47	195	1.8
	27.3	7.59	47.5		6.25	7.5	56.5		2
	32.8	9.11	42.0		6.58	11	57		2.7
EG65-4020-07502	15.6	4.32	44.6	2900	4.10	7.5	46	185	1.8
	25.9	7.20	40.5		5.15	7.5	55.5		2
	31.1	8.64	36.5		5.62	7.5	55		2.7
EG65-4020-07502	14.7	4.09	39.9	2900	3.55	5.5	45	175	1.8
	24.5	6.81	36.0		4.45	7.5	54		2
	29.4	8.17	32.2		4.82	7.5	53.5		2.7
EG65-4020-05502	13.9	3.85	35.4	2900	3.01	5.5	44.5	165	1.8
	23.1	6.42	31.5		3.81	5.5	52		2
	27.7	7.71	28.2		4.14	5.5	51.5		2.7
EG65-4026-22002	21.6	6.00	93.0	2900	13.67	15	40	264	1.8
	36.0	10.00	86.5		16.62	18.5	51		2
	43.2	12.00	81.5		18.08	22	53		2.5
EG65-4026-18502	20.9	5.80	86.0	2900	12.21	15	40	255	1.8
	34.8	9.66	80.0		15.06	18.5	50.3		2
	41.7	11.59	74.5		16.18	18.5	52.3		2.5
EG65-4026-18502	20.0	5.57	78.3	2900	10.96	15	39	245	1.8
	33.4	9.28	72.0		13.10	15	50		2.0
	40.1	11.14	66.0		14.12	18.5	51		2.5
EG65-4026-15002	19.2	5.34	71.0	2900	9.78	15	38	235	1.8
	32.0	8.90	66.2		11.91	15	48.5		2
	38.5	10.68	60.7		12.71	15	50		2.5
EG65-4026-15002	18.4	5.11	65.1	2900	8.58	11	38	225	1.8
	30.7	8.52	60.2		10.48	15	48		2
	36.8	10.23	55.7		11.50	15	48.5		2.5
EG65-4026-15002	17.6	4.89	59.4	2900	7.59	11	37.5	215	1.8
	29.3	8.14	54.3		9.22	11	47		2
	35.2	9.77	50.8		10.25	15	47.5		2.5
EG65-4026-11002	16.8	4.66	54.0	2900	6.57	11	37.5	205	1.8
	28.0	7.77	49.5		8.19	11	46		2
	33.5	9.32	45.5		8.94	11	46.5		2.5
EG65-4032-45002	21.6	6.00	155.0	2900	27.21	30	33.5	329	2.7
	36.0	10.00	148.0		34.13	37	42.5		3.2
	43.2	12.00	140.0		37.42	45	44		4.8



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m	
	Model	m ³ /h			L/s	Shaft				Motor
EG65-4032-37002		20.7	5.74	139.0	2900	24.45	30	315	2.7	
		34.5	9.57	133.0		30.07	37		41.5	3.2
		41.4	11.49	126.0		32.84	37		43.2	4.8
EG65-4032-37002		19.7	5.47	124.5	2900	21.53	30	300	2.7	
		32.8	9.12	118.0		26.04	30		40.5	3.2
		39.4	10.94	114.0		29.11	37		42	4.8
EG65-4032-30002		18.7	5.20	111.0	2900	18.85	22	285	2.7	
		31.2	8.66	107.0		23.00	30		39.5	3.2
		37.4	10.40	100.0		25.47	30		40	4.8
EG65-4032-30002		17.7	4.92	99.0	2900	17.06	22	270	2.7	
		29.5	8.21	95.0		19.59	30		39	3.2
		35.5	9.85	88.0		21.78	30		39	4.8
EG65-4032-22002		16.7	4.65	88.0	2900	14.58	18.5	255	2.7	
		27.9	7.75	81.5		16.96	22		36.5	3.2
		33.5	9.30	75.0		17.99	22		38	4.8
EG65-5013-07502		36.0	10.00	26.0	2900	3.89	5.5	139	1.95	
		60.0	16.67	23.0		4.82	7.5		78	2.5
		72.0	20.00	20.5		5.36	7.5		75	3.3
EG65-5013-05502		33.7	9.35	22.0	2900	3.13	4	130	1.95	
		56.1	15.59	18.6		3.79	5.5		75	2.5
		67.4	18.71	16.1		4.10	5.5		72	3.3
EG65-5013-04002		31.1	8.63	18.3	2900	2.46	4	120	1.95	
		51.8	14.39	15.0		2.94	4		72	2.5
		62.2	17.27	12.3		3.06	4		68	3.3
EG65-5013-03002		28.5	7.92	15.0	2900	1.88	3	110	1.95	
		47.5	13.19	11.6		2.17	3		69	2.5
		57.0	15.83	9.6		2.31	3		64.5	3.3
EG65-5016-11002		39.0	10.83	42.3	2900	6.96	11	174	1.8	
		65.0	18.05	38.0		8.96	11		75	2.8
		78.0	21.66	33.8		10.11	11		71	3.2
EG65-5016-11002		37.0	10.27	37.5	2900	5.99	7.5	165	1.8	
		61.6	17.12	33.2		7.68	11		72.5	2.8
		73.9	20.54	29.5		8.73	11		68	3.2
EG65-5016-11002		34.7	9.65	33.3	2900	5.25	7.5	155	1.8	
		57.9	16.08	29.2		6.67	11		69	2.8
		69.5	19.29	25.8		7.28	11		67	3.2
EG65-5016-07502		32.5	9.03	28.7	2900	4.30	5.5	145	1.8	
		54.2	15.04	25.0		5.46	7.5		67.5	2.8
		65.0	18.05	22.1		6.01	7.5		65	3.2
EG65-5016-07502		30.2	8.40	24.5	2900	3.48	5.5	135	1.8	
		50.4	14.00	20.8		4.46	5.5		64	2.8
		60.5	16.81	18.3		4.86	7.5		62	3.2
EG65-5016-05502		28.0	7.78	20.5	2900	2.95	4	125	1.8	
		46.7	12.97	16.8		3.44	5.5		62	2.8
		56.0	15.56	14.2		3.64	5.5		59.5	3.2
EG65-5020-18502		36.0	10.00	62.0	2900	10.48	15	214	2.2	
		60.0	16.67	56.0		13.07	15		70	3.2
		72.0	20.00	51.0		14.70	18.5		68	4
EG65-5020-15002		34.5	9.58	56.3	2900	8.81	11	205	2.2	
		57.5	15.97	50.3		11.53	15		68.3	3.2
		69.0	19.16	44.7		12.82	15		65.5	4



EG	Capacity		Head m	Speed r/min	Power(kw)			Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			Shaft	Motor				
EG65-5020-15002	32.8	9.11	51.3	2900	7.77	11	59	195	2.2	
	54.7	15.19	44.7		10.01	15	66.5		3.2	
	65.6	18.23	40.0		11.16	15	64		4	
EG65-5020-11002	31.1	8.65	46.2	2900	6.75	11	58	185	2.2	
	51.9	14.41	40.2		8.67	11	65.5		3.2	
	62.3	17.29	35.4		9.68	11	62		4	
EG65-5020-11002	29.4	8.18	41.3	2900	5.86	7.5	56.5	175	2.2	
	49.1	13.63	36.2		7.56	7.5	64		3.2	
	58.9	16.36	31.4		8.60	11	58.5		4	
EG65-5020-07502	27.8	7.71	36.7	2900	5.14	7.5	54	165	2.2	
	46.3	12.85	32.2		6.76	7.5	60		3.2	
	55.5	15.42	27.5		7.42	7.5	56		4	
EG65-5026-37002	39.0	10.83	97.5	2900	20.29	30	51	264	1.7	
	65.0	18.05	91.5		26.32	30	61.5		2.5	
	78.0	21.66	87.0		29.31	37	63		3.2	
EG65-5026-30002	37.7	10.46	90.5	2900	18.19	22	51	255	1.7	
	62.8	17.43	84.0		23.53	30	61		2.5	
	75.3	20.92	79.5		26.29	30	62		3.2	
EG65-5026-30002	36.2	10.05	84.0	2900	16.55	18.5	50	245	1.7	
	60.3	16.75	78.0		21.34	30	60		2.5	
	72.4	20.10	73.0		23.57	30	61		3.2	
EG65-5026-30002	34.7	9.64	77.5	2900	14.79	18.5	49.5	235	1.7	
	57.8	16.07	71.0		18.95	22	59		2.5	
	69.4	19.28	66.0		20.78	30	60		3.2	
EG65-5026-22002	33.2	9.23	71.0	2900	13.10	15	49	225	1.7	
	55.4	15.38	65.0		17.05	22	57.5		2.5	
	66.5	18.46	60.5		18.54	22	59		3.2	
EG65-5026-18502	31.8	8.82	65.0	2900	11.70	15	48	215	1.7	
	52.9	14.70	59.4		15.14	18.5	56.5		2.5	
	63.5	17.64	55.2		16.60	18.5	57.5		3.2	
EG65-5026-18502	30.3	8.41	59.0	2900	10.35	15	47	205	1.7	
	50.5	14.02	53.5		13.36	18.5	55		2.5	
	60.5	16.82	49.8		14.66	18.5	56		3.2	
EG65-5032-75002	54.0	15.00	151.5	2900	41.63	45	53.5	329	2.8	
	90.0	25.00	136.0		54.62	55	61		4.5	
	108.0	30.00	124.0		62.86	75	58		7	
EG65-5032-75002	51.7	14.36	139.0	2900	37.26	45	52.5	315	2.8	
	86.2	23.94	125.0		48.71	55	60.2		4.5	
	103.4	28.72	113.5		54.61	75	58.5		7	
EG65-5032-55002	49.2	13.68	126.0	2900	32.79	37	51.5	300	2.8	
	82.1	22.80	113.0		42.79	45	59		4.5	
	98.5	27.36	102.5		47.79	55	57.5		7	
EG65-5032-45002	46.8	12.99	114.0	2900	28.75	30	50.5	285	2.8	
	78.0	21.66	101.0		36.96	37	58		4.5	
	93.6	25.99	92.0		41.47	45	56.5		7	
EG65-5032-45002	44.3	12.31	101.5	2900	24.99	30	49	270	2.8	
	73.9	20.52	90.5		32.21	37	56.5		4.5	
	88.6	24.62	82.0		35.33	45	56		7	
EG65-5032-37002	41.9	11.63	90.5	2900	21.26	22	48.5	255	2.8	
	69.8	19.38	80.0		27.62	30	55		4.5	
	83.7	23.25	72.5		30.31	37	54.5		7	



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG80-6513-11002	60.0	16.67	24.5	2900	5.89	7.5	68	139	3
	100.0	27.78	20.5		7.06	11	79		3.75
	120.0	33.34	17.2		7.39	11	76		4.2
EG80-6513-07502	56.1	15.59	20.6	2900	4.63	7.5	68	130	3
	93.5	25.98	16.2		5.38	7.5	76.6		3.75
	112.2	31.18	13.0		5.59	7.5	71		4.2
EG80-6513-05502	51.8	14.39	17.2	2900	3.68	5.5	66	120	3
	86.3	23.98	13.2		4.25	5.5	73		3.75
	103.6	28.78	10.2		4.29	5.5	67		4.2
EG80-6516-15002	60.0	16.67	39.7	2900	9.83	15	66	174	2.7
	100.0	27.78	34.0		12.34	15	75		3.5
	120.0	33.34	29.6		13.16	15	73.5		4.1
EG80-6516-15002	56.9	15.81	36.0	2900	8.32	11	67	165	2.7
	94.8	26.34	30.0		10.47	15	74		3.5
	113.8	31.61	25.8		11.02	15	72.5		4.1
EG80-6516-11002	53.5	14.85	32.0	2900	7.16	11	65	155	2.7
	89.1	24.75	26.2		8.75	11	72.6		3.5
	106.9	29.70	21.8		9.06	11	70		4.1
EG80-6516-11002	50.0	13.89	28.0	2900	6.05	7.5	63	145	2.7
	83.3	23.15	22.2		7.09	11	71		3.5
	100.0	27.78	18.2		7.23	11	68.5		4.1
EG80-6516-07502	46.6	12.93	24.2	2900	5.03	7.5	61	135	2.7
	77.6	21.55	19.2		5.89	7.5	69		3.5
	93.1	25.86	15.5		6.04	7.5	65		4.1
EG80-6516-05502	43.1	11.97	20.7	2900	4.06	5.5	60	125	2.7
	71.8	19.96	16.0		4.67	5.5	67		3.5
	86.2	23.95	12.8		4.77	5.5	63		4.1
EG80-6520-30002	66.0	18.33	64.2	2900	19.55	22	59	214	2.4
	110.0	30.55	56.5		23.08	30	73.3		3.7
	132.0	36.66	52.0		25.52	30	73.2		5.2
EG80-6520-30002	63.2	17.56	58.2	2900	16.15	18.5	62	205	2.4
	105.4	29.27	50.5		19.84	30	73		3.7
	126.4	35.12	45.6		21.65	30	72.5		5.2
EG80-6520-22002	60.1	16.70	52.9	2900	14.43	18.5	60	195	2.4
	100.2	27.84	46.0		17.31	22	72.5		3.7
	120.3	33.41	41.4		18.82	22	72		5.2
EG80-6520-22002	57.0	15.85	47.6	2900	12.32	15	60	185	2.4
	95.1	26.41	41.4		14.88	22	72		3.7
	114.1	31.69	37.3		16.19	22	71.5		5.2
EG80-6520-18502	54.0	14.99	42.0	2900	10.46	15	59	175	2.4
	89.9	24.98	36.6		12.62	18.5	71		3.7
	107.9	29.98	32.7		13.63	18.5	70.5		5.2
EG80-6520-15002	50.9	14.13	36.8	2900	8.94	11	57	165	2.4
	84.8	23.55	32.0		10.55	15	70		3.7
	101.8	28.27	28.0		11.41	15	68		5.2
EG80-6526-55002	72.0	20.00	98.0	2900	30.49	37	63	264	2.4
	120.0	33.33	89.9		39.95	45	73.5		4.2
	144.0	40.00	82.3		45.12	55	71.5		5.8
EG80-6526-45002	69.5	19.32	91.0	2900	27.78	37	62	255	2.4
	115.9	32.19	83.0		35.87	45	73		4.2
	139.1	38.63	76.0		40.53	45	71		5.8



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			Shaft	Motor			
EG80-6526-45002	66.8	18.56	84.5	2900	25.19	30	61	245	2.4
	111.4	30.93	77.0		32.19	37	72.5		4.2
	133.6	37.12	70.0		35.86	45	71		5.8
EG80-6526-37002	64.1	17.80	78.5	2900	23.21	30	59	235	2.4
	106.8	29.67	71.0		28.87	37	71.5		4.2
	128.2	35.60	64.0		31.67	37	70.5		5.8
EG80-6526-37002	61.4	17.04	72.5	2900	20.88	30	58	225	2.4
	102.3	28.41	65.0		25.63	30	70.6		4.2
	122.7	34.09	59.0		28.16	37	70		5.8
EG80-6526-30002	58.6	16.29	66.2	2900	18.38	22	57.5	215	2.4
	97.7	27.14	59.4		23.05	30	68.5		4.2
	117.3	32.57	50.8		24.95	30	65		5.8
EG80-6526-30002	55.9	15.53	59.0	2900	16.32	22	55	205	2.4
	93.2	25.88	52.6		20.37	30	65.5		4.2
	111.8	31.06	48.0		22.48	30	65		5.8
EG80-6532-90002	78.0	21.66	143.5	2900	56.41	75	54	329	3.1
	130.0	36.10	133.5		74.14	90	63.7		4.8
	156.0	43.32	124.0		82.25	90	64		6.8
EG80-6532-90002	74.7	20.74	131.0	2900	49.76	55	53.5	315	3.1
	124.4	34.56	119.0		63.68	75	63.3		4.8
	149.3	41.48	110.0		70.63	90	63.3		6.8
EG80-6532-75002	71.1	19.75	117.0	2900	43.97	55	51.5	300	3.1
	118.5	32.92	105.0		54.20	75	62.5		4.8
	142.2	39.50	95.3		59.50	75	62		6.8
EG80-6532-75002	67.5	18.76	104.0	2900	37.50	45	51	285	3.1
	112.6	31.27	92.0		46.22	55	61		4.8
	135.1	37.53	82.6		50.63	75	60		6.8
EG80-6532-55002	64.0	17.78	94.2	2900	32.82	45	50	270	3.1
	106.7	29.63	82.0		39.68	55	60		4.8
	128.0	35.55	71.7		43.44	55	57.5		6.8
EG80-6532-45002	60.4	16.79	83.0	2900	27.87	37	49	255	3.1
	100.7	27.98	72.3		35.72	37	55.5		4.8
	120.9	33.58	62.2		37.55	45	54.5		6.8
EG100-8016-30002	97.2	27.00	40.3	2900	15.23	18.5	70	174	2.7
	162.0	45.00	34.7		19.13	22	80		3.8
	194.4	54.00	29.3		20.95	30	74		5
EG100-8016-22002	92.2	25.60	34.8	2900	12.94	18.5	67.5	165	2.7
	153.6	42.67	29.1		16.01	18.5	76		3.8
	184.3	51.21	24.2		17.60	22	69		5
EG100-8016-18502	86.6	24.05	30.7	2900	11.49	15	63	155	2.7
	144.3	40.09	24.7		13.11	15	74		3.8
	173.2	48.10	20.1		14.36	18.5	66		5
EG100-8016-15002	81.0	22.50	26.9	2900	9.55	11	62	145	2.7
	135.0	37.50	21.6		11.03	15	72		3.8
	162.0	45.00	17.4		11.99	15	64		5
EG100-8016-11002	75.4	20.95	22.8	2900	8.07	11	58	135	2.7
	125.7	34.91	18.2		9.44	11	66		3.8
	150.8	41.90	14.4		9.85	11	60		5
EG100-8020-45002	114.0	31.67	60.5	2900	28.02	37	67	214	3.1
	190.0	52.78	52.7		35.04	45	77.8		4.8
	228.0	63.34	46.0		38.85	45	73.5		5.8



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH) _r m
	m ³ /h	L/s			Shaft	Motor			
EG100-8020-37002	109.2	30.34	55.1	2900	25.20	30	65	205	4
	182.0	50.56	47.9		30.78	37	77.1		4.9
	218.4	60.67	41.5		34.04	37	72.5		5.85
EG100-8020-37002	103.9	28.86	49.6	2900	22.62	30	62	195	4
	173.1	48.09	43.6		27.04	30	76		4.7
	207.8	57.71	37.6		29.54	37	72		5.5
EG100-8020-30002	98.6	27.38	43.8	2900	18.95	30	62	185	4
	164.3	45.63	37.2		22.48	30	74		4.7
	197.1	54.75	31.8		24.73	30	69		5.5
EG100-8020-30002	93.2	25.90	39.2	2900	15.07	18.5	66	175	4
	155.4	43.16	33.3		18.53	22	76		4.7
	186.5	51.79	28.5		19.26	30	75		5.5
EG100-8020-22002	87.9	24.42	34.8	2900	12.73	15	65.5	165	4
	146.5	40.69	29.6		15.63	18.5	75.5		4.7
	175.8	48.83	25.3		16.25	22	74.5		5.5
EG100-8026-75002	114.0	31.67	95.0	2900	45.01	55	65.5	264	2.6
	190.0	52.78	83.5		57.59	75	75		4.2
	228.0	63.34	74.0		63.79	75	72		5.8
EG100-8026-75002	110.1	30.59	87.5	2900	40.35	55	65	255	3.95
	183.5	50.98	76.5		51.30	75	74.5		5.2
	220.2	61.18	69.0		56.51	75	73.2		6.25
EG100-8026-55002	105.8	29.39	80.1	2900	36.05	45	64	245	3.9
	176.3	48.98	70.0		45.41	55	74		5
	211.6	58.78	62.0		50.09	55	71.3		6
EG100-8026-55002	101.5	28.19	73.3	2900	32.14	45	63	235	3.9
	169.1	46.98	63.0		39.68	55	73.1		5
	203.0	56.38	55.1		42.88	55	71		6
EG100-8026-45002	97.2	26.99	66.5	2900	28.37	37	62	225	3.9
	161.9	44.98	57.0		34.75	45	72.3		5
	194.3	53.98	49.6		37.22	45	70.5		6
EG100-8026-37002	92.8	25.79	60.1	2900	24.90	30	61	215	3.9
	154.7	42.98	50.3		30.05	37	70.5		5
	185.7	51.58	44.5		32.13	37	70		6
EG100-8026-37002	88.5	24.59	54.0	2900	21.87	30	59.5	205	3.9
	147.5	40.98	45.1		25.88	37	70		5
	177.1	49.18	39.8		27.60	37	69.5		6
EG100-8032-90002	109.1	30.30	106.0	2900	52.46	75	60	285	3
	181.8	50.50	96.5		65.34	75	73.1		6.8
	218.2	60.60	88.0		73.61	90	71		9
EG100-8032-75002	103.3	28.71	95.5	2900	45.08	55	59.6	270	3
	172.2	47.84	87.0		55.88	75	73		6.8
	206.7	57.41	79.2		63.21	75	70.5		9
EG100-8032-75002	97.6	27.11	85.5	2900	38.50	45	59	255	3
	162.7	45.19	78.0		48.31	55	71.5		6.8
	195.2	54.22	70.0		53.14	75	70		9
EG125-10016-30002	151.2	42.00	34.5	2900	21.04	30	67.5	176	4
	252.0	70.00	26.7		23.94	30	76.5		4.6
	302.4	84.00	20.8		24.12	30	71		6.1
EG125-10016-22002	141.8	39.38	30.0	2900	17.41	22	66.5	165	4.9
	236.3	65.63	23.0		19.72	22	75		4.9
	283.5	78.75	17.7		20.09	22	68		5.4
EG125-10016-18502	133.2	36.99	25.8	2900	14.39	18.5	65	155	4.8
	221.9	61.65	19.2		16.11	18.5	72		4.8
	266.3	73.98	14.6		16.16	18.5	65.5		5.3



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m	
	Model	m ³ /h			L/s	Shaft				Motor
EG125-10016-15002		124.6	34.60	22.8	2900	12.08	15	145	4.7	
		207.6	57.67	16.2		13.08	15		70	4.7
		249.1	69.20	12.0		13.13	15		62	5.2
EG125-10020-75002		171.0	47.50	58.7	2900	39.04	45	214	3.9	
		285.0	79.17	50.1		48.59	55		80	5.8
		342.0	95.00	42.0		52.49	75		74.5	6.9
EG125-10020-55002		163.8	45.50	53.2	2900	34.38	45	205	3.9	
		273.0	75.84	44.3		41.68	55		79	5.8
		327.6	91.01	37.0		44.90	55		73.5	6.9
EG125-10020-45002		155.8	43.28	47.0	2900	29.32	37	195	3.9	
		259.7	72.14	38.7		35.53	45		77	5.8
		311.6	86.57	31.5		37.91	45		70.5	6.9
EG125-10020-37002		147.8	41.06	42.0	2900	25.61	30	185	3.9	
		246.4	68.44	33.0		30.11	37		73.5	5.8
		295.7	82.13	26.3		31.36	37		67.5	6.9
EG125-10020-30002		139.8	38.85	37.2	2900	22.48	30	175	3.9	
		233.1	64.74	28.7		26.01	30		70	5.8
		279.7	77.69	21.8		25.93	30		64	6.9
EG125-10020-30002		131.9	36.63	32.0	2900	19.30	30	165	3.9	
		219.8	61.04	24.0		21.27	30		67.5	5.8
		263.7	73.25	18.0		21.54	30		60	6.9
EG125-10026-90002		164.3	45.63	81.5	2900	56.94	75	245	3.9	
		273.8	76.04	71.5		70.48	90		75.6	5.8
		328.5	91.25	63.0		76.13	90		74	7
EG125-10026-75002		157.5	43.76	75.0	2900	51.04	75	235	3.9	
		262.6	72.94	65.2		62.56	75		74.5	5.8
		315.1	87.53	56.8		67.20	75		72.5	7
EG125-10026-75002		150.8	41.90	68.7	2900	45.52	55	225	3.9	
		251.4	69.84	58.5		55.22	75		72.5	5.8
		301.7	83.80	50.5		59.25	75		70	7
EG125-10026-75002		144.1	40.04	62.3	2900	39.75	55	215	3.9	
		240.2	66.73	52.4		48.61	75		70.5	5.8
		288.3	80.08	44.5		51.36	75		68	7
EG125-10026-55002		137.4	38.18	56.0	2900	36.12	45	205	3.9	
		229.1	63.63	46.4		41.93	55		69	5.8
		274.9	76.35	38.0		45.13	55		63	7
EG150-12520-90002		216.0	60.00	56.5	2900	55.84	75	214	4.7	
		360.0	100.00	49.0		64.89	90		74	6.5
		432.0	120.00	42.5		68.94	90		72.5	7.2
EG150-12520-75002		206.9	57.48	51.7	2900	50.21	55	205	4.7	
		344.9	95.79	43.6		56.46	75		72.5	6.5
		413.8	114.95	37.0		58.46	75		71.3	7.2
EG150-12520-55002		196.8	54.67	46.3	2900	43.52	55	195	4.7	
		328.0	91.12	37.8		47.21	55		71.5	6.5
		393.6	109.35	31.5		48.92	55		69	7.2
EG150-12520-45002		186.7	51.87	40.6	2900	38.22	45	185	4.7	
		311.2	86.45	32.3		39.09	45		70	6.5
		373.5	103.74	26.2		40.36	45		66	7.2



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG40-3213-00554	4.3	1.21	6.7	1450	0.17	0.55	47	139	1.7
	7.2	2.01	6.2		0.21	0.55	58		2
	8.7	2.41	5.8		0.23	0.55	59		2.1
EG40-3213-00554	4.1	1.13	5.7	1450	0.14	0.55	46	130	1.7
	6.8	1.88	5.2		0.17	0.55	56.5		2
	8.1	2.26	4.8		0.18	0.55	58		2.1
EG40-3213-00554	3.7	1.04	4.7	1450	0.11	0.55	45	120	1.7
	6.2	1.74	4.2		0.13	0.55	55		2
	7.5	2.08	3.9		0.14	0.55	56		2.1
EG40-3213-00554	3.4	0.95	3.9	1450	0.08	0.55	45	110	1.7
	5.7	1.59	3.5		0.10	0.55	54		2
	6.9	1.91	3.1		0.11	0.55	54		2.1
EG40-3213-00554	3.1	0.87	3.1	1450	0.06	0.55	44	100	1.7
	5.2	1.45	2.7		0.08	0.55	51		2
	6.2	1.74	2.3		0.08	0.55	52		2.1
EG50-3216-00754	5.2	1.45	10.6	1450	0.32	0.55	47.5	174	1.8
	8.7	2.41	10.1		0.43	0.55	55		2
	10.4	2.89	9.5		0.48	0.75	56		2.2
EG50-3216-00554	4.9	1.37	9.5	1450	0.28	0.55	45	165	1.8
	8.2	2.29	9.0		0.37	0.55	55		2
	9.9	2.74	8.5		0.41	0.55	55.5		2.2
EG50-3216-00554	4.6	1.29	8.4	1450	0.24	0.55	44	155	1.8
	7.7	2.15	7.8		0.31	0.55	53.5		2
	9.3	2.58	7.3		0.34	0.55	54		2.2
EG50-3216-00554	4.3	1.21	7.4	1450	0.21	0.55	42	145	1.8
	7.2	2.01	6.8		0.26	0.55	51.5		2
	8.7	2.41	6.4		0.29	0.55	52		2.2
EG50-3216-00554	4.0	1.12	6.4	1450	0.17	0.55	41.5	135	1.8
	6.7	1.87	5.9		0.22	0.55	49.5		2
	8.1	2.24	5.5		0.24	0.55	50		2.2
EG50-3216-00554	3.7	1.04	5.5	1450	0.14	0.55	40	125	1.8
	6.2	1.73	5.1		0.18	0.55	47		2
	7.5	2.08	4.7		0.20	0.55	49		2.2
EG50-3220-01104	5.2	1.45	16.0	1450	0.61	0.75	37	214	1.9
	8.7	2.41	14.7		0.75	1.1	46.5		2
	10.4	2.89	13.6		0.81	1.1	47.5		2.3
EG50-3220-01104	5.0	1.39	14.6	1450	0.55	0.75	36	205	1.9
	8.3	2.31	13.2		0.65	1.1	46		2
	10.0	2.77	12.1		0.71	1.1	46.5		2.3
EG50-3220-00754	4.7	1.32	13.2	1450	0.49	0.75	34.5	195	1.9
	7.9	2.20	11.9		0.57	0.75	45		2
	9.5	2.64	10.9		0.63	0.75	45		2.3
EG50-3220-00754	4.5	1.25	11.9	1450	0.43	0.75	34	185	1.9
	7.5	2.08	10.8		0.55	0.75	40		2
	9.0	2.50	9.9		0.54	0.75	44.5		2.3
EG50-3220-00554	4.3	1.18	10.6	1450	0.37	0.55	33.5	175	1.9
	7.1	1.97	9.6		0.44	0.55	42		2
	8.5	2.36	8.8		0.49	0.55	42		2.3



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG50-3220-00554	4.0	1.11	9.5	1450	0.31	0.55	33	165	1.9
	6.7	1.86	8.6		0.39	0.55	40		2
	8.0	2.23	7.8		0.43	0.55	40		2.3
EG50-3226-03004	6.6	1.83	23.7	1450	1.42	2.2	30	264	1.8
	11.0	3.05	22.4		1.76	2.2	38		2.1
	13.2	3.66	21.4		1.92	3	40		2.4
EG50-3226-02204	6.4	1.77	21.8	1450	1.26	2.2	30	255	1.8
	10.6	2.95	20.9		1.63	2.2	37		2.1
	12.7	3.54	19.9		1.75	2.2	39.5		2.4
EG50-3226-02204	6.1	1.70	20.2	1450	1.16	2.2	29	245	1.8
	10.2	2.83	19.3		1.45	2.2	37		2.1
	12.2	3.40	18.5		1.58	2.2	39		2.4
EG50-3226-02204	5.9	1.63	18.6	1450	1.04	2.2	28.5	235	1.8
	9.8	2.71	17.8		1.32	2.2	36		2.1
	11.7	3.26	17.0		1.43	2.2	38		2.4
EG50-3226-02204	5.6	1.56	17.1	1450	0.93	1.5	28	225	1.8
	9.4	2.60	16.3		1.19	1.5	35		2.1
	11.2	3.12	15.7		1.30	2.2	37		2.4
EG50-3226-02204	5.4	1.49	15.9	1450	0.84	1.5	27.5	215	1.8
	8.9	2.48	15.1		1.08	1.5	34		2.1
	10.7	2.98	14.5		1.18	2.2	36		2.4
EG50-3226-02204	5.1	1.42	14.8	1450	0.78	1.5	26.5	205	1.8
	8.5	2.37	14.0		0.98	1.5	33		2.1
	10.2	2.84	13.3		1.06	2.2	35		2.4
EG65-4013-00554	8.7	2.42	6.4	1450	0.26	0.55	59	139	1.8
	14.5	4.03	6.0		0.33	0.55	71		2
	17.4	4.84	5.6		0.37	0.55	72		2.4
EG65-4013-00554	8.1	2.26	5.6	1450	0.21	0.55	58	130	1.8
	13.6	3.77	5.2		0.27	0.55	71		2
	16.3	4.52	4.8		0.30	0.55	71		2.4
EG65-4013-00554	7.5	2.09	4.8	1450	0.17	0.55	56	120	1.8
	12.5	3.48	4.3		0.21	0.55	69		2
	15.0	4.17	3.9		0.23	0.55	68.5		2.4
EG65-4013-00554	6.9	1.91	4.0	1450	0.15	0.55	51	110	1.8
	11.5	3.19	3.6		0.18	0.55	64		2
	13.8	3.83	3.3		0.19	0.55	63.5		2.4
EG65-4013-00554	6.3	1.74	3.3	1450	0.11	0.55	50.5	100	1.8
	10.4	2.90	3.0		0.15	0.55	58		2
	12.5	3.48	2.6		0.15	0.55	58		2.4
EG65-4016-01104	8.7	2.42	10.0	1450	0.40	0.55	59	174	1.8
	14.5	4.03	9.0		0.56	0.75	63		2
	17.4	4.84	8.1		0.62	1.1	61.5		2.4
EG65-4016-00754	8.3	2.29	8.9	1450	0.35	0.55	57	165	1.8
	13.8	3.82	8.0		0.48	0.75	62		2
	16.5	4.59	7.2		0.54	0.75	60		2.4
EG65-4016-00754	7.8	2.15	7.8	1450	0.29	0.55	56	155	1.8
	12.9	3.59	7.0		0.41	0.55	60		2
	15.5	4.31	6.3		0.46	0.75	58		2.4



EG	Capacity		Head m	Speed r/min	Power(kw)			Eff %	Impeller Dia. mm	(NPSH)r m
	Model	m ³ /h			L/s	Shaft	Motor			
EG65-4016-00554		7.3	2.02	7.0	1450	0.28	0.55	50	145	1.8
		12.1	3.36	6.0		0.35	0.55	57		2
		14.5	4.03	5.4		0.39	0.55	55		2.4
EG65-4016-00554		6.8	1.88	6.0	1450	0.23	0.55	48.5	135	1.8
		11.3	3.13	5.2		0.30	0.55	53		2
		13.5	3.75	4.4		0.32	0.55	50		2.4
EG65-4016-00554		6.3	1.74	5.1	1450	0.20	0.55	43	125	1.8
		10.4	2.90	4.3		0.25	0.55	49		2
		12.5	3.47	3.6		0.27	0.55	45		2.4
EG65-4020-01504		8.7	2.42	15.5	1450	0.77	1.1	48	214	1.8
		14.5	4.03	14.3		0.99	1.5	57		2.2
		17.4	4.84	13.2		1.09	1.5	57.5		2.5
EG65-4020-01504		8.3	2.32	14.0	1450	0.66	1.1	48	205	1.8
		13.9	3.86	13.0		0.88	1.1	56		2.2
		16.7	4.63	12.0		0.96	1.5	57		2.5
EG65-4020-01104		7.9	2.20	12.7	1450	0.60	1.1	46	195	1.8
		13.2	3.67	11.6		0.76	1.1	55		2.2
		15.9	4.41	10.8		0.84	1.1	55.5		2.5
EG65-4020-01104		7.5	2.09	11.2	1450	0.50	0.75	45.5	185	1.8
		12.5	3.48	10.4		0.66	1.1	54		2.2
		15.1	4.18	9.6		0.72	1.1	54.5		2.5
EG65-4020-00754		7.1	1.98	10.0	1450	0.44	0.75	44	175	1.8
		11.9	3.30	9.2		0.56	0.75	53		2.2
		14.2	3.95	8.4		0.61	0.75	53.5		2.5
EG65-4020-00754		6.7	1.86	9.0	1450	0.38	0.55	43.5	165	1.8
		11.2	3.11	8.0		0.48	0.75	50.5		2.2
		13.4	3.73	7.3		0.52	0.75	51		2.5
EG65-4026-03004		9.6	2.66	24.0	1450	1.65	2.2	38	264	1.8
		16.0	4.44	22.7		2.02	2.2	49		1.9
		19.2	5.33	21.7		2.22	3	51		2.2
EG65-4026-03004		9.3	2.57	22.0	1450	1.50	2.2	37	255	1.8
		15.4	4.29	20.7		1.83	3	47.5		1.9
		18.5	5.15	19.6		1.98	3	50		2.2
EG65-4026-02204		8.9	2.47	20.3	1450	1.37	2.2	36	245	1.8
		14.8	4.12	18.9		1.64	2.2	46.5		1.9
		17.8	4.94	18.0		1.76	2.2	49.5		2.2
EG65-4026-02204		8.5	2.37	18.4	1450	1.26	2.2	34	235	1.8
		14.2	3.95	17.3		1.47	2.2	45.5		1.9
		17.1	4.74	16.4		1.57	2.2	48.5		2.2
EG65-4026-02204		8.2	2.27	16.8	1450	1.13	1.5	33	225	1.8
		13.6	3.78	15.7		1.29	2.2	45		1.9
		16.3	4.54	15.0		1.42	2.2	47		2.2
EG65-4026-02204		7.8	2.17	15.2	1450	1.01	1.5	32	215	1.8
		13.0	3.62	14.2		1.14	1.5	44		1.9
		15.6	4.34	13.5		1.23	2.2	46.5		2.2
EG65-4026-02204		7.4	2.07	13.7	1450	0.93	1.5	30	205	1.8
		12.4	3.45	12.9		1.04	1.5	42		1.9
		14.9	4.14	12.2		1.10	2.2	45		2.2
EG65-4032-05504		10.8	3.00	37.5	1450	3.56	5.5	31	329	2.1
		18.0	5.00	35.6		4.36	5.5	40		2.3
		21.6	6.00	33.8		4.73	5.5	42		2.5
EG65-4032-05504		10.3	2.87	33.9	1450	3.13	4	30.5	315	2.1
		17.2	4.79	32.0		3.75	5.5	40		2.3
		20.7	5.74	30.5		4.09	5.5	42		2.5
EG65-4032-05504		9.8	2.74	30.6	1450	2.73	4	30	300	2.1
		16.4	4.56	29.0		3.32	4	39		2.3
		19.7	5.47	27.6		3.61	5.5	41		2.5



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG65-4032-04004	9.4	2.60	27.8	1450	2.36	3	30	285	2.1
	15.6	4.33	26.0		2.94	4	37.5		2.3
	18.7	5.20	24.4		3.11	4	40		2.5
EG65-4032-04004	8.9	2.46	24.3	1450	1.99	3	29.5	270	2.1
	14.8	4.10	23.2		2.52	4	37		2.3
	17.7	4.92	21.5		2.66	4	39		2.5
EG65-4032-03004	8.4	2.33	22.0	1450	1.93	3	26	255	2.1
	14.0	3.88	20.3		2.20	3	35		2.3
	16.7	4.65	19.6		2.41	3	37		2.5
EG65-5013-01104	17.4	4.82	6.8	1450	0.54	0.75	59	139	2.2
	28.9	8.04	6.3		0.69	1.1	72		2.4
	34.7	9.65	5.8		0.75	1.1	73		2.7
EG65-5013-00754	16.2	4.51	5.8	1450	0.44	0.75	58.5	130	2.2
	27.1	7.52	5.2		0.53	0.75	72		2.4
	32.5	9.02	4.7		0.58	0.75	72		2.7
EG65-5013-00554	15.0	4.16	4.9	1450	0.33	0.55	62	120	2.2
	25.0	6.94	4.4		0.42	0.55	71		2.4
	30.0	8.33	3.8		0.45	0.55	69		2.7
EG65-5013-00554	13.7	3.82	4.1	1450	0.25	0.55	61	110	2.2
	22.9	6.36	3.4		0.32	0.55	67		2.4
	27.5	7.64	2.8		0.33	0.55	64		2.7
EG65-5016-01504	18.5	5.15	10.5	1450	0.81	1.1	65	174	2.1
	30.9	8.58	9.5		1.08	1.5	74		2.2
	37.1	10.30	8.8		1.27	1.5	70		2.4
EG65-5016-01504	17.6	4.88	9.4	1450	0.71	1.1	64	165	2.1
	29.3	8.14	8.5		0.93	1.5	73		2.2
	35.1	9.76	7.8		1.02	1.5	73		2.4
EG65-5016-01104	16.5	4.59	8.3	1450	0.61	1.1	61	155	2.1
	27.5	7.64	7.5		0.78	1.1	72		2.2
	33.0	9.17	6.9		0.86	1.1	72		2.4
EG65-5016-01104	15.4	4.29	7.3	1450	0.52	0.75	59	145	2.1
	25.7	7.15	6.6		0.66	1.1	70		2.2
	30.9	8.58	6.0		0.71	1.1	71.5		2.4
EG65-5016-00754	14.4	3.99	6.3	1450	0.43	0.55	57.5	135	2.1
	24.0	6.66	5.7		0.55	0.75	67.5		2.2
	28.8	7.99	5.0		0.58	0.75	67		2.4
EG65-5016-00554	13.3	3.70	5.4	1450	0.35	0.55	56	125	2.1
	22.2	6.16	4.6		0.42	0.55	66		2.2
	26.6	7.40	4.0		0.45	0.75	65		2.4
EG65-5020-02204	18.0	5.00	15.3	1450	1.27	2.2	59	214	1.3
	30.0	8.33	13.3		1.67	2.2	65		1.5
	36.0	10.00	11.8		1.86	2.2	62		1.8



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG65-5020-02204	17.2	4.79	14.0	1450	1.15	1.5	57.5	205	1.3
	28.7	7.98	12.0		1.45	2.2	64.5		1.5
	34.5	9.58	10.6		1.63	2.2	61		1.8
EG65-5020-02204	16.4	4.55	12.5	1450	1.02	1.5	54.5	195	1.3
	27.3	7.59	10.7		1.26	2.2	63		1.5
	32.8	9.11	9.4		1.40	2.2	60		1.8
EG65-5020-01504	15.6	4.32	11.1	1450	0.90	1.1	52	185	1.3
	25.9	7.20	9.6		1.11	1.5	61.5		1.5
	31.1	8.64	8.2		1.19	1.5	58.5		1.8
EG65-5020-01504	14.7	4.09	9.8	1450	0.76	1.1	51.5	175	1.3
	24.5	6.81	8.3		0.95	1.5	58.5		1.5
	29.4	8.17	7.2		1.05	1.5	55		1.8
EG65-5020-01104	13.9	3.85	8.6	1450	0.66	1.1	49	165	1.3
	23.1	6.42	7.1		0.81	1.1	55		1.5
	27.7	7.71	5.9		0.86	1.1	52		1.8
EG65-5026-05504	19.2	5.33	25.0	1450	2.47	3	53	264	1.7
	32.0	8.89	23.5		3.25	4	63		1.8
	38.4	10.67	22.3		3.64	5.5	64		1.9
EG65-5026-05504	18.5	5.15	23.1	1450	2.26	3	51.5	255	1.7
	30.9	8.59	21.7		2.95	4	62		1.8
	37.1	10.30	20.6		3.30	5.5	63		1.9
EG65-5026-04004	17.8	4.95	21.4	1450	2.02	3	51.5	245	1.7
	29.7	8.25	20.0		2.61	4	62		1.8
	35.6	9.90	19.1		2.92	4	63.5		1.9
EG65-5026-04004	17.1	4.75	19.8	1450	1.81	3	51	235	1.7
	28.5	7.91	18.6		2.36	3	61		1.8
	34.2	9.50	17.7		2.61	4	63		1.9
EG65-5026-03004	16.4	4.55	18.2	1450	1.62	2.2	50	225	1.7
	27.3	7.58	17.0		2.10	3	60		1.8
	32.7	9.09	16.1		2.33	3	61.5		1.9
EG65-5026-03004	15.6	4.34	16.6	1450	1.43	2.2	49.5	215	1.7
	26.1	7.24	15.5		1.85	3	59.5		1.8
	31.3	8.69	14.7		2.05	3	61		1.9
EG65-5026-02204	14.9	4.14	15.1	1450	1.25	1.5	49	205	1.7
	24.9	6.90	14.0		1.62	2.2	58.5		1.8
	29.8	8.28	13.2		1.79	2.2	60		1.9
EG65-5032-11004	30.2	8.40	35.6	1450	5.64	7.5	52	329	1.5
	50.4	14.00	31.1		7.36	11	58		2.2
	60.5	16.80	27.8		8.32	11	55		2.7
EG65-5032-11004	29.0	8.04	32.5	1450	4.93	7.5	52	315	1.5
	48.3	13.40	27.3		6.24	7.5	57.5		2.2
	57.9	16.09	24.9		7.14	11	55		2.7
EG65-5032-07504	27.6	7.66	29.4	1450	4.24	5.5	52	300	1.5
	46.0	12.77	25.1		5.51	7.5	57		2.2
	55.1	15.32	22.4		6.23	7.5	54		2.7
EG65-5032-07504	26.2	7.28	26.1	1450	3.58	5.5	52	285	1.5
	43.7	12.13	22.4		4.75	7.5	56		2.2
	52.4	14.55	19.6		5.23	7.5	53.5		2.7



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH) _r m
	m ³ /h	L/s			Shaft	Motor			
EG65-5032-05504	24.8	6.89	23.0	1450	2.99	4	52	270	1.5
	41.4	11.49	19.8		3.98	5.5	56		2.2
	49.6	13.79	17.2		4.47	5.5	52		2.7
EG65-5032-04004	23.4	6.51	20.2	1450	2.48	4	52	255	1.5
	39.1	10.85	19.8		3.83	4	55		2.2
	46.9	13.02	14.9		3.66	4	52		2.7
EG80-6513-01504	29.0	8.05	6.4	1450	0.78	1.1	65	139	2.3
	48.3	13.41	5.5		0.93	1.5	78		2.4
	57.9	16.09	4.8		0.98	1.5	77		2.7
EG80-6513-01104	27.1	7.53	5.5	1450	0.60	0.75	68	130	2.3
	45.2	12.54	4.6		0.72	1.1	78		2.4
	54.2	15.05	3.6		0.71	1.1	75		2.7
EG80-6513-00754	25.0	6.95	4.6	1450	0.46	0.75	67.5	120	2.3
	41.7	11.58	3.8		0.56	0.75	77.5		2.4
	50.0	13.89	3.0		0.55	0.75	74		2.7
EG80-6516-02204	30.0	8.33	10.2	1450	1.26	2.2	66	174	2
	50.0	13.89	8.8		1.54	2.2	78		2.3
	60.0	16.67	7.8		1.65	2.2	77		2.6
EG80-6516-02204	28.5	7.90	9.2	1450	1.08	1.5	65.5	165	2
	47.4	13.17	7.5		1.26	2.2	77		2.3
	56.9	15.81	6.7		1.38	2.2	75		2.6
EG80-6516-01504	26.7	7.42	8.1	1450	0.91	1.1	65	155	2
	44.5	12.37	7.1		1.14	1.1	75.5		2.3
	53.5	14.85	5.9		1.16	1.5	74		2.6
EG80-6516-01504	25.0	6.95	7.1	1450	0.75	1.1	64	145	2
	41.7	11.58	6.0		0.92	1.5	74		2.3
	50.0	13.89	5.2		0.98	1.5	72		2.6
EG80-6516-01104	23.3	6.47	6.1	1450	0.64	1.1	61	135	2
	38.8	10.78	5.2		0.76	1.1	72		2.3
	46.6	12.93	4.5		0.82	1.1	70		2.6
EG80-6516-01104	21.6	5.99	5.5	1450	0.54	0.75	60	125	2
	35.9	9.98	4.5		0.63	1.1	69		2.3
	43.1	11.97	3.8		0.67	1.1	67		2.6
EG80-6520-04004	33.0	9.16	15.6	1450	2.15	3	65	214	1.7
	55.0	15.27	13.7		2.83	4	72.5		1.9
	66.0	18.32	11.4		2.88	4	71		2.1
EG80-6520-03004	31.6	8.78	14.1	1450	1.89	3	64	205	1.7
	52.7	14.63	12.4		2.45	3	72.5		1.9
	63.2	17.55	11.1		2.65	3	72		2.1
EG80-6520-03004	30.1	8.35	12.8	1450	1.68	2.2	62	195	1.7
	50.1	13.91	11.2		2.12	3	72		1.9
	60.1	16.70	10.0		2.28	3	72		2.1
EG80-6520-02204	28.5	7.92	11.4	1450	1.47	2.2	60	185	1.7
	47.5	13.20	10.0		1.81	2.2	71.5		1.9
	57.0	15.84	9.0		1.98	2.2	71		2.1
EG80-6520-02204	27.0	7.49	10.2	1450	1.34	2.2	56	175	1.7
	45.0	12.49	8.9		1.57	2.2	69.5		1.9
	53.9	14.98	7.8		1.66	2.2	69		2.1
EG80-6520-02204	25.4	7.06	9.0	1450	1.13	1.5	55	165	1.7
	42.4	11.77	7.7		1.31	2.2	68		1.9
	50.9	14.13	6.8		1.43	2.2	66		2.1
EG80-6526-07504	36.0	10.00	24.6	1450	4.09	5.5	59	264	1.7
	60.0	16.67	23.0		5.22	7.5	72		1.9
	72.0	20.00	21.7		5.83	7.5	73		2



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG80-6526-07504	34.8	9.66	22.7	1450	3.64	5.5	59	255	1.7
	58.0	16.10	21.5		4.70	7.5	72		1.9
	69.6	19.32	20.0		5.19	7.5	73		2
EG80-6526-05504	33.4	9.28	21.0	1450	3.29	4	58	245	1.7
	55.7	15.47	19.8		4.23	5.5	71		1.9
	66.8	18.56	18.3		4.59	5.5	72.5		2
EG80-6526-05504	32.1	8.90	19.6	1450	3.00	4	57	235	1.7
	53.4	14.84	18.2		3.79	5.5	70		1.9
	64.1	17.81	17.0		4.12	5.5	72		2
EG80-6526-05504	30.7	8.52	18.1	1450	2.70	4	56	225	1.7
	51.1	14.21	16.7		3.37	5.5	69		1.9
	61.4	17.05	15.3		3.70	5.5	69		2
EG80-6526-04004	29.3	8.15	16.4	1450	2.38	3	55	215	1.7
	48.9	13.58	15.1		3.00	4	67		1.9
	58.6	16.29	13.9		3.31	4	67		2
EG80-6526-04004	28.0	7.77	15.0	1450	2.15	3	53	205	1.7
	46.6	12.94	13.8		2.67	4	65.5		1.9
	55.9	15.53	12.5		2.93	4	65		2
EG80-6532-15004	39.0	10.84	37.0	1450	7.28	11	54	329	1.9
	65.0	18.06	34.0		9.40	11	64		2
	78.0	21.67	31.7		10.36	15	65		2.1
EG80-6532-11004	37.3	10.37	33.4	1450	6.35	7.5	53.5	315	1.9
	62.2	17.29	30.6		8.10	11	64		2
	74.7	20.75	28.4		8.95	11	64.5		2.1
EG80-6532-11004	35.6	9.88	30.0	1450	5.48	7.5	53	300	1.9
	59.3	16.47	27.2		6.86	11	64		2
	71.1	19.76	24.8		7.50	11	64		2.1
EG80-6532-07504	33.8	9.39	27.0	1450	4.78	7.5	52	285	1.9
	56.3	15.64	24.2		5.84	7.5	63.5		2
	67.6	18.77	21.8		6.32	7.5	63.5		2.1
EG80-6532-07504	32.0	8.89	24.2	1450	4.18	5.5	50.5	270	1.9
	53.4	14.82	21.4		4.97	7.5	62.5		2
	64.0	17.79	19.0		5.34	7.5	62		2.1
EG80-6532-05504	30.2	8.40	21.1	1450	3.54	5.5	49	255	1.9
	50.4	14.00	19.0		4.20	5.5	62		2
	60.5	16.80	16.6		4.55	5.5	60		2.1
EG100-8016-03004	48.0	13.33	9.9	1450	1.96	3	66	174	2.3
	80.0	22.22	8.8		2.46	3	78		2.5
	96.0	26.66	7.9		2.68	3	77		3.7
EG100-8016-03004	45.5	12.64	8.7	1450	1.66	2.2	65	165	2.3
	75.9	21.07	7.5		2.00	3	77.5		2.5
	91.0	25.28	6.5		2.15	3	75		3.7
EG100-8016-02204	42.8	11.88	7.5	1450	1.39	2.2	63	155	2.3
	71.3	19.79	6.3		1.60	2.2	76.5		2.5
	85.5	23.75	5.3		1.73	2.2	71.5		3.7
EG100-8016-02204	40.0	11.11	6.7	1450	1.18	1.5	62	145	2.3
	66.7	18.52	5.5		1.33	2.2	75		2.5
	80.0	22.22	4.5		1.40	2.2	70		3.7



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG100-8016-01504	37.2	10.34	5.8	1450	0.97	1.5	61	135	2.3
	62.1	17.24	4.6		1.11	1.5	70		2.5
	74.5	20.69	3.8		1.13	1.5	68		3.7
EG100-8020-07504	57.0	15.83	15.4	1450	3.46	5.5	69	214	1.9
	95.0	26.39	14.1		4.50	5.5	81		2
	114.0	31.67	13.1		4.99	7.5	81.5		2.4
EG100-8020-05504	54.6	15.17	14.0	1450	3.06	4	68	205	1.9
	91.0	25.28	12.7		3.88	5.5	81		2
	109.2	30.34	11.6		4.26	5.5	81		2.4
EG100-8020-04004	51.9	14.43	12.6	1450	2.74	4	65	195	1.9
	86.6	24.05	11.2		3.30	4	80		2
	103.9	28.86	10.1		3.57	4	80		2.4
EG100-8020-04004	49.3	13.69	11.3	1450	2.41	3	63	185	1.9
	82.1	22.81	10.0		2.85	4	78.5		2
	98.6	27.38	8.8		3.03	4	78		2.4
EG100-8020-03004	46.6	12.95	10.0	1450	2.05	3	62	175	1.9
	77.7	21.58	8.7		2.42	3	76		2
	93.2	25.90	7.5		2.54	3	75		2.4
EG100-8020-03004	44.0	12.21	8.8	1450	1.74	3	60.5	165	1.9
	73.3	20.35	7.4		1.99	3	74		2
	87.9	24.42	6.4		2.13	3	72		2.4
EG100-8026-11004	57.0	15.83	24.0	1450	5.64	7.5	66	264	1.6
	95.0	26.39	21.5		7.32	11	76		2
	114.0	31.67	19.5		8.07	11	75		2.4
EG100-8026-11004	55.1	15.29	22.4	1450	4.94	7.5	68	255	1.6
	91.8	25.49	20.1		6.68	11	75		2
	110.1	30.59	17.9		7.45	11	72		2.4
EG100-8026-07504	52.9	14.69	20.7	1450	4.44	5.5	67	245	1.6
	88.2	24.49	18.2		5.79	7.5	75.5		2
	105.8	29.39	16.3		6.34	7.5	74		2.4
EG100-8026-07504	50.7	14.09	19.2	1450	3.99	5.5	66.5	235	1.6
	84.6	23.49	16.5		5.06	7.5	75		2
	101.5	28.19	14.7		5.56	7.5	73		2.4
EG100-8026-07504	48.6	13.49	17.6	1450	3.50	5.5	66.5	225	1.6
	81.0	22.49	15.1		4.48	7.5	74.5		2
	97.2	26.99	13.2		4.78	7.5	73		2.4
EG100-8026-05504	46.4	12.90	16.0	1450	3.06	4	66	215	1.6
	77.4	21.49	13.8		3.93	5.5	74		2
	92.8	25.79	11.9		4.18	5.5	72		2.4
EG100-8026-05504	44.3	12.30	14.5	1450	2.67	4	65.5	205	1.6
	73.8	20.49	12.6		3.47	5.5	73		2
	88.5	24.59	10.7		3.66	5.5	70.5		2.4
EG100-8032-18504	60.0	16.67	35.8	1450	10.08	15	58	329	1.5
	100.0	27.78	33.4		13.18	18.5	69		1.8
	120.0	33.34	31.3		14.40	18.5	71		2
EG100-8032-15004	57.5	15.96	32.5	1450	8.92	11	57	315	1.5
	95.8	26.60	30.1		11.21	15	70		1.8
	114.9	31.92	28.4		12.56	15	70.7		2
EG100-8032-15004	54.7	15.20	29.7	1450	7.83	11	56.5	300	1.5
	91.2	25.33	27.5		9.75	15	70		1.8
	109.4	30.40	25.6		10.79	15	70.7		2
EG100-8032-11004	52.0	14.44	26.8	1450	6.77	11	56	285	1.5
	86.6	24.06	24.9		8.38	11	70.1		1.8
	104.0	28.88	22.8		9.14	11	70.6		2
EG100-8032-11004	49.2	13.68	23.3	1450	5.58	7.5	56	270	1.5
	82.1	22.80	21.5		6.83	11	70.3		1.8
	98.5	27.36	19.7		7.50	11	70.4		2



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			Shaft	Motor			
EG100-8032-07504	46.5	12.92	20.4	1450	4.53	5.5	57	255	1.5
	77.5	21.53	18.8		5.63	7.5	70.5		1.8
	93.0	25.84	17.1		6.15	7.5	70.4		2
EG100-8040-30004	60.0	16.67	56.5	1450	17.92	22	51.5	409	1.8
	100.0	27.78	52.2		23.11	30	61.5		2
	120.0	33.34	47.8		25.52	30	61.2		2.3
EG100-8040-30004	58.0	16.10	52.1	1450	15.81	22	52	395	2.2
	96.6	26.83	47.8		20.44	30	61.5		2.4
	115.9	32.19	44.2		22.82	30	61.1		3.2
EG100-8040-30004	55.8	15.49	48.3	1450	14.37	18.5	51	380	2.2
	92.9	25.81	44.2		18.18	22	61.5		2.4
	111.5	30.97	40.2		20.34	30	60		3
EG100-8040-22004	53.5	14.87	44.2	1450	12.51	15	51.5	365	2.2
	89.2	24.79	40.2		15.93	18.5	61.3		2.3
	107.1	29.75	36.7		17.83	22	60		2.8
EG100-8040-18504	51.3	14.26	40.2	1450	11.02	15	51	350	2.2
	85.6	23.77	36.5		14.08	18.5	60.4		2.3
	102.7	28.53	33.3		15.73	22	59.2		2.8
EG100-8040-18504	49.1	13.65	36.8	1450	9.95	15	49.5	335	2.2
	81.9	22.75	33.5		12.53	15	59.6		2.3
	98.3	27.30	30.4		13.86	18.5	58.7		2.8
EG100-8040-15004	46.9	13.04	33.2	1450	8.84	11	48	320	2.2
	78.2	21.73	30.4		11.11	15	58.3		2.3
	93.9	26.08	27.8		12.40	15	57.3		2.8
EG125-10016-04004	75.6	21.00	8.8	1450	2.70	4	67	176	2
	126.0	35.00	7.2		3.05	4	81		2.1
	151.2	42.00	5.8		3.11	4	76.2		2.7
EG125-10016-03004	70.9	19.69	7.8	1450	2.21	3	68	165	2
	118.1	32.81	6.2		2.51	3	79.5		2.1
	141.8	39.38	5.5		2.70	3	78.5		2.7
EG125-10016-03004	66.6	18.49	6.8	1450	1.84	3	67	155	2
	111.0	30.82	5.5		2.14	3	77.6		2.1
	133.2	36.99	4.5		2.16	3	75.5		2.7
EG125-10016-02204	62.3	17.30	6.0	1450	1.58	2.2	64.5	145	2
	103.8	28.84	4.8		1.78	2.2	76		2.1
	124.6	34.60	3.9		1.81	2.2	73		2.7
EG125-10020-11004	85.2	23.66	14.9	1450	4.94	7.5	70	214	1.7
	142.0	39.44	13.0		6.28	7.5	80		1.9
	170.4	47.33	11.1		6.86	11	75		2.2
EG125-10020-07504	81.6	22.67	13.4	1450	4.25	5.5	70	205	1.7
	136.0	37.78	11.5		5.39	7.5	79		1.9
	163.2	45.34	9.8		5.77	7.5	75.5		2.2
EG125-10020-05504	77.6	21.56	12.1	1450	3.77	5.5	68	195	1.7
	129.4	35.94	10.0		4.57	5.5	77		1.9
	155.3	43.13	8.3		4.74	5.5	74		2.2
EG125-10020-05504	73.6	20.46	10.8	1450	3.23	4	67	185	1.7
	122.7	34.10	8.7		3.85	5.5	75.5		1.9
	147.3	40.91	7.1		4.01	5.5	71		2.2



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG125-10020-04004	69.7	19.35	9.5	1450	2.86	4	63	175	1.7
	116.1	32.25	7.3		3.14	4	73.5		1.9
	139.3	38.70	5.7		3.18	4	68		2.2
EG125-10020-03004	65.7	18.25	8.3	1450	2.47	3	60	165	1.7
	109.5	30.41	6.1		2.57	3	70.8		1.9
	131.4	36.49	4.5		2.60	3	62		2.2
EG125-10026-15004	88.8	24.67	24.7	1450	8.91	11	67	264	1.8
	148.0	41.11	22.0		11.36	15	78		2
	177.6	49.33	19.6		12.63	15	75		2.3
EG125-10026-15004	85.8	23.83	22.8	1450	8.01	11	66.5	255	1.8
	143.0	39.71	20.4		10.38	15	76.5		2
	171.5	47.65	18.0		11.44	15	73.5		2.3
EG125-10026-11004	82.4	22.89	21.1	1450	7.17	7.5	66	245	1.8
	137.3	38.15	18.8		9.39	11	75		2
	164.8	45.78	16.6		10.21	11	73		2.3
EG125-10026-11004	79.0	21.96	19.3	1450	6.39	7.5	65	235	1.8
	131.7	36.59	17.0		8.29	11	73.5		2
	158.1	43.91	14.9		9.03	11	71		2.3
EG125-10026-11004	75.7	21.02	17.6	1450	5.85	7.5	62	225	1.8
	126.1	35.04	15.3		7.30	11	72		2
	151.4	42.04	13.2		7.88	11	69		2.3
EG125-10026-11004	72.3	20.09	16.0	1450	5.08	7.5	62	215	1.8
	120.5	33.48	13.6		6.20	7.5	72		2
	144.6	40.18	11.5		6.61	11	68.5		2.3
EG125-10026-07504	69.0	19.15	14.4	1450	4.58	7.5	59	205	1.8
	114.9	31.92	12.0		5.52	7.5	68		2
	137.9	38.31	10.0		5.87	7.5	64		2.3
EG125-10032-22004	81.0	22.50	38.0	1450	12.32	15	68	329	2
	135.0	37.50	34.0		16.10	22	77.6		2.2
	162.0	45.00	30.2		18.24	22	73		2.7
EG125-10032-22004	77.6	21.54	34.4	1450	10.84	15	67	315	2
	129.3	35.90	31.0		14.31	18.5	76.2		2.2
	155.1	43.09	27.6		16.19	22	72		2.7
EG125-10032-18504	73.9	20.52	31.1	1450	9.47	15	66	300	2
	123.1	34.19	28.0		12.68	18.5	74		2.2
	147.7	41.03	25.0		14.16	18.5	71		2.7
EG125-10032-15004	70.2	19.49	28.2	1450	8.29	11	65	285	2
	116.9	32.48	25.0		11.13	15	71.5		2.2
	140.3	38.98	22.1		12.70	15	66.5		2.7
EG125-10032-15004	66.5	18.47	25.7	1450	7.50	11	62	270	2
	110.8	30.78	22.3		9.89	11	68		2.2
	132.9	36.93	19.8		11.13	15	64.5		2.7
EG125-10032-15004	62.8	17.44	22.9	1450	6.64	11	59	255	2
	104.6	29.07	19.8		8.68	11	65		2.2
	125.6	34.88	16.8		9.57	15	60		2.7



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m	
	Model	m ³ /h			L/s	Shaft				Motor
EG125-10040-45004		90.7	25.20	56.8	1450	22.62	30	409	1.5	
		151.2	42.00	51.8		30.03	37		71	1.8
		181.4	50.40	47.0		34.39	45		67.5	2.1
EG125-10040-37004		87.6	24.34	52.4	1450	20.49	30	395	1.5	
		146.0	40.56	47.4		27.11	37		69.5	1.8
		175.2	48.67	42.6		30.79	37		66	2.1
EG125-10040-37004		84.3	23.41	48.2	1450	18.43	30	380	1.5	
		140.5	39.02	43.4		24.77	37		67	1.8
		168.6	46.83	38.8		27.18	37		65.5	2.1
EG125-10040-30004		81.0	22.49	44.5	1450	16.91	22	365	1.5	
		134.9	37.48	39.5		21.82	30		66.5	1.8
		161.9	44.98	35.0		24.11	30		64	2.1
EG125-10040-30004		77.6	21.56	40.6	1450	14.92	18.5	350	1.5	
		129.4	35.94	35.9		19.45	22		65	1.8
		155.3	43.13	31.7		21.44	30		62.5	2.1
EG125-10040-22004		74.3	20.64	37.5	1450	13.55	18.5	335	1.5	
		123.8	34.40	32.9		17.33	22		64	1.8
		148.6	41.28	28.8		19.10	22		61	2.1
EG125-10040-22004		71.0	19.72	34.0	1450	11.94	15	320	1.5	
		118.3	32.86	29.8		15.23	18.5		63	1.8
		142.0	39.43	25.8		16.90	22		59	2.1
EG150-12520-11004		114.5	31.80	15.0	1450	7.54	11	214	1.3	
		190.8	53.00	13.3		8.74	11		79	1.7
		229.0	63.60	11.7		9.29	11		78.5	1.85
EG150-12520-11004		109.7	30.46	13.3	1450	6.51	11	205	1.3	
		182.8	50.77	11.5		7.43	11		77	1.7
		219.3	60.93	9.9		7.78	11		76	1.85
EG150-12520-07504		104.3	28.98	11.7	1450	5.63	7.5	195	1.3	
		173.9	48.29	9.7		6.12	7.5		75	1.7
		208.6	57.95	8.1		6.39	7.5		72	1.85
EG150-12520-07504		99.0	27.49	10.2	1450	4.74	7.5	185	1.3	
		164.9	45.82	8.0		5.13	7.5		70	1.7
		197.9	54.98	6.3		5.14	7.5		66	1.85
EG150-12526-22004		144.0	40.00	24.0	1450	13.25	18.5	264	2.2	
		240.0	66.67	22.2		17.27	22		84	2.8
		288.0	80.00	20.5		19.25	22		83.5	3.3
EG150-12526-22004		139.1	38.64	21.9	1450	11.68	15	255	2.2	
		231.8	64.40	20.1		15.19	18.5		83.5	2.8
		278.2	77.28	18.3		16.70	22		83	3.3
EG150-12526-18504		133.6	37.12	20.0	1450	10.39	15	245	2.2	
		222.7	61.87	18.3		13.37	18.5		83	2.8
		267.3	74.25	16.5		14.73	18.5		81.5	3.3
EG150-12526-15004		128.2	35.61	18.3	1450	9.12	11	235	2.2	
		213.6	59.35	16.4		11.78	15		81	2.8
		256.4	71.22	14.5		12.65	15		80	3.3
EG150-12526-15004		122.7	34.09	16.6	1450	8.04	11	225	2.2	
		204.6	56.82	14.4		10.02	15		80	2.8
		245.5	68.19	12.4		10.83	15		76.5	3.3



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	Model	m ³ /h			L/s	Shaft			
EG150-12526-11004	117.3	32.58	14.9	1450	7.00	11	68	215	2.2
	195.5	54.30	12.7		8.66	11	78		2.8
	234.6	65.15	10.7		9.36	11	73		3.3
EG150-12526-11004	111.8	31.06	13.3	1450	6.04	7.5	67	205	2.2
	186.4	51.77	11.0		7.44	11	75		2.8
	223.6	62.12	9.0		8.00	11	68.5		3.3
EG150-12532-30004	120.1	33.36	35.0	1450	17.60	22	65	329	1.7
	200.2	55.60	32.7		22.41	30	79.5		2.2
	240.2	66.72	30.8		24.86	30	81		2.7
EG150-12532-30004	115.0	31.94	31.9	1450	15.36	18.5	65	315	1.7
	191.6	53.23	29.9		19.75	30	79		2.2
	230.0	63.88	28.2		22.07	30	80		2.7
EG150-12532-22004	109.5	30.42	29.0	1450	13.40	18.5	64.5	300	1.7
	182.5	50.70	27.0		17.09	22	78.5		2.2
	219.0	60.84	25.5		19.00	22	80		2.7
EG150-12532-18504	104.0	28.90	26.2	1450	11.59	15	64	285	1.7
	173.4	48.16	24.4		14.77	18.5	78		2.2
	208.1	57.80	22.9		16.21	18.5	80		2.7
EG150-12532-15004	98.6	27.38	23.2	1450	9.73	11	64	270	1.7
	164.3	45.63	21.4		12.59	15	76		2.2
	197.1	54.76	19.9		13.69	15	78		2.7
EG150-12532-15004	93.1	25.86	20.6	1450	8.42	11	62	255	1.7
	155.1	43.09	18.8		10.73	15	74		2.2
	186.2	51.71	17.3		11.54	15	76		2.7
EG150-12540-75004	147.0	40.83	56.6	1450	34.84	45	65	409	1.5
	245.0	68.05	52.5		47.00	55	74.5		2.8
	294.0	81.66	48.7		52.67	75	74		4
EG150-12540-55004	142.0	39.43	51.9	1450	31.34	37	64	395	1.5
	236.6	65.72	47.6		42.00	55	73		2.8
	283.9	78.86	43.8		46.69	55	72.5		4
EG150-12540-45004	136.6	37.93	47.7	1450	28.15	37	63	380	1.5
	227.6	63.22	43.1		37.35	45	71.5		2.8
	273.1	75.87	39.7		41.57	45	71		4
EG150-12540-45004	131.2	36.44	43.4	1450	25.00	30	62	365	1.5
	218.6	60.73	39.8		33.36	37	71		2.8
	262.4	72.88	36.5		37.24	45	70		4
EG150-12540-37004	125.8	34.94	39.9	1450	22.40	30	61	350	1.5
	209.6	58.23	36.6		30.27	37	69		2.8
	251.6	69.88	33.2		33.44	37	68		4
EG150-12540-37004	120.4	33.44	36.8	1450	20.10	30	60	335	1.5
	200.7	55.74	33.5		27.31	30	67		2.8
	240.8	66.89	30.1		29.45	37	67		4
EG150-12540-30004	115.0	31.95	33.3	1450	17.67	22	59	320	1.5
	191.7	53.24	30.1		23.80	30	66		2.8
	230.0	63.89	27.0		26.01	30	65		4
EG200-15020-18504	216.0	60.00	14.1	1450	13.37	18.5	62	214	3
	360.0	100.00	12.2		14.95	18.5	80		3.5
	432.0	120.00	10.6		16.51	18.5	75.5		4
EG200-15020-18504	206.9	57.48	12.8	1450	11.82	15	61	205	3
	344.9	95.79	10.8		13.00	15	78		3.5
	413.8	114.95	9.2		14.20	18.5	73		4
EG200-15020-15004	196.8	54.67	11.5	1450	10.44	15	59	195	3
	328.0	91.12	9.5		11.24	15	75.5		3.5
	393.6	109.35	7.8		11.94	15	70		4



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH) _r m
	m ³ /h	L/s			Shaft	Motor			
EG200-15020-15004	186.7	51.87	10.2	1450	9.10	11	57	185	3
	311.2	86.45	8.2		9.78	15	71		3.5
	373.5	103.74	6.6		10.32	15	65		4
EG200-15020-11004	176.6	49.07	8.9	1450	8.07	11	53	175	3
	294.4	81.78	6.9		8.38	11	66		3.5
	353.3	98.13	5.3		8.64	11	59		4
EG200-15026-30004	194.4	54.00	23.1	1450	16.98	22	72	264	1.7
	324.0	90.00	21.0		22.73	30	81.5		2.1
	388.8	108.00	17.9		25.26	30	75		4
EG200-15026-30004	187.8	52.16	21.2	1450	15.05	18.5	72	255	1.7
	313.0	86.93	18.9		20.38	30	79		2.1
	375.5	104.32	15.6		22.15	30	72		4
EG200-15026-22004	180.4	50.11	19.3	1450	13.35	18.5	71	245	1.7
	300.7	83.52	16.7		17.75	22	77		2.1
	360.8	100.23	13.4		19.36	22	68		4
EG200-15026-18504	173.0	48.07	17.6	1450	11.84	15	70	235	1.7
	288.4	80.11	14.7		15.49	18.5	74.5		2.1
	346.1	96.14	11.2		16.49	18.5	64		4
EG200-15026-18504	165.7	46.02	15.9	1450	10.70	15	67	225	1.7
	276.1	76.70	12.6		13.15	18.5	72		2.1
	331.4	92.05	9.3		14.22	18.5	59		4
EG200-15026-15004	158.3	43.98	14.2	1450	9.42	11	65	215	1.7
	263.9	73.30	10.3		11.56	15	64		2.1
	316.6	87.95	7.1		12.00	15	51		4
EG200-15032-55004	222.0	61.67	36.0	1450	29.80	37	73	329	2.1
	370.0	102.78	34.0		40.53	55	84.5		3
	444.0	123.34	31.2		45.16	55	83.5		4
EG200-15032-45004	212.6	59.04	32.7	1450	25.92	30	73	315	2.1
	354.3	98.41	30.3		35.21	45	83		3
	425.1	118.09	27.1		38.72	45	81		4
EG200-15032-37004	202.4	56.23	29.3	1450	22.43	30	72	300	2.1
	337.4	93.72	26.6		30.16	37	81		3
	404.9	112.46	23.4		32.65	37	79		4
EG200-15032-30004	192.3	53.42	26.2	1450	19.32	22	71	285	2.1
	320.5	89.03	23.0		25.40	30	79		3
	384.6	106.84	19.7		27.14	30	76		4
EG200-15032-30004	182.2	50.61	23.2	1450	16.44	22	70	270	2.1
	303.7	84.35	19.8		21.26	30	77		3
	364.4	101.22	16.5		22.42	30	73		4
EG200-15032-22004	172.1	47.80	20.2	1450	13.71	18.5	69	255	2.1
	286.8	79.66	16.6		17.28	22	75		3
	344.1	95.59	13.0		17.65	22	69		4
EG200-15040-90004	231.0	64.16	54.5	1450	51.15	75	67	409	2
	385.0	106.94	49.5		63.65	75	81.5		3.3
	462.0	128.33	43.9		70.78	90	78		4.6
EG200-15040-75004	223.1	61.97	50.0	1450	46.01	55	66	395	2
	371.8	103.28	45.3		57.31	75	80		3.3
	446.2	123.94	39.8		62.78	75	77		4.6
EG200-15040-75004	214.6	59.61	46.0	1450	40.72	55	66	380	2
	357.7	99.36	41.4		51.03	75	79		3.3
	429.2	119.23	36.0		55.35	75	76		4.6
EG200-15040-55004	206.1	57.26	42.4	1450	36.05	45	66	365	2
	343.6	95.44	37.7		45.79	55	77		3.3
	412.3	114.52	32.8		49.75	55	74		4.6
EG200-15040-45004	197.7	54.91	38.6	1450	31.95	37	65	350	2
	329.4	91.51	34.1		40.24	45	76		3.3
	395.3	109.82	29.6		42.19	45	75.5		4.6
EG200-15040-45004	189.2	52.55	35.4	1450	28.49	37	64	335	2
	315.3	87.59	31.2		36.69	45	73		3.3
	378.4	105.11	27.0		38.63	45	72		4.6
EG200-15040-37004	180.7	50.20	32.1	1450	24.87	30	63.5	320	2
	301.2	83.67	28.4		31.90	37	73		3.3
	361.5	100.40	24.4		33.35	37	72		4.6



(60HZ)

EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			Shaft	Motor			
EG40-3213-04002	10.9	3.02	37.9	3500	2.16	3	52	139	1.4
	18.1	5.03	35.0		2.83	4	61		1.7
	21.7	6.04	32.8		3.13	4	62		2.5
EG40-3213-03002	10.2	2.82	32.0	3500	1.72	2.2	51.5	130	1.4
	16.9	4.71	28.7		2.21	3	60		1.7
	20.3	5.65	26.2		2.40	3	60.5		2.5
EG40-3213-03002	9.4	2.61	26.2	3500	1.31	2.2	51	120	1.4
	15.6	4.34	23.6		1.72	3	58.5		1.7
	18.8	5.21	21.1		1.86	3	58		2.5
EG40-3213-02202	8.6	2.39	21.6	3500	1.01	1.5	50	110	1.4
	14.3	3.98	18.9		1.30	2.2	57		1.7
	17.2	4.78	16.6		1.40	2.2	55.5		2.5
EG40-3213-01502	7.8	2.17	17.0	3500	0.76	1.1	48	100	1.4
	13.0	3.62	14.7		1.00	1.5	52		1.7
	15.6	4.34	12.7		1.04	1.5	52		2.5
EG50-3216-07502	13.0	3.62	61.2	3500	4.67	5.5	46.5	174	1.9
	21.7	6.03	56.8		6.00	7.5	56		2.2
	26.1	7.24	53.2		6.65	7.5	56.7		3.7
EG50-3216-07502	12.4	3.43	53.9	3500	3.99	5.5	45.5	165	1.9
	20.6	5.72	50.4		5.09	7.5	55.5		2.2
	24.7	6.87	46.8		5.59	7.5	56.3		3.7
EG50-3216-05502	11.6	3.23	47.0	3500	3.38	5.5	44	155	1.9
	19.4	5.38	44.4		4.29	5.5	54.5		2.2
	23.2	6.45	41.8		4.72	5.5	56		3.7
EG50-3216-05502	10.9	3.02	41.2	3500	2.83	4	43	145	1.9
	18.1	5.03	38.6		3.59	5.5	53		2.2
	21.7	6.03	36.4		3.95	5.5	54.5		3.7
EG50-3216-04002	10.1	2.81	35.8	3500	2.47	3	40	135	1.9
	16.9	4.68	33.1		2.97	4	51		2.2
	20.2	5.62	31.2		3.27	4	52.5		3.7
EG50-3216-04002	9.4	2.60	29.9	3500	1.95	3	39	125	1.9
	15.6	4.34	28.0		2.45	4	48.5		2.2
	18.7	5.20	26.2		2.62	4	51		3.7
EG50-3220-15002	13.0	3.62	93.5	3500	8.51	11	39	214	1.7
	21.7	6.03	85.2		10.41	15	48.4		2
	26.1	7.24	78.8		11.58	15	48.3		2.3
EG50-3220-15002	12.5	3.47	84.9	3500	7.48	11	38.6	205	1.6
	20.8	5.78	77.2		9.07	15	48.2		1.95
	25.0	6.94	70.4		9.94	15	48.1		2.2
EG50-3220-11002	11.9	3.30	76.0	3500	6.37	7.5	38.6	195	1.6
	19.8	5.50	69.5		7.88	11	47.5		1.95
	23.8	6.60	62.9		8.66	11	47		2.2
EG50-3220-11002	11.3	3.13	68.8	3500	5.70	7.5	37	185	1.6
	18.8	5.22	61.9		6.81	11	46.5		1.95
	22.5	6.26	55.6		7.42	11	46		2.2
EG50-3220-07502	10.7	2.96	61.5	3500	4.96	7.5	36	175	1.6
	17.8	4.93	55.4		5.95	7.5	45		1.95
	21.3	5.92	49.8		6.54	7.5	44.2		2.2



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			Shaft	Motor			
Model									
EG50-3220-07502	10.0	2.79	54.7	3500	4.21	5.5	35.5	165	1.6
	16.7	4.65	49.2		5.22	7.5	43		1.95
	20.1	5.58	44.3		5.58	7.5	43.4		2.2
EG50-3226-30002	19.6	5.43	130.1	3500	20.67	30	33.5	264	2.1
	32.6	9.05	119.4		25.53	30	41.5		2.6
	39.1	10.86	109.7		28.62	30	40.8		3.1
EG50-3226-30002	18.9	5.25	121.8	3500	18.97	22	33	255	2.1
	31.5	8.74	110.7		23.54	30	40.3		2.6
	37.8	10.49	102.7		26.07	30	40.5		3.1
EG50-3226-30002	18.1	5.04	112.9	3500	17.99	22	31	245	2.1
	30.2	8.40	102.3		21.31	30	39.5		2.6
	36.3	10.08	94.7		23.27	30	40.2		3.1
EG50-3226-22002	17.4	4.83	104.9	3500	16.03	18.5	31	235	2.1
	29.0	8.06	94.7		19.17	22	39		2.6
	34.8	9.67	87.1		20.63	22	40		3.1
EG50-3226-22002	16.7	4.63	96.1	3500	14.30	18.5	30.5	225	2.1
	27.8	7.71	86.8		17.50	22	37.5		2.6
	33.3	9.26	79.8		19.06	22	38		3.1
EG50-3226-22002	15.9	4.42	88.6	3500	12.80	15	30	215	2.1
	26.5	7.37	80.1		15.99	18.5	36.2		2.6
	31.8	8.85	74.3		17.41	22	37		3.1
EG50-3226-18502	15.2	4.22	84.5	3500	12.25	15	28.5	205	2.1
	25.3	7.03	74.0		14.77	18.5	34.5		2.6
	30.4	8.43	67.3		15.89	18.5	35		3.1
EG65-4013-07502	21.7	6.03	36.9	3500	3.57	5.5	61	139	1.8
	36.2	10.05	34.2		4.62	7.5	73		2
	43.4	12.06	31.8		5.11	7.5	73.5		3
EG65-4013-05502	20.3	5.64	32.0	3500	2.86	4	62	130	1.8
	33.8	9.40	29.4		3.70	5.5	73.2		2
	40.6	11.28	26.9		4.07	5.5	73.2		3
EG65-4013-04002	18.7	5.21	26.9	3500	2.25	4	61	120	1.8
	31.2	8.68	24.8		2.89	4	73		2
	37.5	10.42	22.3		3.12	4	73		3
EG65-4013-03002	17.2	4.77	22.6	3500	1.77	2.2	60	110	1.8
	28.6	7.96	20.0		2.16	3	72		2
	34.4	9.55	17.8		2.31	3	72		3
EG65-4013-02202	15.6	4.34	18.2	3500	1.34	2.2	58	100	1.8
	26.0	7.23	16.0		1.62	2.2	70		2
	31.2	8.68	13.8		1.71	2.2	69		3
EG65-4016-11002	21.7	6.03	57.5	3500	5.97	7.5	57	174	1.5
	36.2	10.05	51.0		7.85	11	64		2.2
	43.4	12.06	45.9		8.82	11	61.5		3.3
EG65-4016-11002	20.6	5.72	50.7	3500	5.07	7.5	56	165	1.5
	34.3	9.53	44.4		6.57	11	63.2		2.2
	41.2	11.44	40.2		7.39	11	61		3.3
EG65-4016-07502	19.3	5.37	44.4	3500	4.25	5.5	55	155	1.5
	32.2	8.96	38.6		5.54	7.5	61.2		2.2
	38.7	10.75	34.1		6.08	7.5	59		3.3



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG65-4016-07502	18.1	5.03	38.9	3500	3.61	5.5	53	145	1.5
	30.2	8.38	32.8		4.60	5.5	58.5		2.2
	36.2	10.05	28.4		5.00	7.5	56		3.3
EG65-4016-05502	16.8	4.68	33.7	3500	3.09	4	50	135	1.5
	28.1	7.80	28.4		3.81	5.5	57		2.2
	33.7	9.36	24.0		4.01	5.5	55		3.3
EG65-4016-04002	15.6	4.33	28.4	3500	2.51	4	48	125	1.5
	26.0	7.22	23.3		3.00	4	55		2.2
	31.2	8.67	19.7		3.27	4	51		3.3
EG65-4020-18502	21.7	6.03	89.6	3500	11.03	15	48	214	1.8
	36.2	10.05	82.3		13.98	18.5	58		2
	43.4	12.06	77.2		15.60	18.5	58.5		2.7
EG65-4020-18502	20.8	5.78	80.7	3500	9.52	11	48	205	1.8
	34.7	9.63	74.3		12.19	15	57.5		2
	41.6	11.56	68.9		13.45	18.5	58		2.7
EG65-4020-15002	19.8	5.50	72.1	3500	8.26	11	47	195	1.8
	33.0	9.16	69.2		10.99	15	56.5		2
	39.6	10.99	61.2		11.56	15	57		2.7
EG65-4020-11002	18.8	5.21	64.9	3500	7.21	11	46	185	1.8
	31.3	8.69	59.0		9.05	11	55.5		2
	37.5	10.43	53.2		9.88	11	55		2.7
EG65-4020-11002	17.8	4.93	58.1	3500	6.24	7.5	45	175	1.8
	29.6	8.22	52.4		7.82	11	54		2
	35.5	9.87	46.9		8.48	11	53.5		2.7
EG65-4020-11002	16.7	4.65	51.6	3500	5.29	7.5	44.5	165	1.8
	27.9	7.75	45.9		6.70	11	52		2
	33.5	9.30	41.1		7.27	11	51.5		2.7
EG65-4026-37002	26.1	7.24	135.5	3500	24.03	30	40	264	1.8
	43.4	12.07	126.0		29.22	37	51		2
	52.1	14.48	118.7		31.79	37	53		2.5
EG65-4026-37002	25.2	6.99	125.3	3500	21.47	30	40	255	1.8
	42.0	11.66	116.5		26.47	30	50.3		2
	50.4	13.99	108.5		28.45	37	52.3		2.5
EG65-4026-30002	24.2	6.72	114.1	3500	19.26	22	39	245	1.8
	40.3	11.20	104.9		23.02	30	50		2.0
	48.4	13.44	96.1		24.83	30	51		2.5
EG65-4026-30002	23.2	6.45	103.4	3500	17.19	22	38	235	1.8
	38.7	10.74	96.5		20.94	30	48.5		2
	46.4	12.89	88.4		22.35	30	50		2.5
EG65-4026-30002	22.2	6.17	94.8	3500	15.09	18.5	38	225	1.8
	37.0	10.29	87.7		18.41	22	48		2
	44.4	12.34	81.1		20.22	30	48.5		2.5
EG65-4026-22002	21.2	5.90	86.6	3500	13.34	18.5	37.5	215	1.8
	35.4	9.83	79.1		16.21	22	47		2
	42.5	11.79	74.0		18.02	22	47.5		2.5
EG65-4026-18502	20.2	5.62	78.7	3500	11.56	15	37.5	205	1.8
	33.7	9.37	72.1		14.40	18.5	46		2
	40.5	11.25	66.3		15.71	18.5	46.5		2.5
EG65-5013-11002	43.5	12.07	37.9	3500	6.84	11	65.5	139	1.95
	72.4	20.12	33.5		8.47	11	78		2.5
	86.9	24.14	29.9		9.42	11	75		3.3



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG65-5013-11002	40.6	11.29	32.0	3500	5.50	7.5	64.5	130	1.95
	67.7	18.82	27.1		6.66	11	75		2.5
	81.3	22.58	23.5		7.21	11	72		3.3
EG65-5013-07502	37.5	10.42	26.7	3500	4.32	5.5	63	120	1.95
	62.5	17.37	21.8		5.17	7.5	72		2.5
	75.0	20.84	17.9		5.38	7.5	68		3.3
EG65-5013-07502	34.4	9.55	21.8	3500	3.30	5.5	62	110	1.95
	57.3	15.92	16.9		3.82	5.5	69		2.5
	68.8	19.11	14.0		4.06	5.5	64.5		3.3
EG65-5016-22002	47.1	13.07	61.6	3500	12.24	15	64.5	174	1.8
	78.4	21.78	55.4		15.76	18.5	75		2.8
	94.1	26.14	49.2		17.76	22	71		3.2
EG65-5016-18502	44.6	12.39	54.6	3500	10.53	15	63	165	1.8
	74.4	20.66	48.4		13.50	18.5	72.5		2.8
	89.2	24.79	43.0		15.35	18.5	68		3.2
EG65-5016-15002	41.9	11.64	48.5	3500	9.22	11	60	155	1.8
	69.9	19.41	42.5		11.72	15	69		2.8
	83.8	23.29	37.6		12.80	15	67		3.2
EG65-5016-15002	39.2	10.89	41.8	3500	7.56	11	59	145	1.8
	65.4	18.15	36.4		9.60	15	67.5		2.8
	78.4	21.78	32.2		10.57	15	65		3.2
EG65-5016-11002	36.5	10.14	35.7	3500	6.11	7.5	58	135	1.8
	60.8	16.90	30.3		7.84	11	64		2.8
	73.0	20.28	26.7		8.55	11	62		3.2
EG65-5016-07502	33.8	9.39	29.9	3500	5.18	7.5	53	125	1.8
	56.3	15.65	24.5		6.05	7.5	62		2.8
	67.6	18.78	20.7		6.40	7.5	59.5		3.2
EG65-5020-30002	43.5	12.07	90.3	3500	18.42	22	58	214	2.2
	72.4	20.12	81.6		22.98	30	70		3.2
	86.9	24.14	74.3		25.85	30	68		4
EG65-5020-30002	41.6	11.56	82.0	3500	15.49	18.5	60	205	2.2
	69.4	19.27	73.3		20.26	30	68.3		3.2
	83.3	23.13	65.1		22.53	30	65.5		4
EG65-5020-22002	39.6	11.00	74.7	3500	13.65	18.5	59	195	2.2
	66.0	18.33	65.1		17.59	22	66.5		3.2
	79.2	22.00	58.3		19.63	22	64		4
EG65-5020-18502	37.6	10.44	67.3	3500	11.86	15	58	185	2.2
	62.6	17.39	58.6		15.25	18.5	65.5		3.2
	75.1	20.87	51.6		17.01	18.5	62		4
EG65-5020-18502	35.5	9.87	60.2	3500	10.30	15	56.5	175	2.2
	59.2	16.45	52.7		13.28	15	64		3.2
	71.1	19.74	45.7		15.13	18.5	58.5		4
EG65-5020-15002	33.5	9.31	53.5	3500	9.04	11	54	165	2.2
	55.8	15.51	46.9		11.88	15	60		3.2
	67.0	18.61	40.1		13.05	15	56		4
EG80-6513-15002	72.4	20.12	35.7	3500	10.35	15	68	139	3
	120.7	33.53	29.9		12.42	15	79		3.75
	144.8	40.23	25.1		13.00	15	76		4.2
EG80-6513-11002	67.7	18.81	30.0	3500	8.14	11	68	130	3
	112.9	31.36	23.6		9.47	11	76.6		3.75
	135.5	37.63	18.9		9.83	11	71		4.2



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH) _r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG80-6513-11002	62.5	17.37	25.1	3500	6.46	7.5	66	120	3
	104.2	28.94	19.2		7.47	11	73		3.75
	125.0	34.73	14.9		7.55	11	67		4.2
EG80-6516-30002	72.4	20.12	57.8	3500	17.27	22	66	174	2.7
	120.7	33.53	49.5		21.70	30	75		3.5
	144.8	40.23	43.1		23.13	30	73.5		4.1
EG80-6516-22002	68.7	19.08	52.4	3500	14.63	18.5	67	165	2.7
	114.5	31.79	43.7		18.40	22	74		3.5
	137.3	38.15	37.6		19.38	22	72.5		4.1
EG80-6516-18502	64.5	17.92	46.6	3500	12.59	15	65	155	2.7
	107.5	29.87	38.2		15.39	18.5	72.6		3.5
	129.0	35.84	31.8		15.93	18.5	70		4.1
EG80-6516-15002	60.3	16.76	40.8	3500	10.64	15	63	145	2.7
	100.6	27.94	32.3		12.47	15	71		3.5
	120.7	33.53	26.5		12.72	15	68.5		4.1
EG80-6516-15002	56.2	15.61	35.2	3500	8.84	11	61	135	2.7
	93.6	26.01	28.0		10.36	15	69		3.5
	112.4	31.22	22.6		10.63	15	65		4.1
EG80-6516-11002	52.0	14.45	30.2	3500	7.13	11	60	125	2.7
	86.7	24.09	23.3		8.21	11	67		3.5
	104.1	28.90	18.6		8.38	11	63		4.1
EG80-6520-37002	72.6	20.16	77.1	3500	25.37	30	60	195	2.4
	120.9	33.60	67.0		30.43	37	72.5		3.7
	145.1	40.32	60.3		33.09	37	72		5.2
EG80-6520-37002	68.8	19.12	69.3	3500	21.66	30	60	185	2.4
	114.7	31.87	60.3		26.16	30	72		3.7
	137.7	38.25	54.3		28.45	37	71.5		5.2
EG80-6520-30002	65.1	18.09	61.2	3500	18.38	22	59	175	2.4
	108.5	30.15	53.3		22.19	30	71		3.7
	130.3	36.18	47.6		23.96	30	70.5		5.2
EG80-6520-30002	61.4	17.06	53.6	3500	15.72	18.5	57	165	2.4
	102.3	28.43	46.6		18.55	22	70		3.7
	122.8	34.11	40.8		20.05	30	68		5.2
EG80-6526-90002	86.9	24.14	142.7	3500	53.59	75	63	264	2.4
	144.8	40.23	130.9		70.23	90	73.5		4.2
	173.8	48.27	119.9		79.31	90	71.5		5.8
EG80-6526-90002	83.9	23.31	132.6	3500	48.84	55	62	255	2.4
	139.9	38.85	120.9		63.06	75	73		4.2
	167.9	46.63	110.7		71.24	90	71		5.8
EG80-6526-75002	80.6	22.40	123.1	3500	44.29	55	61	245	2.4
	134.4	37.33	112.2		56.60	75	72.5		4.2
	161.3	44.80	102.0		63.05	75	71		5.8
EG80-6526-75002	77.3	21.48	114.3	3500	40.80	55	59	235	2.4
	128.9	35.81	103.4		50.76	75	71.5		4.2
	154.7	42.97	93.2		55.68	75	70.5		5.8
EG80-6526-55002	74.1	20.57	105.6	3500	36.70	45	58	225	2.4
	123.4	34.28	94.7		45.06	55	70.6		4.2
	148.1	41.14	85.9		49.50	55	70		5.8



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG80-6526-55002	70.8	19.66	96.4	3500	32.30	37	57.5	215	2.4
	117.9	32.76	86.5		40.52	55	68.5		4.2
	141.5	39.31	74.0		43.86	55	65		5.8
EG80-6526-45002	67.5	18.74	85.9	3500	28.70	37	55	205	2.4
	112.4	31.24	76.6		35.81	45	65.5		4.2
	134.9	37.48	69.9		39.51	45	65		5.8
EG100-8016-37002	111.2	30.90	50.7	3500	22.74	30	67.5	165	2.7
	185.4	51.50	42.4		28.15	37	76		3.8
	222.5	61.80	35.2		30.94	37	69		5
EG100-8016-30002	104.5	29.03	44.7	3500	20.19	30	63	155	2.7
	174.2	48.38	36.0		23.05	30	74		3.8
	209.0	58.06	29.3		25.24	30	66		5
EG100-8016-30002	97.8	27.16	39.1	3500	16.80	22	62	145	2.7
	162.9	45.26	31.5		19.40	22	72		3.8
	195.5	54.31	25.3		21.08	30	64		5
EG100-8016-18502	91.0	25.28	33.2	3500	14.19	18.5	58	135	2.7
	151.7	42.14	26.5		16.59	18.5	66		3.8
	182.0	50.56	21.0		17.32	18.5	60		5
EG100-8020-75002	137.6	38.22	88.1	3500	49.27	55	67	214	3.1
	229.3	63.70	76.8		61.59	75	77.8		4.8
	275.2	76.44	67.0		68.29	75	73.5		5.8
EG100-8020-75002	131.8	36.61	80.3	3500	44.30	55	65	205	4
	219.7	61.02	69.8		54.12	75	77.1		4.9
	263.6	73.23	60.4		59.83	75	72.5		5.85
EG100-8020-55002	125.4	34.83	72.2	3500	39.77	45	62	195	4
	209.0	58.04	63.5		47.53	55	76		4.7
	250.8	69.65	54.8		51.92	55	72		5.5
EG100-8020-45002	118.9	33.04	63.8	3500	33.32	37	62	185	4
	198.2	55.07	54.2		39.52	45	74		4.7
	237.9	66.08	46.3		43.47	45	69		5.5
EG100-8020-37002	112.5	31.25	57.1	3500	26.49	37	66	175	4
	187.5	52.09	48.5		32.57	37	76		4.7
	225.0	62.51	41.4		33.85	37	75		5.5
EG100-8020-30002	106.1	29.47	50.7	3500	22.38	30	65.5	165	4
	176.8	49.11	43.1		27.48	30	75.5		4.7
	212.2	58.94	36.8		28.57	30	74.5		5.5
EG100-8026-90002	122.5	34.02	106.8	3500	56.50	75	63	235	3.9
	204.1	56.70	91.8		69.76	90	73.1		5
	245.0	68.04	80.3		75.38	90	71		6
EG100-8026-75002	117.3	32.57	96.9	3500	49.87	55	62	225	3.9
	195.4	54.29	83.0		61.10	75	72.3		5
	234.5	65.15	72.2		65.43	75	70.5		6
EG100-8026-75002	112.1	31.13	87.5	3500	43.78	55	61	215	3.9
	186.8	51.88	73.3		52.83	75	70.5		5
	224.1	62.25	64.8		56.49	75	70		6
EG100-8026-55002	106.8	29.68	78.7	3500	38.45	45	59.5	205	3.9
	178.1	49.46	65.7		45.49	55	70		5
	213.7	59.36	58.0		48.52	55	69.5		6
EG125-10016-55002	182.5	50.69	50.3	3500	36.98	45	67.5	176	4
	304.1	84.48	38.9		42.09	55	76.5		4.6
	365.0	101.38	30.3		42.40	55	71		6.1



EG125-10016-55002	182.5	50.69	50.3	3500	36.98	45	67.5	176	4
	304.1	84.48	38.9		42.09	55	76.5		4.6
	365.0	101.38	30.3		42.40	55	71		6.1
EG125-10016-45002	171.1	47.52	43.7	3500	30.60	37	66.5	165	4.9
	285.1	79.20	33.5		34.67	45	75		4.9
	342.2	95.04	25.8		35.31	45	68		5.4
EG125-10016-37002	160.7	44.64	37.6	3500	25.29	30	65	155	4.8
	267.8	74.40	28.0		28.32	37	72		4.8
	321.4	89.28	21.3		28.41	37	65.5		5.3
EG125-10016-30002	150.3	41.76	33.2	3500	21.24	30	64	145	4.7
	250.6	69.60	23.6		22.99	30	70		4.7
	300.7	83.52	17.5		23.08	30	62		5.2
EG125-10020-90002	197.7	54.92	77.5	3500	60.44	75	69	205	3.9
	329.5	91.53	64.5		73.27	90	79		5.8
	395.4	109.84	53.9		78.93	90	73.5		6.9
EG125-10020-75002	188.1	52.24	68.5	3500	51.54	75	68	195	3.9
	313.4	87.07	56.4		62.47	75	77		5.8
	376.1	104.48	45.9		66.64	75	70.5		6.9
EG125-10020-75002	178.4	49.56	61.2	3500	45.02	55	66	185	3.9
	297.4	82.60	48.1		52.94	75	73.5		5.8
	356.8	99.12	38.3		55.13	75	67.5		6.9
EG125-10020-55002	168.8	46.88	54.2	3500	39.52	45	63	175	3.9
	281.3	78.14	41.8		45.73	55	70		5.8
	337.6	93.76	31.8		45.59	55	64		6.9
EG125-10020-45002	159.1	44.20	46.6	3500	33.94	45	59.5	165	3.9
	265.2	73.67	35.0		37.39	45	67.5		5.8
	318.3	88.41	26.2		37.86	45	60		6.9
EG40-3213-00554	4.3	1.46	9.8	1750	0.25	0.55	47	139	1.7
	7.2	2.43	9.0		0.31	0.55	58		2
	8.7	2.91	8.4		0.34	0.55	59		2.1
EG40-3213-00554	4.1	1.36	8.3	1750	0.20	0.55	46	130	1.7
	6.8	2.27	7.6		0.25	0.55	56.5		2
	8.1	2.72	7.0		0.27	0.55	58		2.1
EG40-3213-00554	3.7	1.26	6.8	1750	0.16	0.55	45	120	1.7
	6.2	2.09	6.1		0.19	0.55	55		2
	7.5	2.51	5.7		0.21	0.55	56		2.1
EG40-3213-00554	3.4	1.15	5.8	1750	0.12	0.55	45	110	1.7
	5.7	1.92	5.1		0.15	0.55	54		2
	6.9	2.30	4.5		0.16	0.55	54		2.1
EG40-3213-00554	3.1	1.05	4.5	1750	0.09	0.55	44	100	1.7
	5.2	1.75	3.9		0.11	0.55	51		2
	6.2	2.09	3.4		0.11	0.55	52		2.1
EG50-3216-01104	5.2	1.75	15.4	1750	0.46	0.75	47.5	174	1.8
	8.7	2.91	14.7		0.63	1.1	55		2
	10.4	3.49	13.8		0.70	1.1	56		2.2
EG50-3216-00754	4.9	1.65	13.9	1750	0.41	0.55	45	165	1.8
	8.2	2.76	13.1		0.53	0.75	55		2
	9.9	3.31	12.4		0.60	0.75	55.5		2.2
EG50-3216-00754	4.6	1.55	12.3	1750	0.35	0.55	44	155	1.8
	7.7	2.59	11.4		0.45	0.75	53.5		2
	9.3	3.11	10.6		0.50	0.75	54		2.2



EG	Capacity		Head	Speed	Power(kw)			Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min	轴Shaft			
Model										
EG50-3216-00554	4.3	1.45	10.7	1750	0.30	0.55	42	145	1.8	
	7.2	2.42	9.9		0.38	0.55	51.5		2	
	8.7	2.91	9.3		0.42	0.55	52		2.2	
EG50-3216-00554	4.0	1.35	9.3	1750	0.25	0.55	41.5	135	1.8	
	6.7	2.26	8.6		0.32	0.55	49.5		2	
	8.1	2.71	8.1		0.35	0.55	50		2.2	
EG50-3216-00554	3.7	1.25	8.0	1750	0.20	0.55	40	125	1.8	
	6.2	2.09	7.4		0.27	0.55	47		2	
	7.5	2.51	6.9		0.29	0.55	49		2.2	
EG50-3220-01504	5.2	1.75	23.3	1750	0.89	1.1	37	214	1.9	
	8.7	2.91	21.4		1.09	1.5	46.5		2	
	10.4	3.49	19.8		1.18	1.5	47.5		2.3	
EG50-3220-01504	5.0	1.67	21.3	1750	0.80	1.1	36	205	1.9	
	8.3	2.79	19.2		0.95	1.5	46		2	
	10.0	3.34	17.6		1.03	1.5	46.5		2.3	
EG50-3220-01504	4.7	1.59	19.2	1750	0.72	1.1	34.5	195	1.9	
	7.9	2.65	17.4		0.83	1.1	45		2	
	9.5	3.18	15.9		0.92	1.5	45		2.3	
EG50-3220-01104	4.5	1.51	17.3	1750	0.62	0.75	34	185	1.9	
	7.5	2.51	15.7		0.80	1.1	40		2	
	9.0	3.02	14.4		0.79	1.1	44.5		2.3	
EG50-3220-01104	4.3	1.43	15.5	1750	0.54	0.75	33.5	175	1.9	
	7.1	2.38	14.0		0.64	1.1	42		2	
	8.5	2.85	12.8		0.71	1.1	42		2.3	
EG50-3220-01104	4.0	1.35	13.8	1750	0.46	0.75	33	165	1.9	
	6.7	2.24	12.5		0.57	1.1	40		2	
	8.0	2.69	11.4		0.62	1.1	40		2.3	
EG50-3226-04004	6.6	2.21	34.5	1750	2.06	3	30	264	1.8	
	11.0	3.68	32.6		2.57	3	38		2.1	
	13.2	4.42	31.2		2.80	4	40		2.4	
EG50-3226-04004	6.4	2.13	31.8	1750	1.83	3	30	255	1.8	
	10.6	3.56	30.4		2.38	4	37		2.1	
	12.7	4.27	29.0		2.54	4	39.5		2.4	
EG50-3226-03004	6.1	2.05	29.4	1750	1.69	3	29	245	1.8	
	10.2	3.42	28.1		2.11	3	37		2.1	
	12.2	4.10	26.9		2.30	3	39		2.4	
EG50-3226-03004	5.9	1.97	27.1	1750	1.52	2.2	28.5	235	1.8	
	9.8	3.28	25.9		1.92	3	36		2.1	
	11.7	3.93	24.8		2.08	3	38		2.4	
EG50-3226-03004	5.6	1.88	24.9	1750	1.36	2.2	28	225	1.8	
	9.4	3.14	23.8		1.73	3	35		2.1	
	11.2	3.76	22.9		1.89	3	37		2.4	
EG50-3226-02204	5.4	1.80	23.2	1750	1.23	2.2	27.5	215	1.8	
	8.9	3.00	22.0		1.57	2.2	34		2.1	
	10.7	3.60	21.1		1.71	2.2	36		2.4	
EG50-3226-02204	5.1	1.72	21.6	1750	1.13	1.5	26.5	205	1.8	
	8.5	2.86	20.4		1.43	2.2	33		2.1	
	10.2	3.43	19.4		1.54	2.2	35		2.4	
EG65-4013-00754	8.7	2.92	9.3	1750	0.37	0.55	59	139	1.8	
	14.5	4.86	8.7		0.49	0.75	71		2	
	17.4	5.84	8.2		0.54	0.75	72		2.4	



EG	Capacity		Head m	Speed r/min	Power(kw)			Eff %	Impeller Dia. mm	(NPSH) _r m
	m ³ /h	L/s			轴Shaft	电机Motor				
EG65-4013-00754	8.1	2.73	8.2	1750	0.31	0.55	58	130	1.8	
	13.6	4.55	7.6		0.40	0.55	71		2	
	16.3	5.46	7.0		0.44	0.75	71		2.4	
EG65-4013-00554	7.5	2.52	6.9	1750	0.25	0.55	56	120	1.8	
	12.5	4.20	6.3		0.31	0.55	69		2	
	15.0	5.04	5.7		0.34	0.55	68.5		2.4	
EG65-4013-00554	6.9	2.31	5.8	1750	0.21	0.55	51	110	1.8	
	11.5	3.85	5.3		0.26	0.55	64		2	
	13.8	4.62	4.8		0.28	0.55	63.5		2.4	
EG65-4013-00554	6.3	2.10	4.8	1750	0.16	0.55	50.5	100	1.8	
	10.4	3.50	4.3		0.21	0.55	58		2	
	12.5	4.20	3.8		0.22	0.55	58		2.4	
EG65-4016-01504	8.7	2.92	14.6	1750	0.59	0.75	59	174	1.8	
	14.5	4.86	13.1		0.82	1.1	63		2	
	17.4	5.84	11.8		0.91	1.5	61.5		2.4	
EG65-4016-01104	8.3	2.77	13.0	1750	0.51	0.75	57	165	1.8	
	13.8	4.61	11.7		0.70	1.1	62		2	
	16.5	5.53	10.5		0.79	1.1	60		2.4	
EG65-4016-01104	7.8	2.60	11.4	1750	0.43	0.75	56	155	1.8	
	12.9	4.33	10.2		0.60	1.1	60		2	
	15.5	5.20	9.2		0.67	1.1	58		2.4	
EG65-4016-00754	7.3	2.43	10.2	1750	0.40	0.55	50	145	1.8	
	12.1	4.05	8.7		0.50	0.75	57		2	
	14.5	4.86	7.9		0.56	0.75	55		2.4	
EG65-4016-00754	6.8	2.26	8.7	1750	0.33	0.55	48.5	135	1.8	
	11.3	3.77	7.6		0.44	0.75	53		2	
	13.5	4.53	6.4		0.47	0.75	50		2.4	
EG65-4016-00554	6.3	2.10	7.5	1750	0.30	0.55	43	125	1.8	
	10.4	3.49	6.3		0.36	0.55	49		2	
	12.5	4.19	5.2		0.40	0.55	45		2.4	
EG65-4020-02204	8.7	2.92	22.6	1750	1.11	1.5	48	214	1.8	
	14.5	4.86	20.8		1.44	2.2	57		2.2	
	17.4	5.84	19.2		1.58	2.2	57.5		2.5	
EG65-4020-02204	8.3	2.80	20.4	1750	0.96	1.5	48	205	1.8	
	13.9	4.66	18.9		1.28	2.2	56		2.2	
	16.7	5.59	17.5		1.39	2.2	57		2.5	
EG65-4020-02204	7.9	2.66	18.5	1750	0.87	1.1	46	195	1.8	
	13.2	4.43	16.9		1.11	1.5	55		2.2	
	15.9	5.32	15.7		1.22	2.2	55.5		2.5	
EG65-4020-01504	7.5	2.52	16.3	1750	0.73	1.1	45.5	185	1.8	
	12.5	4.20	15.2		0.96	1.5	54		2.2	
	15.1	5.05	14.0		1.05	1.5	54.5		2.5	
EG65-4020-01104	7.1	2.39	14.6	1750	0.64	1.1	44	175	1.8	
	11.9	3.98	13.4		0.82	1.1	53		2.2	
	14.2	4.77	12.2		0.89	1.1	53.5		2.5	
EG65-4020-01104	6.7	2.25	13.1	1750	0.55	0.75	43.5	165	1.8	
	11.2	3.75	11.7		0.70	1.1	50.5		2.2	
	13.4	4.50	10.6		0.76	1.1	51		2.5	
EG65-4026-04004	9.6	3.22	35.0	1750	2.40	3	38	264	1.8	
	16.0	5.36	33.1		2.94	4	49		1.9	
	19.2	6.43	31.6		3.24	4	51		2.2	



EG	Capacity		Head m	Speed r/min	Power(kw)			Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor				
EG65-4026-04004	9.3	3.11	32.0	1750	2.18	3	37	255	1.8	
	15.4	5.18	30.2		2.67	4	47.5		1.9	
	18.5	6.21	28.5		2.88	4	50		2.2	
EG65-4026-04004	8.9	2.98	29.6	1750	1.99	3	36	245	1.8	
	14.8	4.97	27.5		2.39	3	46.5		1.9	
	17.8	5.97	26.2		2.57	4	49.5		2.2	
EG65-4026-03004	8.5	2.86	26.8	1750	1.83	3	34	235	1.8	
	14.2	4.77	25.2		2.15	3	45.5		1.9	
	17.1	5.72	23.9		2.29	3	48.5		2.2	
EG65-4026-03004	8.2	2.74	24.5	1750	1.65	2.2	33	225	1.8	
	13.6	4.57	22.9		1.88	3	45		1.9	
	16.3	5.48	21.9		2.07	3	47		2.2	
EG65-4026-03004	7.8	2.62	22.1	1750	1.47	2.2	32	215	1.8	
	13.0	4.36	20.7		1.67	2.2	44		1.9	
	15.6	5.24	19.7		1.80	3	46.5		2.2	
EG65-4026-02204	7.4	2.50	20.0	1750	1.35	2.2	30	205	1.8	
	12.4	4.16	18.8		1.51	2.2	42		1.9	
	14.9	4.99	17.8		1.60	2.2	45		2.2	
EG65-4032-11004	10.8	3.62	54.6	1750	5.18	7.5	31	329	2.1	
	18.0	6.03	51.9		6.35	11	40		2.3	
	21.6	7.24	49.2		6.89	11	42		2.5	
EG65-4032-07504	10.3	3.47	49.4	1750	4.56	5.5	30.5	315	2.1	
	17.2	5.78	46.6		5.47	7.5	40		2.3	
	20.7	6.93	44.4		5.96	7.5	42		2.5	
EG65-4032-07504	9.8	3.30	44.6	1750	3.98	5.5	30	300	2.1	
	16.4	5.50	42.2		4.84	5.5	39		2.3	
	19.7	6.60	40.2		5.26	7.5	41		2.5	
EG65-4032-05504	9.4	3.14	40.5	1750	3.44	5.5	30	285	2.1	
	15.6	5.23	37.9		4.29	5.5	37.5		2.3	
	18.7	6.27	35.5		4.53	5.5	40		2.5	
EG65-4032-05504	8.9	2.97	35.4	1750	2.89	4	29.5	270	2.1	
	14.8	4.95	33.8		3.67	5.5	37		2.3	
	17.7	5.94	31.3		3.87	5.5	39		2.5	
EG65-4032-05504	8.4	2.81	32.0	1750	2.81	4	26	255	2.1	
	14.0	4.68	29.6		3.21	4	35		2.3	
	16.7	5.61	28.5		3.52	5.5	37		2.5	
EG65-5013-01504	17.4	5.82	9.9	1750	0.79	1.1	59	139	2.2	
	28.9	9.70	9.2		1.00	1.5	72		2.4	
	34.7	11.64	8.4		1.09	1.5	73		2.7	
EG65-5013-01104	16.2	5.45	8.4	1750	0.64	1.1	58.5	130	2.2	
	27.1	9.08	7.6		0.78	1.1	72		2.4	
	32.5	10.89	6.8		0.84	1.1	72		2.7	
EG65-5013-01104	15.0	5.03	7.2	1750	0.47	0.75	62	120	2.2	
	25.0	8.38	6.5		0.62	1.1	71		2.4	
	30.0	10.05	5.5		0.65	1.1	69		2.7	
EG65-5013-00754	13.7	4.61	6.0	1750	0.37	0.55	61	110	2.2	
	22.9	7.68	5.0		0.46	0.75	67		2.4	
	27.5	9.21	4.1		0.48	0.75	64		2.7	
EG65-5016-03004	18.5	6.21	15.3	1750	1.19	1.5	65	174	2.1	
	30.9	10.36	13.8		1.57	2.2	74		2.2	
	37.1	12.43	12.8		1.85	3	70		2.4	



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG65-5016-02204	17.6	5.89	13.8	1750	1.03	1.5	64	165	2.1
	29.3	9.82	12.4		1.36	2.2	73		2.2
	35.1	11.78	11.4		1.49	2.2	73		2.4
EG65-5016-02204	16.5	5.53	12.1	1750	0.89	1.1	61	155	2.1
	27.5	9.22	11.0		1.14	1.5	72		2.2
	33.0	11.07	10.0		1.25	2.2	72		2.4
EG65-5016-01504	15.4	5.18	10.6	1750	0.76	1.1	59	145	2.1
	25.7	8.63	9.6		0.96	1.5	70		2.2
	30.9	10.36	8.8		1.03	1.5	71.5		2.4
EG65-5016-01104	14.4	4.82	9.2	1750	0.63	1.1	57.5	135	2.1
	24.0	8.03	8.3		0.81	1.1	67.5		2.2
	28.8	9.64	7.3		0.85	1.1	67		2.4
EG65-5016-01104	13.3	4.46	7.9	1750	0.51	0.75	56	125	2.1
	22.2	7.44	6.7		0.61	1.1	66		2.2
	26.6	8.93	5.8		0.65	1.1	65		2.4
EG65-5020-04004	18.0	6.03	22.3	1750	1.85	2.2	59	214	1.3
	30.0	10.05	19.4		2.43	3	65		1.5
	36.0	12.06	17.2		2.72	4	62		1.8
EG65-5020-03004	17.2	5.78	20.5	1750	1.67	2.2	57.5	205	1.3
	28.7	9.63	17.5		2.12	3	64.5		1.5
	34.5	11.56	15.4		2.38	3	61		1.8
EG65-5020-03004	16.4	5.50	18.2	1750	1.49	2.2	54.5	195	1.3
	27.3	9.16	15.6		1.84	3	63		1.5
	32.8	10.99	13.7		2.04	3	60		1.8
EG65-5020-02204	15.6	5.21	16.2	1750	1.32	2.2	52	185	1.3
	25.9	8.69	14.0		1.61	2.2	61.5		1.5
	31.1	10.43	11.9		1.73	2.2	58.5		1.8
EG65-5020-02204	14.7	4.93	14.3	1750	1.11	1.5	51.5	175	1.3
	24.5	8.22	12.1		1.38	2.2	58.5		1.5
	29.4	9.87	10.5		1.53	2.2	55		1.8
EG65-5020-02204	13.9	4.65	12.5	1750	0.97	1.5	49	165	1.3
	23.1	7.75	10.3		1.18	1.5	55		1.5
	27.7	9.30	8.6		1.25	2.2	52		1.8
EG65-5026-07504	19.2	6.44	36.4	1750	3.59	5.5	53	264	1.7
	32.0	10.73	34.2		4.73	5.5	63		1.8
	38.4	12.88	32.5		5.31	7.5	64		1.9
EG65-5026-07504	18.5	6.22	33.6	1750	3.30	5.5	51.5	255	1.7
	30.9	10.36	31.6		4.29	5.5	62		1.8
	37.1	12.44	30.0		4.81	7.5	63		1.9
EG65-5026-05504	17.8	5.97	31.2	1750	2.94	4	51.5	245	1.7
	29.7	9.96	29.2		3.80	5.5	62		1.8
	35.6	11.95	27.8		4.25	5.5	63.5		1.9
EG65-5026-05504	17.1	5.73	28.8	1750	2.63	4	51	235	1.7
	28.5	9.55	27.1		3.44	4	61		1.8
	34.2	11.46	25.8		3.81	5.5	63		1.9
EG65-5026-05504	16.4	5.49	26.4	1750	2.36	4	50	225	1.7
	27.3	9.14	24.8		3.06	4	60		1.8
	32.7	10.97	23.5		3.40	5.5	61.5		1.9



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG65-5026-04004	15.6	5.24	24.1	1750	2.08	3	49.5	215	1.7
	26.1	8.74	22.6		2.70	4	59.5		1.8
	31.3	10.49	21.4		2.99	4	61		1.9
EG65-5026-04004	14.9	5.00	22.0	1750	1.83	3	49	205	1.7
	24.9	8.33	20.4		2.36	3	58.5		1.8
	29.8	10.00	19.2		2.60	4	60		1.9
EG65-5032-15004	30.2	10.14	51.9	1750	8.21	11	52	329	1.5
	50.4	16.90	45.3		10.72	15	58		2.2
	60.5	20.28	40.5		12.12	15	55		2.7
EG65-5032-15004	29.0	9.71	47.3	1750	7.18	11	52	315	1.5
	48.3	16.18	39.8		9.08	11	57.5		2.2
	57.9	19.41	36.3		10.40	15	55		2.7
EG65-5032-11004	27.6	9.24	42.8	1750	6.18	7.5	52	300	1.5
	46.0	15.41	36.6		8.02	11	57		2.2
	55.1	18.49	32.6		9.07	11	54		2.7
EG65-5032-11004	26.2	8.78	38.0	1750	5.21	7.5	52	285	1.5
	43.7	14.64	32.6		6.92	11	56		2.2
	52.4	17.56	28.5		7.61	11	53.5		2.7
EG65-5032-07504	24.8	8.32	33.5	1750	4.35	5.5	52	270	1.5
	41.4	13.87	28.8		5.80	7.5	56		2.2
	49.6	16.64	25.1		6.51	7.5	52		2.7
EG65-5032-07504	23.4	7.86	29.4	1750	3.61	5.5	52	255	1.5
	39.1	13.10	28.8		5.58	7.5	55		2.2
	46.9	15.72	21.7		5.33	7.5	52		2.7
EG80-6513-02204	29.0	9.71	9.3	1750	1.13	1.5	65	139	2.3
	48.3	16.18	8.0		1.35	2.2	78		2.4
	57.9	19.42	7.0		1.43	2.2	77		2.7
EG80-6513-01504	27.1	9.08	8.0	1750	0.87	1.1	68	130	2.3
	45.2	15.14	6.7		1.06	1.5	78		2.4
	54.2	18.16	5.2		1.03	1.5	75		2.7
EG80-6513-01104	25.0	8.38	6.7	1750	0.68	1.1	67.5	120	2.3
	41.7	13.97	5.5		0.81	1.1	77.5		2.4
	50.0	16.77	4.4		0.80	1.1	74		2.7
EG80-6516-03004	30.0	10.06	14.9	1750	1.84	2.2	66	174	2
	50.0	16.76	12.8		2.24	3	78		2.3
	60.0	20.12	11.4		2.41	3	77		2.6
EG80-6516-03004	28.5	9.54	13.4	1750	1.58	2.2	65.5	165	2
	47.4	15.90	10.9		1.83	3	77		2.3
	56.9	19.08	9.8		2.02	3	75		2.6
EG80-6516-02204	26.7	8.96	11.8	1750	1.32	2.2	65	155	2
	44.5	14.93	10.3		1.66	2.2	75.5		2.3
	53.5	17.92	8.6		1.69	2.2	74		2.6
EG80-6516-02204	25.0	8.38	10.3	1750	1.10	1.5	64	145	2
	41.7	13.97	8.7		1.34	2.2	74		2.3
	50.0	16.76	7.6		1.43	2.2	72		2.6
EG80-6516-01504	23.3	7.80	8.9	1750	0.93	1.5	61	135	2
	38.8	13.01	7.6		1.11	1.5	72		2.3
	46.6	15.61	6.6		1.19	1.5	70		2.6
EG80-6516-01504	21.6	7.23	8.0	1750	0.78	1.1	60	125	2
	35.9	12.04	6.5		0.92	1.5	69		2.3
	43.1	14.45	5.5		0.97	1.5	67		2.6



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH) r
	m ³ /h	L/s			轴Shaft	电机Motor			
EG80-6520-05504	33.0	11.06	22.7	1750	3.14	4	65	214	1.7
	55.0	18.43	20.0		4.12	5.5	72.5		1.9
	66.0	22.12	16.6		4.20	5.5	71		2.1
EG80-6520-05504	31.6	10.59	20.5	1750	2.76	4	64	205	1.7
	52.7	17.65	18.1		3.57	5.5	72.5		1.9
	63.2	21.19	16.2		3.86	5.5	72		2.1
EG80-6520-05504	30.1	10.08	18.6	1750	2.45	3	62	195	1.7
	50.1	16.79	16.3		3.10	4	72		1.9
	60.1	20.15	14.6		3.32	5.5	72		2.1
EG80-6520-04004	28.5	9.56	16.6	1750	2.15	3	60	185	1.7
	47.5	15.93	14.6		2.64	4	71.5		1.9
	57.0	19.12	13.2		2.88	4	71		2.1
EG80-6520-03004	27.0	9.04	14.9	1750	1.95	2.2	56	175	1.7
	45.0	15.07	13.0		2.28	3	69.5		1.9
	53.9	18.08	11.4		2.42	3	69		2.1
EG80-6520-03004	25.4	8.53	13.1	1750	1.65	2.2	55	165	1.7
	42.4	14.21	11.2		1.90	3	68		1.9
	50.9	17.05	9.9		2.08	3	66		2.1
EG80-6526-11004	36.0	12.07	35.8	1750	5.95	7.5	59	264	1.7
	60.0	20.12	33.5		7.60	11	72		1.9
	72.0	24.14	31.6		8.49	11	73		2
EG80-6526-11004	34.8	11.66	33.1	1750	5.31	7.5	59	255	1.7
	58.0	19.43	31.3		6.85	11	72		1.9
	69.6	23.32	29.1		7.56	11	73		2
EG80-6526-07504	33.4	11.20	30.5	1750	4.79	7.5	58	245	1.7
	55.7	18.67	28.9		6.16	7.5	71		1.9
	66.8	22.41	26.7		6.69	7.5	72.5		2
EG80-6526-07504	32.1	10.75	28.5	1750	4.37	5.5	57	235	1.7
	53.4	17.91	26.5		5.51	7.5	70		1.9
	64.1	21.49	24.8		6.00	7.5	72		2
EG80-6526-07504	30.7	10.29	26.4	1750	3.93	5.5	56	225	1.7
	51.1	17.15	24.3		4.91	7.5	69		1.9
	61.4	20.58	22.3		5.40	7.5	69		2
EG80-6526-07504	29.3	9.83	23.9	1750	3.47	5.5	55	215	1.7
	48.9	16.38	22.0		4.37	5.5	67		1.9
	58.6	19.66	20.2		4.82	7.5	67		2
EG80-6526-05504	28.0	9.37	21.8	1750	3.14	4	53	205	1.7
	46.6	15.62	20.1		3.89	5.5	65.5		1.9
	55.9	18.75	18.2		4.26	5.5	65		2
EG80-6532-18504	39.0	13.08	53.9	1750	10.60	15	54	329	1.9
	65.0	21.80	49.5		13.70	18.5	64		2
	78.0	26.16	46.2		15.09	18.5	65		2.1
EG80-6532-15004	37.3	12.52	48.7	1750	9.25	15	53.5	315	1.9
	62.2	20.87	44.6		11.80	15	64		2
	74.7	25.04	41.4		13.04	15	64.5		2.1
EG80-6532-15004	35.6	11.93	43.7	1750	7.98	11	53	300	1.9
	59.3	19.88	39.6		9.99	15	64		2
	71.1	23.85	36.1		10.93	15	64		2.1
EG80-6532-11004	33.8	11.33	39.3	1750	6.96	11	52	285	1.9
	56.3	18.88	35.2		8.51	11	63.5		2
	67.6	22.66	31.8		9.20	11	63.5		2.1
EG80-6532-11004	32.0	10.73	35.3	1750	6.09	7.5	50.5	270	1.9
	53.4	17.89	31.2		7.24	11	62.5		2
	64.0	21.47	27.7		7.78	11	62		2.1
EG80-6532-11004	30.2	10.14	30.7	1750	5.16	7.5	49	255	1.9
	50.4	16.89	27.7		6.12	11	62		2
	60.5	20.27	24.2		6.63	11	60		2.1
EG100-8016-05504	48.0	16.09	14.4	1750	2.85	4	66	174	2.3
	80.0	26.82	12.8		3.58	5.5	78		2.5
	96.0	32.18	11.5		3.91	5.5	77		3.7
EG100-8016-04004	45.5	15.26	12.7	1750	2.42	3	65	165	2.3
	75.9	25.43	10.9		2.91	4	77.5		2.5
	91.0	30.52	9.5		3.13	4	75		3.7



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG100-8016-04004	42.8	14.33	10.9	1750	2.02	3	63	155	2.3
	71.3	23.89	9.2		2.33	4	76.5		2.5
	85.5	28.67	7.7		2.51	4	71.5		3.7
EG100-8016-03004	40.0	13.41	9.8	1750	1.71	2.2	62	145	2.3
	66.7	22.35	8.0		1.94	3	75		2.5
	80.0	26.82	6.6		2.04	3	70		3.7
EG100-8016-02204	37.2	12.48	8.5	1750	1.41	2.2	61	135	2.3
	62.1	20.81	6.7		1.62	2.2	70		2.5
	74.5	24.97	5.5		1.65	2.2	68		3.7
EG100-8020-11004	57.0	19.11	22.4	1750	5.04	7.5	69	214	1.9
	95.0	31.85	20.5		6.56	11	81		2
	114.0	38.22	19.1		7.27	11	81.5		2.4
EG100-8020-07504	54.6	18.31	20.4	1750	4.46	7.5	68	205	1.9
	91.0	30.51	18.5		5.66	7.5	81		2
	109.2	36.61	16.9		6.20	7.5	81		2.4
EG100-8020-07504	51.9	17.41	18.4	1750	3.99	5.5	65	195	1.9
	86.6	29.02	16.3		4.81	7.5	80		2
	103.9	34.83	14.7		5.20	7.5	80		2.4
EG100-8020-05504	49.3	16.52	16.5	1750	3.52	5.5	63	185	1.9
	82.1	27.53	14.6		4.15	5.5	78.5		2
	98.6	33.04	12.8		4.41	5.5	78		2.4
EG100-8020-05504	46.6	15.63	14.6	1750	2.98	4	62	175	1.9
	77.7	26.05	12.7		3.53	5.5	76		2
	93.2	31.25	10.9		3.70	5.5	75		2.4
EG100-8020-04004	44.0	14.73	12.8	1750	2.53	4	60.5	165	1.9
	73.3	24.56	10.8		2.90	4	74		2
	87.9	29.47	9.3		3.10	4	72		2.4
EG100-8026-15004	57.0	19.11	35.0	1750	8.22	11	66	264	1.6
	95.0	31.85	31.3		10.66	15	76		2
	114.0	38.22	28.4		11.75	15	75		2.4
EG100-8026-15004	55.1	18.46	32.6	1750	7.19	11	68	255	1.6
	91.8	30.76	29.2		9.73	11	75		2
	110.1	36.92	26.1		10.86	15	72		2.4
EG100-8026-11004	52.9	17.73	30.1	1750	6.47	7.5	67	245	1.6
	88.2	29.56	26.5		8.43	11	75.5		2
	105.8	35.47	23.7		9.24	11	74		2.4
EG100-8026-11004	50.7	17.01	28.0	1750	5.81	7.5	66.5	235	1.6
	84.6	28.35	24.0		7.38	11	75		2
	101.5	34.02	21.4		8.10	11	73		2.4
EG100-8026-11004	48.6	16.29	25.6	1750	5.10	7.5	66.5	225	1.6
	81.0	27.14	22.0		6.52	11	74.5		2
	97.2	32.57	19.2		6.97	11	73		2.4
EG100-8026-07504	46.4	15.56	23.3	1750	4.46	5.5	66	215	1.6
	77.4	25.94	20.1		5.73	7.5	74		2
	92.8	31.13	17.3		6.08	7.5	72		2.4
EG100-8026-07504	44.3	14.84	21.1	1750	3.89	5.5	65.5	205	1.6
	73.8	24.73	18.4		5.05	7.5	73		2
	88.5	29.68	15.6		5.33	7.5	70.5		2.4
EG100-8032-30004	72.4	20.12	52.1	1750	17.72	22	58	329	1.5
	120.7	33.53	48.7		23.17	30	69		1.8
	144.8	40.23	45.6		25.32	30	71		2
EG100-8032-30004	69.3	19.26	47.3	1750	15.68	18.5	57	315	1.5
	115.6	32.10	43.8		19.70	22	70		1.8
	138.7	38.52	41.4		22.09	30	70.7		2
EG100-8032-22004	66.0	18.34	43.3	1750	13.76	18.5	56.5	300	1.5
	110.1	30.57	40.1		17.14	22	70		1.8
	132.1	36.69	37.3		18.96	22	70.7		2



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG100-8032-18504	62.7	17.43	39.0	1750	11.91	15	56	285	1.5
	104.6	29.04	36.3		14.73	18.5	70.1		1.8
	125.5	34.85	33.2		16.07	18.5	70.6		2
EG100-8032-15004	59.4	16.51	33.9	1750	9.81	15	56	270	1.5
	99.1	27.52	31.3		12.01	15	70.3		1.8
	118.9	33.02	28.7		13.19	15	70.4		2
EG100-8032-15004	56.1	15.59	29.7	1750	7.97	11	57	255	1.5
	93.6	25.99	27.4		9.89	15	70.5		1.8
	112.3	31.18	24.9		10.81	15	70.4		2
EG100-8040-55004	72.4	20.12	82.3	1750	31.50	37	51.5	409	1.8
	120.7	33.53	76.0		40.62	55	61.5		2
	144.8	40.23	69.6		44.86	55	61.2		2.3
EG100-8040-45004	69.9	19.43	75.9	1750	27.79	37	52	395	2.2
	116.6	32.38	69.6		35.92	45	61.5		2.4
	139.9	38.86	64.4		40.12	45	61.1		3.2
EG100-8040-45004	67.3	18.69	70.4	1750	25.27	30	51	380	2.2
	112.1	31.15	64.4		31.96	37	61.5		2.4
	134.6	37.38	58.6		35.75	45	60		3
EG100-8040-37004	64.6	17.95	64.4	1750	21.99	30	51.5	365	2.2
	107.7	29.92	58.6		28.01	37	61.3		2.3
	129.3	35.90	53.5		31.35	37	60		2.8
EG100-8040-30004	62.0	17.21	58.6	1750	19.37	30	51	350	2.2
	103.3	28.69	53.2		24.75	30	60.4		2.3
	123.9	34.43	48.5		27.65	30	59.2		2.8
EG100-8040-30004	59.3	16.48	53.6	1750	17.50	22	49.5	335	2.2
	98.9	27.46	48.8		22.03	30	59.6		2.3
	118.6	32.95	44.3		24.36	30	58.7		2.8
EG100-8040-30004	56.7	15.74	48.4	1750	15.54	18.5	48	320	2.2
	94.4	26.23	44.3		19.53	30	58.3		2.3
	113.3	31.48	40.5		21.80	30	57.3		2.8
EG125-10016-07504	91.2	25.34	12.8	1750	4.75	5.5	67	176	2
	152.1	42.24	10.5		5.36	7.5	81		2.1
	182.5	50.69	8.4		5.46	7.5	76.2		2.7
EG125-10016-05504	85.5	23.76	11.4	1750	3.89	5.5	68	165	2
	142.6	39.60	9.0		4.41	5.5	79.5		2.1
	171.1	47.52	8.0		4.75	5.5	78.5		2.7



EG	Capacity		Head	Speed	Power(kw)		Eff	Impeller Dia.	(NPSH)r
	m ³ /h	L/s			m	r/min			
EG125-10016-05504	80.4	22.32	9.9	1750	3.23	4	67	155	2
	133.9	37.20	8.0		3.76	5.5	77.6		2.1
	160.7	44.64	6.6		3.80	5.5	75.5		2.7
EG125-10016-04004	75.2	20.88	8.8	1750	2.78	4	64.5	145	2
	125.3	34.80	7.0		3.14	4	76		2.1
	150.3	41.76	5.7		3.18	4	73		2.7
EG125-10020-15004	102.8	28.56	21.7	1750	8.68	11	70	214	1.7
	171.4	47.60	18.9		11.04	15	80		1.9
	205.6	57.12	16.2		12.07	15	75		2.2
EG125-10020-15004	98.5	27.36	19.5	1750	7.48	11	70	205	1.7
	164.2	45.60	16.8		9.48	15	79		1.9
	197.0	54.72	14.3		10.14	15	75.5		2.2
EG125-10020-11004	93.7	26.02	17.7	1750	6.62	7.5	68	195	1.7
	156.1	43.37	14.6		8.04	11	77		1.9
	187.4	52.05	12.1		8.33	11	74		2.2
EG125-10020-11004	88.9	24.69	15.7	1750	5.68	7.5	67	185	1.7
	148.1	41.15	12.7		6.77	7.5	75.5		1.9
	177.8	49.38	10.3		7.05	11	71		2.2
EG125-10020-07504	84.1	23.36	13.8	1750	5.03	5.5	63	175	1.7
	140.1	38.93	10.6		5.52	7.5	73.5		1.9
	168.2	46.71	8.3		5.59	7.5	68		2.2
EG125-10020-05504	79.3	22.02	12.1	1750	4.35	5.5	60	165	1.7
	132.1	36.70	8.9		4.51	5.5	70.8		1.9
	158.5	44.04	6.6		4.56	5.5	62		2.2
EG125-10026-30004	107.2	29.77	36.0	1750	15.67	18.5	67	264	1.8
	178.6	49.62	32.0		19.98	30	78		2
	214.3	59.54	28.5		22.21	30	75		2.3
EG125-10026-30004	103.5	28.75	33.2	1750	14.07	18.5	66.5	255	1.8
	172.5	47.92	29.7		18.24	22	76.5		2
	207.0	57.51	26.2		20.10	30	73.5		2.3
EG125-10026-22004	99.5	27.63	30.7	1750	12.61	15	66	245	1.8
	165.8	46.04	27.4		16.50	18.5	75		2
	198.9	55.25	24.2		17.95	22	73		2.3
EG125-10026-18504	95.4	26.50	28.1	1750	11.23	15	65	235	1.8
	159.0	44.17	24.8		14.58	18.5	73.5		2
	190.8	53.00	21.7		15.88	18.5	71		2.3
EG125-10026-15004	91.3	25.37	25.6	1750	10.28	15	62	225	1.8
	152.2	42.29	22.3		12.83	15	72		2
	182.7	50.74	19.2		13.86	15	69		2.3
EG125-10026-15004	87.3	24.24	23.3	1750	8.93	11	62	215	1.8
	145.5	40.41	19.8		10.89	15	72		2
	174.6	48.49	16.8		11.62	15	68.5		2.3
EG125-10026-15004	83.2	23.12	21.0	1750	8.05	11	59	205	1.8
	138.7	38.53	17.5		9.71	11	68		2
	166.4	46.23	14.6		10.31	15	64		2.3
EG125-10032-37004	97.8	27.16	55.4	1750	21.66	30	68	329	2
	162.9	45.26	49.5		28.31	37	77.6		2.2
	195.5	54.31	44.0		32.07	37	73		2.7



EG	Capacity		Head m	Speed r/min	Power(kw)			Eff %	Impeller Dia. mm	(NPSH) _r m
	m ³ /h	L/s			轴Shaft	电机Motor				
EG125-10032-37004	93.6	26.00	50.1	1750	19.06	22	67	315	2	
	156.0	43.33	45.2		25.16	30	76.2		2.2	
	187.2	52.00	40.2		28.45	37	72		2.7	
EG125-10032-30004	89.1	24.76	45.3	1750	16.66	22	66	300	2	
	148.6	41.27	40.8		22.29	30	74		2.2	
	178.3	49.52	36.4		24.89	30	71		2.7	
EG125-10032-30004	84.7	23.52	41.1	1750	14.57	18.5	65	285	2	
	141.1	39.21	36.4		19.57	22	71.5		2.2	
	169.4	47.05	32.2		22.32	30	66.5		2.7	
EG125-10032-22004	80.2	22.29	37.4	1750	13.19	18.5	62	270	2	
	133.7	37.14	32.5		17.39	22	68		2.2	
	160.5	44.57	28.9		19.57	22	64.5		2.7	
EG125-10032-22004	75.8	21.05	33.4	1750	11.67	15	59	255	2	
	126.3	35.08	28.8		15.25	18.5	65		2.2	
	151.5	42.09	24.5		16.82	22	60		2.7	
EG125-10040-75004	109.5	30.41	82.7	1750	39.77	45	62	409	1.5	
	182.5	50.69	75.5		52.79	75	71		1.8	
	219.0	60.83	68.5		60.46	75	67.5		2.1	
EG125-10040-75004	105.7	29.37	76.3	1750	36.02	45	61	395	1.5	
	176.2	48.95	69.0		47.66	55	69.5		1.8	
	211.5	58.75	62.1		54.13	75	66		2.1	
EG125-10040-55004	101.7	28.26	70.2	1750	32.40	37	60	380	1.5	
	169.5	47.10	63.2		43.55	55	67		1.8	
	203.5	56.51	56.5		47.79	55	65.5		2.1	
EG125-10040-55004	97.7	27.14	64.8	1750	29.73	37	58	365	1.5	
	162.9	45.24	57.5		38.36	45	66.5		1.8	
	195.4	54.28	51.0		42.38	55	64		2.1	
EG125-10040-45004	93.7	26.03	59.1	1750	26.23	30	57.5	350	1.5	
	156.2	43.38	52.3		34.20	37	65		1.8	
	187.4	52.05	46.2		37.69	45	62.5		2.1	
EG125-10040-37004	89.7	24.91	54.6	1750	23.81	30	56	335	1.5	
	149.5	41.52	47.9		30.47	37	64		1.8	
	179.4	49.82	42.0		33.58	37	61		2.1	
EG125-10040-37004	85.7	23.80	49.5	1750	21.00	30	55	320	1.5	
	142.8	39.66	43.4		26.78	30	63		1.8	
	171.3	47.59	37.6		29.71	37	59		2.1	
EG150-12520-18504	138.2	38.38	21.8	1750	13.25	15	62	214	1.3	
	230.3	63.97	19.4		15.37	18.5	79		1.7	
	276.3	76.76	17.0		16.33	18.5	78.5		1.85	
EG150-12520-15004	132.4	36.77	19.4	1750	11.44	15	61	205	1.3	
	220.6	61.28	16.8		13.06	15	77		1.7	
	264.7	73.53	14.4		13.67	15	76		1.85	
EG150-12520-15004	125.9	34.97	17.0	1750	9.90	11	59	195	1.3	
	209.8	58.29	14.1		10.76	15	75		1.7	
	251.8	69.94	11.8		11.23	15	72		1.85	
EG150-12520-11004	119.4	33.18	14.9	1750	8.33	11	58	185	1.3	
	199.1	55.30	11.7		9.02	11	70		1.7	
	238.9	66.36	9.2		9.04	11	66		1.85	
EG150-12526-37004	173.8	48.28	35.0	1750	23.30	30	71	264	2.2	
	289.7	80.46	32.3		30.36	37	84		2.8	
	347.6	96.56	29.9		33.84	37	83.5		3.3	
EG150-12526-37004	167.9	46.63	31.9	1750	20.53	30	71	255	2.2	
	279.8	77.72	29.3		26.71	30	83.5		2.8	
	335.8	93.27	26.7		29.35	37	83		3.3	



EG	Capacity		Head m	Speed r/min	Power(kw)		Eff %	Impeller Dia. mm	(NPSH)r m
	m ³ /h	L/s			轴Shaft	电机Motor			
EG150-12526-30004	161.3	44.80	29.1	1750	18.27	22	70	245	2.2
	268.8	74.67	26.7		23.50	30	83		2.8
	322.6	89.61	24.0		25.90	30	81.5		3.3
EG150-12526-30004	154.7	42.98	26.7	1750	16.04	18.5	70	235	2.2
	257.9	71.63	23.9		20.70	30	81		2.8
	309.4	85.95	21.1		22.24	30	80		3.3
EG150-12526-22004	148.1	41.15	24.2	1750	14.13	18.5	69	225	2.2
	246.9	68.58	21.0		17.62	22	80		2.8
	296.3	82.29	18.1		19.04	22	76.5		3.3
EG150-12526-22004	141.5	39.32	21.7	1750	12.30	15	68	215	2.2
	235.9	65.53	18.5		15.23	18.5	78		2.8
	283.1	78.64	15.6		16.45	22	73		3.3
EG150-12526-18504	135.0	37.49	19.4	1750	10.62	15	67	205	2.2
	224.9	62.48	16.0		13.08	15	75		2.8
	269.9	74.98	13.1		14.06	18.5	68.5		3.3
EG150-12532-55004	144.9	40.26	51.0	1750	30.95	37	65	329	1.7
	241.6	67.10	47.6		39.40	45	79.5		2.2
	289.9	80.52	44.9		43.71	55	81		2.7
EG150-12532-45004	138.8	38.55	46.5	1750	27.01	30	65	315	1.7
	231.3	64.25	43.6		34.71	37	79		2.2
	277.6	77.10	41.1		38.79	45	80		2.7
EG150-12532-37004	132.2	36.71	42.2	1750	23.56	30	64.5	300	1.7
	220.3	61.19	39.3		30.04	37	78.5		2.2
	264.3	73.43	37.1		33.41	37	80		2.7
EG150-12532-37004	125.6	34.88	38.2	1750	20.38	30	64	285	1.7
	209.3	58.13	35.5		25.96	30	78		2.2
	251.1	69.76	33.4		28.50	37	80		2.7
EG150-12532-30004	119.0	33.04	33.8	1750	17.10	22	64	270	1.7
	198.3	55.07	31.2		22.14	30	76		2.2
	237.9	66.08	29.0		24.07	30	78		2.7
EG150-12532-30004	112.3	31.21	30.0	1750	14.80	18.5	62	255	1.7
	187.2	52.01	27.4		18.86	22	74		2.2
	224.7	62.41	25.2		20.28	30	76		2.7
EG150-12540-90004	164.8	45.78	69.5	1750	49.48	55	63	380	1.5
	274.7	76.31	62.8		65.66	75	71.5		2.8
	329.6	91.57	57.8		73.09	90	71		4
EG150-12540-75004	158.3	43.98	63.2	1750	43.94	55	62	365	1.5
	263.9	73.29	58.0		58.65	75	71		2.8
	316.6	87.95	53.2		65.47	75	70		4
EG150-12540-75004	151.8	42.17	58.1	1750	39.37	45	61	350	1.5
	253.0	70.28	53.3		53.22	75	69		2.8
	303.6	84.34	48.4		58.78	75	68		4
EG150-12540-75004	145.3	40.36	53.6	1750	35.34	45	60	335	1.5
	242.2	67.27	48.8		48.01	55	67		2.8
	290.6	80.72	43.8		51.77	75	67		4



EG	Capacity		Head m	Speed r/min	Power(kw)			Eff %	Impeller Dia. mm	(NPSH) r m
	Model	m ³ /h			L/s	轴Shaft	电机Motor			
EG150-12540-55004		138.8	38.55	48.5	1750	31.06	37	59	320	1.5
		231.3	64.26	43.8		41.83	55	66		2.8
		277.6	77.11	39.3		45.72	55	65		4
EG200-15020-30004		260.7	72.41	20.5	1750	23.51	30	62	214	3
		434.5	120.69	17.8		26.27	30	80		3.5
		521.4	144.83	15.4		29.03	30	75.5		4
EG200-15020-30004		249.7	69.37	18.6	1750	20.78	30	61	205	3
		416.2	115.61	15.7		22.85	30	78		3.5
		499.5	138.74	13.4		24.96	30	73		4
EG200-15020-30004		237.5	65.98	16.8	1750	18.36	22	59	195	3
		395.9	109.97	13.8		19.75	22	75.5		3.5
		475.1	131.97	11.4		20.99	30	70		4
EG200-15020-22004		225.4	62.60	14.9	1750	15.99	18.5	57	185	3
		375.6	104.33	11.9		17.20	22	71		3.5
		450.7	125.20	9.6		18.15	22	65		4
EG200-15020-18504		213.2	59.22	13.0	1750	14.19	18.5	53	175	3
		355.3	98.70	10.1		14.73	18.5	66		3.5
		426.4	118.43	7.7		15.19	18.5	59		4
EG200-15026-55004		234.6	65.17	33.6	1750	29.85	37	72	264	1.7
		391.0	108.62	30.6		39.95	45	81.5		2.1
		469.2	130.35	26.1		44.41	55	75		4
EG200-15026-45004		226.6	62.95	30.9	1750	26.46	30	72	255	1.7
		377.7	104.92	27.5		35.83	45	79		2.1
		453.2	125.90	22.7		38.94	45	72		4
EG200-15026-37004		217.7	60.48	28.1	1750	23.47	30	71	245	1.7
		362.9	100.80	24.3		31.21	37	77		2.1
		435.5	120.96	19.5		34.03	37	68		4
EG200-15026-37004		208.8	58.01	25.6	1750	20.82	30	70	235	1.7
		348.1	96.69	21.4		27.23	37	74.5		2.1
		417.7	116.03	16.3		28.98	37	64		4
EG200-15026-30004		200.0	55.54	23.2	1750	18.82	22	67	225	1.7
		333.3	92.57	18.4		23.13	30	72		2.1
		399.9	111.09	13.5		25.00	30	59		4
EG200-15026-30004		191.1	53.08	20.7	1750	16.55	22	65	215	1.7
		318.5	88.46	15.0		20.32	30	64		2.1
		382.1	106.15	10.3		21.10	30	51		4
EG200-15032-90004		267.9	74.43	52.4	1750	52.39	75	73	329	2.1
		446.6	124.05	49.5		71.25	90	84.5		3
		535.9	148.85	45.4		79.40	90	83.5		4
EG200-15032-75004		256.5	71.26	47.6	1750	45.57	55	73	315	2.1
		427.6	118.77	44.1		61.89	75	83		3
		513.1	142.52	39.5		68.07	75	81		4
EG200-15032-75004		244.3	67.87	42.7	1750	39.42	45	72	300	2.1
		407.2	113.11	38.7		53.02	75	81		3
		488.6	135.73	34.1		57.39	75	79		4
EG200-15032-55004		232.1	64.47	38.2	1750	33.96	45	71	285	2.1
		386.8	107.46	33.5		44.66	55	79		3
		464.2	128.95	28.7		47.71	55	76		4
EG200-15032-45004		219.9	61.08	33.8	1750	28.90	37	70	270	2.1
		366.5	101.80	28.8		37.37	45	77		3
		439.8	122.16	24.0		39.41	45	73		4
EG200-15032-37004		207.7	57.69	29.4	1750	24.11	30	69	255	2.1
		346.1	96.14	24.2		30.38	37	75		3
		415.3	115.37	18.9		31.03	37	69		4
EG200-15040-90004		238.6	66.27	56.2	1750	56.18	75	65	350	2
		397.6	110.45	49.7		70.74	90	76		3.3
		477.1	132.54	43.1		74.17	90	75.5		4.6
EG200-15040-75004		228.3	63.43	51.6	1750	50.08	75	64	335	2
		380.6	105.71	45.4		64.50	75	73		3.3
		456.7	126.86	39.3		67.91	75	72		4.6
EG200-15040-75004		218.1	60.59	46.8	1750	43.72	55	63.5	320	2
		363.5	100.98	41.4		56.08	75	73		3.3
		436.2	121.18	35.5		58.62	75	72		4.6